



Fission

URANIUM CORP.

Drill Core Assay Summary: R390E - Patterson Lake South

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-038	72.50	73.00	0.50	0.007
PLS13-038	73.00	73.50	0.50	0.011
PLS13-038	73.50	74.00	0.50	0.052
PLS13-038	74.00	74.50	0.50	0.098
PLS13-038	74.50	75.00	0.50	0.022
PLS13-038	75.00	75.50	0.50	0.006
PLS13-038	84.50	85.00	0.50	0.012
PLS13-038	85.00	85.50	0.50	0.012
PLS13-038	85.50	86.00	0.50	0.012
PLS13-038	86.00	86.50	0.50	0.009
PLS13-038	86.50	87.00	0.50	0.041
PLS13-038	87.00	87.50	0.50	0.082
PLS13-038	87.50	88.00	0.50	0.339
PLS13-038	88.00	88.50	0.50	0.293
PLS13-038	88.50	89.00	0.50	0.105
PLS13-038	89.00	89.50	0.50	9.370
PLS13-038	89.50	90.00	0.50	0.477
PLS13-038	90.00	90.50	0.50	0.119
PLS13-038	90.50	91.00	0.50	0.552
PLS13-038	91.00	91.50	0.50	3.060
PLS13-038	91.50	92.00	0.50	1.470
PLS13-038	92.00	92.50	0.50	0.943
PLS13-038	92.50	93.00	0.50	0.276
PLS13-038	93.00	93.50	0.50	0.528
PLS13-038	93.50	94.00	0.50	1.600
PLS13-038	94.00	94.50	0.50	0.457
PLS13-038	94.50	95.00	0.50	3.680
PLS13-038	95.00	95.50	0.50	2.520
PLS13-038	95.50	96.00	0.50	1.140
PLS13-038	96.00	96.50	0.50	4.060
PLS13-038	96.50	97.00	0.50	8.040
PLS13-038	97.00	97.50	0.50	9.770
PLS13-038	97.50	98.00	0.50	3.560
PLS13-038	98.00	98.50	0.50	8.040
PLS13-038	98.50	99.00	0.50	20.100
PLS13-038	99.00	99.50	0.50	15.000
PLS13-038	99.50	100.00	0.50	4.140
PLS13-038	100.00	100.50	0.50	4.660

PLS13-038	100.50	101.00	0.50	1.630
PLS13-038	101.00	101.50	0.50	10.500
PLS13-038	101.50	102.00	0.50	27.200
PLS13-038	102.00	102.50	0.50	31.800
PLS13-038	102.50	103.00	0.50	15.300
PLS13-038	103.00	103.50	0.50	13.600
PLS13-038	103.50	104.00	0.50	13.300
PLS13-038	104.00	104.50	0.50	6.940
PLS13-038	104.50	105.00	0.50	19.400
PLS13-038	105.00	105.50	0.50	24.300
PLS13-038	105.50	106.00	0.50	13.500
PLS13-038	106.00	106.50	0.50	35.100
PLS13-038	106.50	107.00	0.50	12.100
PLS13-038	107.00	107.50	0.50	0.472
PLS13-038	107.50	108.00	0.50	1.320
PLS13-038	108.00	108.50	0.50	1.050
PLS13-038	108.50	109.00	0.50	0.110
PLS13-038	109.00	109.50	0.50	0.176
PLS13-038	109.50	110.00	0.50	0.067
PLS13-038	110.00	110.50	0.50	0.093
PLS13-038	110.50	111.00	0.50	0.023
PLS13-038	111.00	111.50	0.50	0.063
PLS13-038	111.50	112.00	0.50	0.460
PLS13-038	112.00	112.50	0.50	0.073
PLS13-038	112.50	113.00	0.50	0.030
PLS13-038	113.00	113.50	0.50	0.158
PLS13-038	113.50	114.00	0.50	0.119
PLS13-038	114.00	114.50	0.50	0.125
PLS13-038	114.50	115.00	0.50	0.148
PLS13-038	115.00	115.50	0.50	0.257
PLS13-038	115.50	116.00	0.50	0.120
PLS13-038	116.00	116.50	0.50	0.048
PLS13-038	116.50	117.00	0.50	0.081
PLS13-038	117.00	117.50	0.50	0.116
PLS13-038	117.50	118.00	0.50	0.029
PLS13-038	118.00	118.50	0.50	0.021
PLS13-038	118.50	119.00	0.50	0.021
PLS13-038	119.00	119.50	0.50	0.166
PLS13-038	119.50	120.00	0.50	0.013
PLS13-038	120.00	120.50	0.50	0.004
PLS13-038	120.50	121.00	0.50	0.230
PLS13-038	121.00	121.50	0.50	0.044
PLS13-038	121.50	122.00	0.50	0.029
PLS13-038	122.00	122.50	0.50	0.004
PLS13-038	122.50	123.00	0.50	0.002
PLS13-038	123.00	123.50	0.50	0.032
PLS13-038	123.50	124.00	0.50	0.039

PLS13-038	124.00	124.50	0.50	0.047
PLS13-038	124.50	125.00	0.50	0.004
PLS13-038	125.00	125.50	0.50	0.034
PLS13-038	125.50	126.00	0.50	0.011
PLS13-038	126.00	126.50	0.50	0.008
PLS13-038	126.50	127.00	0.50	0.422
PLS13-038	127.00	127.50	0.50	0.052
PLS13-038	127.50	128.00	0.50	0.078
PLS13-038	128.00	128.50	0.50	0.431
PLS13-038	128.50	129.00	0.50	2.780
PLS13-038	129.00	129.50	0.50	3.620
PLS13-038	129.50	130.00	0.50	0.073
PLS13-038	130.00	130.50	0.50	0.004
PLS13-038	130.50	131.00	0.50	0.156
PLS13-038	131.00	131.50	0.50	0.008
PLS13-038	131.50	132.00	0.50	0.013
PLS13-038	132.00	132.50	0.50	0.010
PLS13-038	132.50	133.00	0.50	0.109
PLS13-038	133.00	133.50	0.50	1.970
PLS13-038	133.50	134.00	0.50	4.780
PLS13-038	134.00	134.50	0.50	1.020
PLS13-038	134.50	135.00	0.50	2.050
PLS13-038	135.00	135.50	0.50	1.650
PLS13-038	135.50	136.00	0.50	1.230
PLS13-038	136.00	136.50	0.50	4.300
PLS13-038	136.50	137.00	0.50	1.830
PLS13-038	137.00	137.50	0.50	1.450
PLS13-038	137.50	138.00	0.50	0.692
PLS13-038	138.00	138.50	0.50	1.850
PLS13-038	138.50	139.00	0.50	0.697
PLS13-038	139.00	139.50	0.50	0.395
PLS13-038	139.50	140.00	0.50	0.815
PLS13-038	140.00	140.50	0.50	0.580
PLS13-038	140.50	141.00	0.50	0.038
PLS13-038	141.00	141.50	0.50	0.012
PLS13-038	141.50	142.00	0.50	0.037
PLS13-038	142.00	142.50	0.50	0.002
PLS13-038	142.50	143.00	0.50	0.060
PLS13-038	143.00	143.50	0.50	0.241
PLS13-038	143.50	144.00	0.50	0.117
PLS13-038	144.00	144.50	0.50	0.012
PLS13-038	144.50	145.00	0.50	0.008
PLS13-038	164.00	164.50	0.50	0.020
PLS13-038	164.50	165.00	0.50	0.012
PLS13-038	165.00	165.50	0.50	0.160
PLS13-038	165.50	166.00	0.50	0.186
PLS13-038	166.00	166.50	0.50	0.091

PLS13-038	166.50	167.00	0.50	0.016
PLS13-038	167.00	167.50	0.50	0.001
PLS13-038	167.50	168.00	0.50	0.100
PLS13-038	168.00	168.50	0.50	0.003
PLS13-038	168.50	169.00	0.50	0.011
PLS13-038	169.00	169.50	0.50	0.002
PLS13-038	169.50	170.00	0.50	0.001
PLS13-038	170.00	170.50	0.50	0.001
PLS13-038	170.50	171.00	0.50	0.151
PLS13-038	171.00	171.50	0.50	0.002
PLS13-038	171.50	172.00	0.50	0.001
PLS13-038	172.00	172.50	0.50	<0.001
PLS13-038	172.50	173.00	0.50	0.001
PLS13-038	173.00	173.50	0.50	0.001
PLS13-038	173.50	174.00	0.50	0.002
PLS13-038	174.00	174.50	0.50	0.240
PLS13-038	174.50	175.00	0.50	0.150
PLS13-038	175.00	175.50	0.50	0.677
PLS13-038	175.50	176.00	0.50	0.244
PLS13-038	176.00	176.50	0.50	0.163
PLS13-038	176.50	177.00	0.50	0.016
PLS13-038	177.00	177.50	0.50	0.002
PLS13-038	177.50	178.00	0.50	0.004
PLS13-038	178.00	178.50	0.50	0.136
PLS13-038	178.50	179.00	0.50	0.231
PLS13-038	179.00	179.50	0.50	0.045
PLS13-038	179.50	180.00	0.50	0.013
PLS13-038	180.00	180.50	0.50	0.043
PLS13-038	180.50	181.00	0.50	0.074
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-044	54.00	54.50	0.50	0.005
PLS13-044	54.50	55.00	0.50	0.004
PLS13-044	55.00	55.50	0.50	0.004
PLS13-044	55.50	56.00	0.50	0.010
PLS13-044	56.00	56.50	0.50	0.082
PLS13-044	56.50	57.00	0.50	0.183
PLS13-044	57.00	57.50	0.50	0.438
PLS13-044	57.50	58.00	0.50	0.781
PLS13-044	58.00	58.50	0.50	0.021
PLS13-044	58.50	59.00	0.50	0.086
PLS13-044	59.00	59.50	0.50	0.732
PLS13-044	59.50	60.00	0.50	0.939
PLS13-044	60.00	60.50	0.50	1.400
PLS13-044	60.50	61.00	0.50	1.070
PLS13-044	61.00	61.50	0.50	0.034
PLS13-044	61.50	62.00	0.50	0.055

PLS13-044	62.00	62.50	0.50	0.373
PLS13-044	62.50	63.00	0.50	0.297
PLS13-044	63.00	63.50	0.50	0.055
PLS13-044	63.50	64.00	0.50	0.062
PLS13-044	64.00	64.50	0.50	0.290
PLS13-044	64.50	65.00	0.50	0.176
PLS13-044	65.00	65.50	0.50	0.112
PLS13-044	65.50	66.00	0.50	0.122
PLS13-044	66.00	66.50	0.50	0.031
PLS13-044	66.50	67.00	0.50	0.191
PLS13-044	67.00	67.50	0.50	0.070
PLS13-044	67.50	68.00	0.50	0.030
PLS13-044	68.00	68.50	0.50	0.088
PLS13-044	68.50	69.00	0.50	0.037
PLS13-044	69.00	69.50	0.50	0.025
PLS13-044	69.50	70.00	0.50	0.050
PLS13-044	70.00	70.50	0.50	0.015
PLS13-044	70.50	71.00	0.50	0.113
PLS13-044	71.00	71.50	0.50	0.066
PLS13-044	71.50	72.00	0.50	0.058
PLS13-044	72.00	72.50	0.50	0.013
PLS13-044	72.50	73.00	0.50	0.117
PLS13-044	73.00	73.50	0.50	0.038
PLS13-044	73.50	74.00	0.50	0.010
PLS13-044	74.00	74.50	0.50	0.012
PLS13-044	74.50	75.00	0.50	0.008
PLS13-044	75.00	75.50	0.50	0.013
PLS13-044	75.50	76.00	0.50	0.004
PLS13-044	76.00	76.50	0.50	0.004
PLS13-044	76.50	77.00	0.50	0.030
PLS13-044	77.00	77.50	0.50	0.107
PLS13-044	77.50	78.00	0.50	0.041
PLS13-044	78.00	78.50	0.50	0.121
PLS13-044	78.50	79.00	0.50	0.537
PLS13-044	79.00	79.50	0.50	0.165
PLS13-044	79.50	80.00	0.50	0.607
PLS13-044	80.00	80.50	0.50	0.318
PLS13-044	80.50	81.00	0.50	0.711
PLS13-044	81.00	81.50	0.50	0.149
PLS13-044	81.50	82.00	0.50	0.381
PLS13-044	82.00	82.50	0.50	0.449
PLS13-044	82.50	83.00	0.50	0.292
PLS13-044	83.00	83.50	0.50	0.012
PLS13-044	83.50	84.00	0.50	0.025
PLS13-044	84.00	84.50	0.50	0.010
PLS13-044	84.50	85.00	0.50	0.004
PLS13-044	85.00	85.50	0.50	0.010

PLS13-044	85.50	86.00	0.50	0.006
PLS13-044	86.00	86.50	0.50	0.197
PLS13-044	86.50	87.00	0.50	2.050
PLS13-044	87.00	87.50	0.50	0.202
PLS13-044	87.50	88.00	0.50	0.031
PLS13-044	88.00	88.50	0.50	0.035
PLS13-044	88.50	89.00	0.50	0.043
PLS13-044	89.00	89.50	0.50	0.068
PLS13-044	89.50	90.00	0.50	0.018
PLS13-044	90.00	90.50	0.50	0.022
PLS13-044	90.50	91.00	0.50	0.008
PLS13-044	91.00	91.50	0.50	0.003
PLS13-044	91.50	92.00	0.50	0.013
PLS13-044	92.00	92.50	0.50	0.007
PLS13-044	92.50	93.00	0.50	0.005
PLS13-044	93.00	93.50	0.50	0.006
PLS13-044	93.50	94.00	0.50	0.006
PLS13-044	94.00	94.50	0.50	0.017
PLS13-044	94.50	95.00	0.50	0.012
PLS13-044	95.00	95.50	0.50	0.017
PLS13-044	95.50	96.00	0.50	0.013
PLS13-044	96.00	96.50	0.50	0.040
PLS13-044	96.50	97.00	0.50	0.331
PLS13-044	97.00	97.50	0.50	0.041
PLS13-044	97.50	98.00	0.50	0.062
PLS13-044	98.00	98.50	0.50	0.023
PLS13-044	98.50	99.00	0.50	0.052
PLS13-044	99.00	99.50	0.50	0.181
PLS13-044	99.50	100.00	0.50	0.363
PLS13-044	100.00	100.50	0.50	0.309
PLS13-044	100.50	101.00	0.50	0.498
PLS13-044	101.00	101.50	0.50	1.350
PLS13-044	101.50	102.00	0.50	1.430
PLS13-044	102.00	102.50	0.50	1.300
PLS13-044	102.50	103.00	0.50	0.318
PLS13-044	103.00	103.50	0.50	0.224
PLS13-044	103.50	104.00	0.50	0.008
PLS13-044	104.00	104.50	0.50	0.047
PLS13-044	104.50	105.00	0.50	0.012
PLS13-044	105.00	105.50	0.50	0.002
PLS13-044	105.50	106.00	0.50	0.002
PLS13-044	106.00	106.50	0.50	0.002
PLS13-044	106.50	107.00	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-046	94.00	94.50	0.50	0.005
PLS13-046	94.50	95.00	0.50	0.005

PLS13-046	95.00	95.50	0.50	0.008
PLS13-046	95.50	96.00	0.50	0.014
PLS13-046	96.00	96.50	0.50	0.027
PLS13-046	96.50	97.00	0.50	0.135
PLS13-046	97.00	97.50	0.50	0.130
PLS13-046	97.50	98.00	0.50	0.116
PLS13-046	98.00	98.50	0.50	0.020
PLS13-046	98.50	99.00	0.50	0.038
PLS13-046	99.00	99.50	0.50	0.014
PLS13-046	99.50	100.00	0.50	0.006
PLS13-046	100.00	100.50	0.50	0.017
PLS13-046	100.50	101.00	0.50	0.013
PLS13-046	126.50	127.00	0.50	0.004
PLS13-046	127.00	127.50	0.50	0.028
PLS13-046	127.50	128.00	0.50	0.050
PLS13-046	128.00	128.50	0.50	0.023
PLS13-046	128.50	129.00	0.50	0.050
PLS13-046	129.00	129.50	0.50	0.010
PLS13-046	129.50	130.00	0.50	0.036
PLS13-046	130.00	130.50	0.50	0.042
PLS13-046	130.50	131.00	0.50	0.018
PLS13-046	131.00	131.50	0.50	0.002
PLS13-046	131.50	132.00	0.50	0.002
PLS13-046	132.00	132.50	0.50	<0.001
PLS13-046	132.50	133.00	0.50	<0.001
PLS13-046	133.00	133.50	0.50	0.011
PLS13-046	133.50	134.00	0.50	0.036
PLS13-046	134.00	134.50	0.50	0.008
PLS13-046	204.00	204.50	0.50	0.003
PLS13-046	204.50	205.00	0.50	0.006
PLS13-046	205.00	205.50	0.50	0.008
PLS13-046	205.50	206.00	0.50	0.011
PLS13-046	206.00	206.50	0.50	0.048
PLS13-046	206.50	207.00	0.50	0.137
PLS13-046	207.00	207.50	0.50	0.164
PLS13-046	207.50	208.00	0.50	0.016
PLS13-046	208.00	208.50	0.50	0.022
PLS13-046	208.50	209.00	0.50	0.011
PLS13-046	209.00	209.50	0.50	0.041
PLS13-046	209.50	210.00	0.50	0.011
PLS13-046	210.00	210.50	0.50	0.027
PLS13-046	238.00	238.50	0.50	0.003
PLS13-046	238.50	239.00	0.50	0.005
PLS13-046	239.00	239.50	0.50	0.193
PLS13-046	239.50	240.00	0.50	0.078
PLS13-046	240.00	240.50	0.50	0.012
PLS13-046	240.50	241.00	0.50	0.004

PLS13-046	241.00	241.50	0.50	0.012
PLS13-046	241.50	242.00	0.50	0.008
PLS13-046	242.00	242.50	0.50	0.004
PLS13-046	242.50	243.00	0.50	0.002
PLS13-046	243.00	243.50	0.50	0.003
PLS13-046	243.50	244.00	0.50	0.158
PLS13-046	244.00	244.50	0.50	<0.001
PLS13-046	244.50	245.00	0.50	<0.001
PLS13-046	245.00	245.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-051	74.00	74.50	0.50	0.011
PLS13-051	74.50	75.00	0.50	0.010
PLS13-051	75.00	75.50	0.50	0.004
PLS13-051	75.50	76.00	0.50	0.004
PLS13-051	76.00	76.50	0.50	0.152
PLS13-051	76.50	77.00	0.50	0.051
PLS13-051	77.00	77.50	0.50	0.003
PLS13-051	77.50	78.00	0.50	0.001
PLS13-051	78.00	78.50	0.50	0.008
PLS13-051	78.50	79.00	0.50	0.042
PLS13-051	79.00	79.50	0.50	0.036
PLS13-051	79.50	80.00	0.50	0.056
PLS13-051	80.00	80.50	0.50	0.018
PLS13-051	80.50	81.00	0.50	0.013
PLS13-051	81.00	81.50	0.50	0.005
PLS13-051	81.50	82.00	0.50	0.005
PLS13-051	82.00	82.50	0.50	0.002
PLS13-051	82.50	83.00	0.50	0.027
PLS13-051	83.00	83.50	0.50	0.010
PLS13-051	83.50	84.00	0.50	0.002
PLS13-051	84.00	84.50	0.50	0.003
PLS13-051	84.50	85.00	0.50	<0.001
PLS13-051	85.00	85.50	0.50	<0.001
PLS13-051	85.50	86.00	0.50	<0.001
PLS13-051	86.00	86.50	0.50	0.002
PLS13-051	86.50	87.00	0.50	0.002
PLS13-051	87.00	87.50	0.50	0.003
PLS13-051	87.50	88.00	0.50	0.003
PLS13-051	88.00	88.50	0.50	0.006
PLS13-051	88.50	89.00	0.50	0.010
PLS13-051	89.00	89.50	0.50	0.009
PLS13-051	89.50	90.00	0.50	0.005
PLS13-051	90.00	90.50	0.50	0.020
PLS13-051	90.50	91.00	0.50	0.030
PLS13-051	91.00	91.50	0.50	0.029
PLS13-051	91.50	92.00	0.50	0.012

PLS13-051	92.00	92.50	0.50	0.011
PLS13-051	92.50	93.00	0.50	0.030
PLS13-051	93.00	93.50	0.50	0.007
PLS13-051	93.50	94.00	0.50	0.018
PLS13-051	94.00	94.50	0.50	0.024
PLS13-051	94.50	95.00	0.50	0.021
PLS13-051	95.00	95.50	0.50	0.110
PLS13-051	95.50	96.00	0.50	0.469
PLS13-051	96.00	96.50	0.50	0.116
PLS13-051	96.50	97.00	0.50	0.036
PLS13-051	97.00	97.50	0.50	0.022
PLS13-051	97.50	98.00	0.50	0.245
PLS13-051	98.00	98.50	0.50	0.010
PLS13-051	98.50	99.00	0.50	0.112
PLS13-051	99.00	99.50	0.50	0.263
PLS13-051	99.50	100.00	0.50	0.225
PLS13-051	100.00	100.50	0.50	0.025
PLS13-051	100.50	101.00	0.50	0.030
PLS13-051	101.00	101.50	0.50	0.225
PLS13-051	101.50	102.00	0.50	3.570
PLS13-051	102.00	102.50	0.50	1.320
PLS13-051	102.50	103.00	0.50	0.081
PLS13-051	103.00	103.50	0.50	1.380
PLS13-051	103.50	104.00	0.50	2.700
PLS13-051	104.00	104.50	0.50	0.401
PLS13-051	104.50	105.00	0.50	4.360
PLS13-051	105.00	105.50	0.50	0.961
PLS13-051	105.50	106.00	0.50	0.213
PLS13-051	106.00	106.50	0.50	0.457
PLS13-051	106.50	107.00	0.50	4.350
PLS13-051	107.00	107.50	0.50	6.760
PLS13-051	107.50	108.00	0.50	11.400
PLS13-051	108.00	108.50	0.50	14.800
PLS13-051	108.50	109.00	0.50	4.630
PLS13-051	109.00	109.50	0.50	12.700
PLS13-051	109.50	110.00	0.50	24.000
PLS13-051	110.00	110.50	0.50	20.500
PLS13-051	110.50	111.00	0.50	40.400
PLS13-051	111.00	111.50	0.50	27.000
PLS13-051	111.50	112.00	0.50	30.000
PLS13-051	112.00	112.50	0.50	20.000
PLS13-051	112.50	113.00	0.50	15.600
PLS13-051	113.00	113.50	0.50	44.600
PLS13-051	113.50	114.00	0.50	40.600
PLS13-051	114.00	114.50	0.50	44.400
PLS13-051	114.50	115.00	0.50	42.500
PLS13-051	115.00	115.50	0.50	34.200

PLS13-051	115.50	116.00	0.50	32.400
PLS13-051	116.00	116.50	0.50	40.900
PLS13-051	116.50	117.00	0.50	41.300
PLS13-051	117.00	117.50	0.50	38.500
PLS13-051	117.50	118.00	0.50	34.000
PLS13-051	118.00	118.50	0.50	6.200
PLS13-051	118.50	119.00	0.50	4.900
PLS13-051	119.00	119.50	0.50	1.380
PLS13-051	119.50	120.00	0.50	2.030
PLS13-051	120.00	120.50	0.50	1.310
PLS13-051	120.50	121.00	0.50	0.222
PLS13-051	121.00	121.50	0.50	0.642
PLS13-051	121.50	122.00	0.50	0.577
PLS13-051	122.00	122.50	0.50	0.057
PLS13-051	122.50	123.00	0.50	0.139
PLS13-051	123.00	123.50	0.50	0.304
PLS13-051	123.50	124.00	0.50	0.014
PLS13-051	124.00	124.50	0.50	0.016
PLS13-051	124.50	125.00	0.50	0.018
PLS13-051	125.00	125.50	0.50	0.356
PLS13-051	125.50	126.00	0.50	0.060
PLS13-051	126.00	126.50	0.50	0.018
PLS13-051	126.50	127.00	0.50	0.142
PLS13-051	127.00	127.50	0.50	0.147
PLS13-051	127.50	128.00	0.50	0.022
PLS13-051	128.00	128.50	0.50	0.007
PLS13-051	128.50	129.00	0.50	0.054
PLS13-051	129.00	129.50	0.50	0.103
PLS13-051	129.50	130.00	0.50	0.241
PLS13-051	130.00	130.50	0.50	0.099
PLS13-051	130.50	131.00	0.50	0.048
PLS13-051	131.00	131.50	0.50	0.556
PLS13-051	131.50	132.00	0.50	1.790
PLS13-051	132.00	132.50	0.50	1.060
PLS13-051	132.50	133.00	0.50	0.288
PLS13-051	133.00	133.50	0.50	1.400
PLS13-051	133.50	134.00	0.50	0.573
PLS13-051	134.00	134.50	0.50	1.530
PLS13-051	134.50	135.00	0.50	0.636
PLS13-051	135.00	135.50	0.50	0.168
PLS13-051	135.50	136.00	0.50	0.431
PLS13-051	136.00	136.50	0.50	0.816
PLS13-051	136.50	137.00	0.50	0.140
PLS13-051	137.00	137.50	0.50	0.171
PLS13-051	137.50	138.00	0.50	0.005
PLS13-051	138.00	138.50	0.50	0.005
PLS13-051	138.50	139.00	0.50	<0.001

PLS13-051	139.00	139.50	0.50	0.035
PLS13-051	139.50	140.00	0.50	0.441
PLS13-051	140.00	140.50	0.50	3.160
PLS13-051	140.50	141.00	0.50	3.090
PLS13-051	141.00	141.50	0.50	3.740
PLS13-051	141.50	142.00	0.50	0.957
PLS13-051	142.00	142.50	0.50	2.220
PLS13-051	142.50	143.00	0.50	0.208
PLS13-051	143.00	143.50	0.50	0.004
PLS13-051	143.50	144.00	0.50	0.032
PLS13-051	144.00	144.50	0.50	0.055
PLS13-051	144.50	145.00	0.50	0.780
PLS13-051	145.00	145.50	0.50	2.840
PLS13-051	145.50	146.00	0.50	0.166
PLS13-051	146.00	146.50	0.50	0.001
PLS13-051	146.50	147.00	0.50	0.044
PLS13-051	147.00	147.50	0.50	0.063
PLS13-051	147.50	148.00	0.50	0.089
PLS13-051	148.00	148.50	0.50	0.015
PLS13-051	148.50	149.00	0.50	0.021
PLS13-051	149.00	149.50	0.50	0.001
PLS13-051	149.50	150.00	0.50	<0.001
PLS13-051	150.00	150.50	0.50	0.003
PLS13-051	150.50	151.00	0.50	0.007
PLS13-051	151.00	151.50	0.50	0.022
PLS13-051	151.50	152.00	0.50	0.002
PLS13-051	152.00	152.50	0.50	0.008
PLS13-051	152.50	153.00	0.50	0.004
PLS13-051	153.00	153.50	0.50	0.026
PLS13-051	153.50	154.00	0.50	0.006
PLS13-051	154.00	154.50	0.50	0.003
PLS13-051	154.50	155.00	0.50	0.015
PLS13-051	155.00	155.50	0.50	0.019
PLS13-051	155.50	156.00	0.50	0.009
PLS13-051	156.00	156.50	0.50	0.004
PLS13-051	156.50	157.00	0.50	0.012
PLS13-051	157.00	157.50	0.50	0.132
PLS13-051	157.50	158.00	0.50	0.031
PLS13-051	158.00	158.50	0.50	0.034
PLS13-051	158.50	159.00	0.50	0.078
PLS13-051	159.00	159.50	0.50	0.213
PLS13-051	159.50	160.00	0.50	0.026
PLS13-051	160.00	160.50	0.50	0.002
PLS13-051	160.50	161.00	0.50	0.021
PLS13-051	161.00	161.50	0.50	0.011
PLS13-051	161.50	162.00	0.50	<0.001
PLS13-051	162.00	162.50	0.50	0.005

PLS13-051	162.50	163.00	0.50	0.006
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-053	64.00	64.50	0.50	0.002
PLS13-053	64.50	65.00	0.50	0.005
PLS13-053	65.00	65.50	0.50	0.021
PLS13-053	65.50	66.00	0.50	0.011
PLS13-053	66.00	66.50	0.50	0.133
PLS13-053	66.50	67.00	0.50	0.245
PLS13-053	67.00	67.50	0.50	0.102
PLS13-053	67.50	68.00	0.50	0.069
PLS13-053	68.00	68.50	0.50	0.053
PLS13-053	68.50	69.00	0.50	0.076
PLS13-053	69.00	69.50	0.50	0.143
PLS13-053	69.50	70.00	0.50	0.337
PLS13-053	70.00	70.50	0.50	0.143
PLS13-053	70.50	71.00	0.50	0.040
PLS13-053	71.00	71.50	0.50	0.061
PLS13-053	71.50	72.00	0.50	0.044
PLS13-053	72.00	72.50	0.50	0.024
PLS13-053	72.50	73.00	0.50	0.024
PLS13-053	73.00	73.50	0.50	0.285
PLS13-053	73.50	74.00	0.50	0.233
PLS13-053	74.00	74.50	0.50	0.118
PLS13-053	74.50	75.00	0.50	0.176
PLS13-053	75.00	75.50	0.50	0.113
PLS13-053	75.50	76.00	0.50	0.150
PLS13-053	76.00	76.50	0.50	0.053
PLS13-053	76.50	77.00	0.50	0.023
PLS13-053	77.00	77.50	0.50	0.019
PLS13-053	77.50	78.00	0.50	0.026
PLS13-053	78.00	78.50	0.50	3.280
PLS13-053	78.50	79.00	0.50	2.450
PLS13-053	79.00	79.50	0.50	0.485
PLS13-053	79.50	80.00	0.50	1.460
PLS13-053	80.00	80.50	0.50	0.459
PLS13-053	80.50	81.00	0.50	1.680
PLS13-053	81.00	81.50	0.50	7.770
PLS13-053	81.50	82.00	0.50	6.350
PLS13-053	82.00	82.50	0.50	0.724
PLS13-053	82.50	83.00	0.50	5.630
PLS13-053	83.00	83.50	0.50	1.180
PLS13-053	83.50	84.00	0.50	0.779
PLS13-053	84.00	84.50	0.50	2.630
PLS13-053	84.50	85.00	0.50	2.000
PLS13-053	85.00	85.50	0.50	4.240
PLS13-053	85.50	86.00	0.50	6.590

PLS13-053	86.00	86.50	0.50	9.580
PLS13-053	86.50	87.00	0.50	7.170
PLS13-053	87.00	87.50	0.50	8.200
PLS13-053	87.50	88.00	0.50	3.650
PLS13-053	88.00	88.50	0.50	3.460
PLS13-053	88.50	89.00	0.50	5.310
PLS13-053	89.00	89.50	0.50	6.440
PLS13-053	89.50	90.00	0.50	3.780
PLS13-053	90.00	90.50	0.50	0.478
PLS13-053	90.50	91.00	0.50	1.570
PLS13-053	91.00	91.50	0.50	7.940
PLS13-053	91.50	92.00	0.50	2.330
PLS13-053	92.00	92.50	0.50	1.400
PLS13-053	92.50	93.00	0.50	1.150
PLS13-053	93.00	93.50	0.50	1.950
PLS13-053	93.50	94.00	0.50	8.740
PLS13-053	94.00	94.50	0.50	19.400
PLS13-053	94.50	95.00	0.50	4.560
PLS13-053	95.00	95.50	0.50	2.590
PLS13-053	95.50	96.00	0.50	12.000
PLS13-053	96.00	96.50	0.50	9.920
PLS13-053	96.50	97.00	0.50	5.440
PLS13-053	97.00	97.50	0.50	3.280
PLS13-053	97.50	98.00	0.50	4.670
PLS13-053	98.00	98.50	0.50	8.280
PLS13-053	98.50	99.00	0.50	17.400
PLS13-053	99.00	99.50	0.50	37.200
PLS13-053	99.50	100.00	0.50	39.100
PLS13-053	100.00	100.50	0.50	37.900
PLS13-053	100.50	101.00	0.50	40.700
PLS13-053	101.00	101.50	0.50	35.700
PLS13-053	101.50	102.00	0.50	36.900
PLS13-053	102.00	102.50	0.50	35.400
PLS13-053	102.50	103.00	0.50	33.000
PLS13-053	103.00	103.50	0.50	44.400
PLS13-053	103.50	104.00	0.50	45.000
PLS13-053	104.00	104.50	0.50	17.300
PLS13-053	104.50	105.00	0.50	0.579
PLS13-053	105.00	105.50	0.50	0.237
PLS13-053	105.50	106.00	0.50	0.019
PLS13-053	106.00	106.50	0.50	0.094
PLS13-053	106.50	107.00	0.50	0.020
PLS13-053	107.00	107.50	0.50	0.091
PLS13-053	107.50	108.00	0.50	0.018
PLS13-053	108.00	108.50	0.50	0.099
PLS13-053	108.50	109.00	0.50	0.084
PLS13-053	109.00	109.50	0.50	0.128

PLS13-053	109.50	110.00	0.50	0.376
PLS13-053	110.00	110.50	0.50	0.302
PLS13-053	110.50	111.00	0.50	0.017
PLS13-053	111.00	111.50	0.50	0.007
PLS13-053	111.50	112.00	0.50	0.017
PLS13-053	112.00	112.50	0.50	0.326
PLS13-053	112.50	113.00	0.50	0.481
PLS13-053	113.00	113.50	0.50	0.652
PLS13-053	113.50	114.00	0.50	1.210
PLS13-053	114.00	114.50	0.50	0.328
PLS13-053	114.50	115.00	0.50	0.817
PLS13-053	115.00	115.50	0.50	0.553
PLS13-053	115.50	116.00	0.50	0.045
PLS13-053	116.00	116.50	0.50	0.017
PLS13-053	116.50	117.00	0.50	<0.001
PLS13-053	117.00	117.50	0.50	0.022
PLS13-053	117.50	118.00	0.50	0.010
PLS13-053	118.00	118.50	0.50	0.029
PLS13-053	118.50	119.00	0.50	0.013
PLS13-053	119.00	119.50	0.50	0.005
PLS13-053	119.50	120.00	0.50	0.021
PLS13-053	120.00	120.50	0.50	0.072
PLS13-053	120.50	121.00	0.50	0.625
PLS13-053	121.00	121.50	0.50	0.014
PLS13-053	121.50	122.00	0.50	0.007
PLS13-053	122.00	122.50	0.50	0.016
PLS13-053	122.50	123.00	0.50	0.049
PLS13-053	123.00	123.50	0.50	0.111
PLS13-053	123.50	124.00	0.50	0.036
PLS13-053	124.00	124.50	0.50	0.028
PLS13-053	124.50	125.00	0.50	0.049
PLS13-053	125.00	125.50	0.50	0.057
PLS13-053	125.50	126.00	0.50	0.130
PLS13-053	126.00	126.50	0.50	0.525
PLS13-053	126.50	127.00	0.50	0.062
PLS13-053	127.00	127.50	0.50	0.053
PLS13-053	127.50	128.00	0.50	0.211
PLS13-053	128.00	128.50	0.50	1.310
PLS13-053	128.50	129.00	0.50	0.071
PLS13-053	129.00	129.50	0.50	0.980
PLS13-053	129.50	130.00	0.50	1.140
PLS13-053	130.00	130.50	0.50	10.400
PLS13-053	130.50	131.00	0.50	36.200
PLS13-053	131.00	131.50	0.50	21.900
PLS13-053	131.50	132.00	0.50	0.094
PLS13-053	132.00	132.50	0.50	0.550
PLS13-053	132.50	133.00	0.50	10.000

PLS13-053	133.00	133.50	0.50	0.178
PLS13-053	133.50	134.00	0.50	0.958
PLS13-053	134.00	134.50	0.50	0.389
PLS13-053	134.50	135.00	0.50	0.082
PLS13-053	135.00	135.50	0.50	0.108
PLS13-053	135.50	136.00	0.50	0.282
PLS13-053	136.00	136.50	0.50	0.098
PLS13-053	136.50	137.00	0.50	0.009
PLS13-053	137.00	137.50	0.50	0.005
PLS13-053	137.50	138.00	0.50	0.011
PLS13-053	138.00	138.50	0.50	0.004
PLS13-053	138.50	139.00	0.50	0.018
PLS13-053	139.00	139.50	0.50	0.021
PLS13-053	139.50	140.00	0.50	0.008
PLS13-053	140.00	140.50	0.50	0.008
PLS13-053	140.50	141.00	0.50	0.009
PLS13-053	141.00	141.50	0.50	0.004
PLS13-053	141.50	142.00	0.50	0.021
PLS13-053	142.00	142.50	0.50	0.011
PLS13-053	142.50	143.00	0.50	0.004
PLS13-053	143.00	143.50	0.50	0.006
PLS13-053	143.50	144.00	0.50	0.002
PLS13-053	144.00	144.50	0.50	0.009
PLS13-053	144.50	145.00	0.50	0.023
PLS13-053	145.00	145.50	0.50	0.141
PLS13-053	145.50	146.00	0.50	0.046
PLS13-053	146.00	146.50	0.50	0.012
PLS13-053	146.50	147.00	0.50	0.006
PLS13-053	147.00	147.50	0.50	0.002
PLS13-053	147.50	148.00	0.50	<0.001
PLS13-053	149.50	150.00	0.50	0.001
PLS13-053	155.00	155.50	0.50	<0.001
PLS13-053	159.00	159.50	0.50	0.003
PLS13-053	159.50	160.00	0.50	0.019
PLS13-053	160.00	160.50	0.50	0.024
PLS13-053	160.50	161.00	0.50	0.085
PLS13-053	161.00	161.50	0.50	0.004
PLS13-053	161.50	162.00	0.50	0.002
PLS13-053	164.50	165.00	0.50	0.012
PLS13-053	165.00	165.50	0.50	0.014
PLS13-053	165.50	166.00	0.50	0.016
PLS13-053	166.00	166.50	0.50	0.010
PLS13-053	166.50	167.00	0.50	0.006
PLS13-053	167.50	168.00	0.50	0.023
PLS13-053	177.50	178.00	0.50	<0.001
PLS13-053	178.00	178.50	0.50	<0.001
PLS13-053	178.50	179.00	0.50	PENDING

PLS13-053	184.00	184.50	0.50	0.004
PLS13-053	184.50	185.00	0.50	0.032
PLS13-053	185.00	185.50	0.50	0.023
PLS13-053	185.50	186.00	0.50	<0.001
PLS13-053	186.00	186.50	0.50	0.010
PLS13-053	186.50	187.00	0.50	0.011
PLS13-053	187.00	187.50	0.50	0.002
PLS13-053	187.50	188.00	0.50	0.002
PLS13-053	188.00	188.50	0.50	0.007
PLS13-053	188.50	189.00	0.50	0.041
PLS13-053	189.00	189.50	0.50	0.022
PLS13-053	189.50	190.00	0.50	0.011
PLS13-053	190.00	190.50	0.50	0.007
PLS13-053	190.50	191.00	0.50	0.010
PLS13-053	191.00	191.50	0.50	0.007
PLS13-053	191.50	192.00	0.50	<0.001
PLS13-053	192.00	192.50	0.50	0.045
PLS13-053	192.50	193.00	0.50	0.026
PLS13-053	193.00	193.50	0.50	0.009
PLS13-053	193.50	194.00	0.50	0.007
PLS13-053	195.00	195.50	0.50	<0.001
PLS13-053	200.00	200.50	0.50	<0.001
PLS13-053	206.50	207.00	0.50	<0.001
PLS13-053	207.00	207.50	0.50	<0.001
PLS13-053	207.50	208.00	0.50	<0.001
PLS13-053	208.00	208.50	0.50	<0.001
PLS13-053	208.50	209.00	0.50	0.002
PLS13-053	209.00	209.50	0.50	0.016
PLS13-053	209.50	210.00	0.50	<0.001
PLS13-053	210.00	210.50	0.50	<0.001
PLS13-053	213.50	214.00	0.50	<0.001
PLS13-053	217.50	218.00	0.50	<0.001
PLS13-053	218.00	218.50	0.50	0.008
PLS13-053	218.50	219.00	0.50	0.060
PLS13-053	219.00	219.50	0.50	0.083
PLS13-053	219.50	220.00	0.50	0.008
PLS13-053	220.00	220.50	0.50	0.004
PLS13-053	225.00	225.50	0.50	<0.001
PLS13-053	235.00	235.50	0.50	<0.001
PLS13-053	244.00	244.50	0.50	<0.001
PLS13-053	245.00	245.50	0.50	<0.001
PLS13-053	255.00	255.50	0.50	<0.001
PLS13-053	265.00	265.50	0.50	<0.001
PLS13-053	269.00	269.50	0.50	<0.001
PLS13-053	269.50	270.00	0.50	<0.001
PLS13-053	275.00	275.50	0.50	<0.001

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-061	74.50	75.00	0.50	0.011
PLS13-061	75.00	75.50	0.50	0.003
PLS13-061	75.50	76.00	0.50	0.008
PLS13-061	76.00	76.50	0.50	0.022
PLS13-061	76.50	77.00	0.50	0.049
PLS13-061	77.00	77.50	0.50	0.109
PLS13-061	77.50	78.00	0.50	0.106
PLS13-061	78.00	78.50	0.50	0.113
PLS13-061	78.50	79.00	0.50	0.067
PLS13-061	79.00	79.50	0.50	0.091
PLS13-061	79.50	80.00	0.50	0.036
PLS13-061	80.00	80.50	0.50	0.066
PLS13-061	80.50	81.00	0.50	0.024
PLS13-061	81.00	81.50	0.50	0.328
PLS13-061	81.50	82.00	0.50	0.186
PLS13-061	82.00	82.50	0.50	0.068
PLS13-061	82.50	83.00	0.50	0.150
PLS13-061	83.00	83.50	0.50	0.044
PLS13-061	83.50	84.00	0.50	0.042
PLS13-061	84.00	84.50	0.50	0.076
PLS13-061	84.50	85.00	0.50	0.011
PLS13-061	85.00	85.50	0.50	0.006
PLS13-061	85.50	86.00	0.50	0.004
PLS13-061	86.00	86.50	0.50	0.057
PLS13-061	86.50	87.00	0.50	0.062
PLS13-061	87.00	87.50	0.50	0.061
PLS13-061	87.50	88.00	0.50	0.041
PLS13-061	88.00	88.50	0.50	0.009
PLS13-061	88.50	89.00	0.50	0.087
PLS13-061	89.00	89.50	0.50	0.099
PLS13-061	89.50	90.00	0.50	0.038
PLS13-061	90.00	90.50	0.50	0.184
PLS13-061	90.50	91.00	0.50	0.021
PLS13-061	91.00	91.50	0.50	0.066
PLS13-061	91.50	92.00	0.50	0.491
PLS13-061	92.00	92.50	0.50	0.034
PLS13-061	92.50	93.00	0.50	1.080
PLS13-061	93.00	93.50	0.50	0.030
PLS13-061	93.50	94.00	0.50	0.063
PLS13-061	94.00	94.50	0.50	0.059
PLS13-061	94.50	95.00	0.50	4.230
PLS13-061	95.00	95.50	0.50	0.275
PLS13-061	95.50	96.00	0.50	0.035
PLS13-061	96.00	96.50	0.50	0.144
PLS13-061	96.50	97.00	0.50	0.089

PLS13-061	97.00	97.50	0.50	1.530
PLS13-061	97.50	98.00	0.50	0.572
PLS13-061	98.00	98.50	0.50	0.023
PLS13-061	98.50	99.00	0.50	0.005
PLS13-061	99.00	99.50	0.50	0.004
PLS13-061	99.50	100.00	0.50	0.003
PLS13-061	100.00	100.50	0.50	0.038
PLS13-061	100.50	101.00	0.50	0.003
PLS13-061	101.00	101.50	0.50	0.003
PLS13-061	101.50	102.00	0.50	0.004
PLS13-061	102.00	102.50	0.50	0.003
PLS13-061	102.50	103.00	0.50	0.151
PLS13-061	103.00	103.50	0.50	0.350
PLS13-061	103.50	104.00	0.50	0.019
PLS13-061	104.00	104.50	0.50	0.003
PLS13-061	104.50	105.00	0.50	0.034
PLS13-061	105.00	105.50	0.50	0.015
PLS13-061	105.50	106.00	0.50	0.004
PLS13-061	106.00	106.50	0.50	0.001
PLS13-061	106.50	107.00	0.50	0.002
PLS13-061	107.00	107.50	0.50	<0.001
PLS13-061	107.50	108.00	0.50	0.001
PLS13-061	108.00	108.50	0.50	<0.001
PLS13-061	108.50	109.00	0.50	<0.001
PLS13-061	109.00	109.50	0.50	<0.001
PLS13-061	109.50	110.00	0.50	0.034
PLS13-061	110.00	110.50	0.50	0.337
PLS13-061	110.50	111.00	0.50	0.092
PLS13-061	111.00	111.50	0.50	0.050
PLS13-061	111.50	112.00	0.50	0.007
PLS13-061	112.00	112.50	0.50	0.015
PLS13-061	112.50	113.00	0.50	0.134
PLS13-061	113.00	113.50	0.50	0.290
PLS13-061	113.50	114.00	0.50	0.060
PLS13-061	114.00	114.50	0.50	0.012
PLS13-061	114.50	115.00	0.50	0.149
PLS13-061	115.00	115.50	0.50	0.121
PLS13-061	115.50	116.00	0.50	0.778
PLS13-061	116.00	116.50	0.50	1.180
PLS13-061	116.50	117.00	0.50	0.225
PLS13-061	117.00	117.50	0.50	0.334
PLS13-061	117.50	118.00	0.50	0.219
PLS13-061	118.00	118.50	0.50	0.068
PLS13-061	118.50	119.00	0.50	0.006
PLS13-061	119.00	119.50	0.50	0.084
PLS13-061	119.50	120.00	0.50	0.539
PLS13-061	120.00	120.50	0.50	0.474

PLS13-061	120.50	121.00	0.50	0.194
PLS13-061	121.00	121.50	0.50	0.106
PLS13-061	121.50	122.00	0.50	1.940
PLS13-061	122.00	122.50	0.50	2.130
PLS13-061	122.50	123.00	0.50	2.300
PLS13-061	123.00	123.50	0.50	0.023
PLS13-061	123.50	124.00	0.50	0.162
PLS13-061	124.00	124.50	0.50	0.552
PLS13-061	124.50	125.00	0.50	0.133
PLS13-061	125.00	125.50	0.50	0.026
PLS13-061	125.50	126.00	0.50	0.161
PLS13-061	126.00	126.50	0.50	4.670
PLS13-061	126.50	127.00	0.50	4.700
PLS13-061	127.00	127.50	0.50	6.860
PLS13-061	127.50	128.00	0.50	2.410
PLS13-061	128.00	128.50	0.50	0.856
PLS13-061	128.50	129.00	0.50	2.130
PLS13-061	129.00	129.50	0.50	0.252
PLS13-061	129.50	130.00	0.50	0.074
PLS13-061	130.00	130.50	0.50	8.360
PLS13-061	130.50	131.00	0.50	9.700
PLS13-061	131.00	131.50	0.50	4.420
PLS13-061	131.50	132.00	0.50	7.700
PLS13-061	132.00	132.50	0.50	0.068
PLS13-061	132.50	133.00	0.50	0.097
PLS13-061	133.00	133.50	0.50	0.090
PLS13-061	133.50	134.00	0.50	0.022
PLS13-061	134.00	134.50	0.50	0.003
PLS13-061	134.50	135.00	0.50	0.003
PLS13-061	135.00	135.50	0.50	0.010
PLS13-061	135.50	136.00	0.50	0.022
PLS13-061	136.00	136.50	0.50	0.013
PLS13-061	136.50	137.00	0.50	0.018
PLS13-061	137.00	137.50	0.50	0.044
PLS13-061	137.50	138.00	0.50	0.185
PLS13-061	138.00	138.50	0.50	0.199
PLS13-061	138.50	139.00	0.50	2.460
PLS13-061	139.00	139.50	0.50	2.130
PLS13-061	139.50	140.00	0.50	0.873
PLS13-061	140.00	140.50	0.50	0.008
PLS13-061	140.50	141.00	0.50	0.003
PLS13-061	141.00	141.50	0.50	0.002
PLS13-061	141.50	142.00	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-062	51.00	51.50	0.50	1.280
PLS13-062	51.50	52.00	0.50	0.055

PLS13-062	52.00	52.50	0.50	<0.001
PLS13-062	52.50	53.00	0.50	0.049
PLS13-062	53.00	53.50	0.50	0.284
PLS13-062	53.50	54.00	0.50	0.562
PLS13-062	54.00	54.50	0.50	0.022
PLS13-062	54.50	55.00	0.50	0.298
PLS13-062	55.00	55.50	0.50	0.004
PLS13-062	55.50	56.00	0.50	<0.001
PLS13-062	56.00	56.50	0.50	<0.001
PLS13-062	56.50	57.00	0.50	0.001
PLS13-062	57.00	57.50	0.50	0.005
PLS13-062	57.50	58.00	0.50	<0.001
PLS13-062	83.00	83.50	0.50	0.024
PLS13-062	83.50	84.00	0.50	0.017
PLS13-062	84.00	84.50	0.50	0.038
PLS13-062	84.50	85.00	0.50	0.015
PLS13-062	85.00	85.50	0.50	0.043
PLS13-062	85.50	86.00	0.50	0.002
PLS13-062	86.00	86.50	0.50	0.204
PLS13-062	86.50	87.00	0.50	0.091
PLS13-062	87.00	87.50	0.50	0.038
PLS13-062	87.50	88.00	0.50	0.078
PLS13-062	88.00	88.50	0.50	0.244
PLS13-062	88.50	89.00	0.50	0.025
PLS13-062	89.00	89.50	0.50	0.014
PLS13-062	89.50	90.00	0.50	0.045
PLS13-062	90.00	90.50	0.50	0.548
PLS13-062	90.50	91.00	0.50	1.680
PLS13-062	91.00	91.50	0.50	0.260
PLS13-062	91.50	92.00	0.50	0.103
PLS13-062	92.00	92.50	0.50	0.128
PLS13-062	92.50	93.00	0.50	0.080
PLS13-062	93.00	93.50	0.50	0.024
PLS13-062	93.50	94.00	0.50	0.009
PLS13-062	94.00	94.50	0.50	0.101
PLS13-062	94.50	95.00	0.50	0.052
PLS13-062	95.00	95.50	0.50	0.111
PLS13-062	95.50	96.00	0.50	0.456
PLS13-062	96.00	96.50	0.50	0.024
PLS13-062	96.50	97.00	0.50	0.188
PLS13-062	97.00	97.50	0.50	0.041
PLS13-062	97.50	98.00	0.50	0.052
PLS13-062	98.00	98.50	0.50	0.096
PLS13-062	98.50	99.00	0.50	0.043
PLS13-062	99.00	99.50	0.50	0.017
PLS13-062	99.50	100.00	0.50	0.036
PLS13-062	100.00	100.50	0.50	0.037

PLS13-062	100.50	101.00	0.50	0.019
PLS13-062	104.00	104.50	0.50	0.002
PLS13-062	104.50	105.00	0.50	0.010
PLS13-062	105.00	105.50	0.50	0.006
PLS13-062	105.50	106.00	0.50	0.024
PLS13-062	106.00	106.50	0.50	0.039
PLS13-062	106.50	107.00	0.50	0.007
PLS13-062	107.00	107.50	0.50	0.029
PLS13-062	107.50	108.00	0.50	0.015
PLS13-062	108.00	108.50	0.50	0.010
PLS13-062	108.50	109.00	0.50	0.008
PLS13-062	109.00	109.50	0.50	0.004
PLS13-062	109.50	110.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-064	80.00	80.50	0.50	0.002
PLS13-064	80.50	81.00	0.50	0.004
PLS13-064	81.00	81.50	0.50	0.018
PLS13-064	81.50	82.00	0.50	0.037
PLS13-064	82.00	82.50	0.50	0.023
PLS13-064	82.50	83.00	0.50	0.012
PLS13-064	83.00	83.50	0.50	<0.001
PLS13-064	83.50	84.00	0.50	0.223
PLS13-064	84.00	84.50	0.50	0.348
PLS13-064	84.50	85.00	0.50	0.021
PLS13-064	85.00	85.50	0.50	0.030
PLS13-064	85.50	86.00	0.50	0.010
PLS13-064	86.00	86.50	0.50	0.007
PLS13-064	86.50	87.00	0.50	0.031
PLS13-064	87.00	87.50	0.50	0.008
PLS13-064	87.50	88.00	0.50	0.003
PLS13-064	88.00	88.50	0.50	0.010
PLS13-064	88.50	89.00	0.50	0.008
PLS13-064	89.00	89.50	0.50	0.006
PLS13-064	89.50	90.00	0.50	0.017
PLS13-064	90.00	90.50	0.50	0.002
PLS13-064	90.50	91.00	0.50	0.167
PLS13-064	91.00	91.50	0.50	0.055
PLS13-064	91.50	92.00	0.50	0.023
PLS13-064	92.00	92.50	0.50	0.007
PLS13-064	92.50	93.00	0.50	0.008
PLS13-064	93.00	93.50	0.50	0.004
PLS13-064	93.50	94.00	0.50	0.023
PLS13-064	94.00	94.50	0.50	0.022
PLS13-064	94.50	95.00	0.50	0.029
PLS13-064	95.00	95.50	0.50	0.063
PLS13-064	95.50	96.00	0.50	0.064

PLS13-064	96.00	96.50	0.50	0.003
PLS13-064	96.50	97.00	0.50	0.001
PLS13-064	97.00	97.50	0.50	0.002
PLS13-064	97.50	98.00	0.50	0.002
PLS13-064	106.00	106.50	0.50	0.023
PLS13-064	106.50	107.00	0.50	0.017
PLS13-064	107.00	107.50	0.50	0.020
PLS13-064	107.50	108.00	0.50	0.001
PLS13-064	108.00	108.50	0.50	0.003
PLS13-064	108.50	109.00	0.50	0.032
PLS13-064	109.00	109.50	0.50	0.019
PLS13-064	109.50	110.00	0.50	0.024
PLS13-064	110.00	110.50	0.50	0.048
PLS13-064	110.50	111.00	0.50	0.062
PLS13-064	111.00	111.50	0.50	0.082
PLS13-064	111.50	112.00	0.50	0.021
PLS13-064	112.00	112.50	0.50	0.068
PLS13-064	112.50	113.00	0.50	0.092
PLS13-064	113.00	113.50	0.50	0.026
PLS13-064	113.50	114.00	0.50	0.069
PLS13-064	114.00	114.50	0.50	0.057
PLS13-064	114.50	115.00	0.50	0.052
PLS13-064	115.00	115.50	0.50	0.068
PLS13-064	115.50	116.00	0.50	0.071
PLS13-064	116.00	116.50	0.50	0.052
PLS13-064	116.50	117.00	0.50	0.035
PLS13-064	117.00	117.50	0.50	0.094
PLS13-064	117.50	118.00	0.50	0.096
PLS13-064	118.00	118.50	0.50	0.027
PLS13-064	118.50	119.00	0.50	0.152
PLS13-064	119.00	119.50	0.50	0.029
PLS13-064	119.50	120.00	0.50	0.132
PLS13-064	120.00	120.50	0.50	0.375
PLS13-064	120.50	121.00	0.50	0.101
PLS13-064	121.00	121.50	0.50	0.037
PLS13-064	121.50	122.00	0.50	0.012
PLS13-064	122.00	122.50	0.50	0.012
PLS13-064	122.50	123.00	0.50	0.044
PLS13-064	123.00	123.50	0.50	0.022
PLS13-064	123.50	124.00	0.50	0.009
PLS13-064	124.00	124.50	0.50	0.037
PLS13-064	124.50	125.00	0.50	0.033
PLS13-064	125.00	125.50	0.50	0.016
PLS13-064	125.50	126.00	0.50	0.172
PLS13-064	126.00	126.50	0.50	0.232
PLS13-064	126.50	127.00	0.50	0.058
PLS13-064	127.00	127.50	0.50	0.313

PLS13-064	127.50	128.00	0.50	0.069
PLS13-064	128.00	128.50	0.50	0.012
PLS13-064	128.50	129.00	0.50	0.018
PLS13-064	129.00	129.50	0.50	0.479
PLS13-064	129.50	130.00	0.50	0.774
PLS13-064	130.00	130.50	0.50	1.710
PLS13-064	130.50	131.00	0.50	0.671
PLS13-064	131.00	131.50	0.50	0.620
PLS13-064	131.50	132.00	0.50	2.460
PLS13-064	132.00	132.50	0.50	0.168
PLS13-064	132.50	133.00	0.50	0.078
PLS13-064	133.00	133.50	0.50	0.066
PLS13-064	133.50	134.00	0.50	0.425
PLS13-064	134.00	134.50	0.50	0.382
PLS13-064	134.50	135.00	0.50	0.042
PLS13-064	135.00	135.50	0.50	0.033
PLS13-064	135.50	136.00	0.50	0.259
PLS13-064	136.00	136.50	0.50	0.047
PLS13-064	136.50	137.00	0.50	0.008
PLS13-064	137.00	137.50	0.50	0.022
PLS13-064	137.50	138.00	0.50	0.020
PLS13-064	138.00	138.50	0.50	0.023
PLS13-064	138.50	139.00	0.50	0.004
PLS13-064	139.00	139.50	0.50	0.003
PLS13-064	139.50	140.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-066	79.00	79.50	0.50	<0.001
PLS13-066	79.50	80.00	0.50	0.013
PLS13-066	80.00	80.50	0.50	0.009
PLS13-066	80.50	81.00	0.50	0.006
PLS13-066	81.00	81.50	0.50	0.009
PLS13-066	81.50	82.00	0.50	0.009
PLS13-066	82.00	82.50	0.50	0.068
PLS13-066	82.50	83.00	0.50	0.050
PLS13-066	83.00	83.50	0.50	0.044
PLS13-066	83.50	84.00	0.50	0.038
PLS13-066	84.00	84.50	0.50	0.136
PLS13-066	84.50	85.00	0.50	0.020
PLS13-066	85.00	85.50	0.50	0.021
PLS13-066	85.50	86.00	0.50	0.040
PLS13-066	86.00	86.50	0.50	0.105
PLS13-066	86.50	87.00	0.50	0.018
PLS13-066	87.00	87.50	0.50	0.236
PLS13-066	87.50	88.00	0.50	0.755
PLS13-066	88.00	88.50	0.50	2.290
PLS13-066	88.50	89.00	0.50	8.490

PLS13-066	89.00	89.50	0.50	0.939
PLS13-066	89.50	90.00	0.50	5.060
PLS13-066	90.00	90.50	0.50	5.740
PLS13-066	90.50	91.00	0.50	0.027
PLS13-066	91.00	91.50	0.50	0.409
PLS13-066	91.50	92.00	0.50	1.320
PLS13-066	92.00	92.50	0.50	0.488
PLS13-066	92.50	93.00	0.50	1.790
PLS13-066	93.00	93.50	0.50	1.200
PLS13-066	93.50	94.00	0.50	2.800
PLS13-066	94.00	94.50	0.50	0.434
PLS13-066	94.50	95.00	0.50	0.017
PLS13-066	95.00	95.50	0.50	0.263
PLS13-066	95.50	96.00	0.50	0.594
PLS13-066	96.00	96.50	0.50	0.944
PLS13-066	96.50	97.00	0.50	0.073
PLS13-066	97.00	97.50	0.50	0.326
PLS13-066	97.50	98.00	0.50	0.134
PLS13-066	98.00	98.50	0.50	0.053
PLS13-066	98.50	99.00	0.50	0.131
PLS13-066	99.00	99.50	0.50	0.040
PLS13-066	99.50	100.00	0.50	0.206
PLS13-066	100.00	100.50	0.50	1.610
PLS13-066	100.50	101.00	0.50	1.460
PLS13-066	101.00	101.50	0.50	2.460
PLS13-066	101.50	102.00	0.50	2.240
PLS13-066	102.00	102.50	0.50	2.680
PLS13-066	102.50	103.00	0.50	5.500
PLS13-066	103.00	103.50	0.50	0.262
PLS13-066	103.50	104.00	0.50	0.581
PLS13-066	104.00	104.50	0.50	1.000
PLS13-066	104.50	105.00	0.50	2.040
PLS13-066	105.00	105.50	0.50	9.450
PLS13-066	105.50	106.00	0.50	1.820
PLS13-066	106.00	106.50	0.50	0.037
PLS13-066	106.50	107.00	0.50	2.830
PLS13-066	107.00	107.50	0.50	2.950
PLS13-066	107.50	108.00	0.50	1.470
PLS13-066	108.00	108.50	0.50	1.130
PLS13-066	108.50	109.00	0.50	0.099
PLS13-066	109.00	109.50	0.50	0.191
PLS13-066	109.50	110.00	0.50	0.428
PLS13-066	110.00	110.50	0.50	0.209
PLS13-066	110.50	111.00	0.50	1.010
PLS13-066	111.00	111.50	0.50	1.650
PLS13-066	111.50	112.00	0.50	0.330
PLS13-066	112.00	112.50	0.50	0.295

PLS13-066	112.50	113.00	0.50	0.109
PLS13-066	113.00	113.50	0.50	0.382
PLS13-066	113.50	114.00	0.50	1.030
PLS13-066	114.00	114.50	0.50	0.031
PLS13-066	114.50	115.00	0.50	0.115
PLS13-066	115.00	115.50	0.50	0.172
PLS13-066	115.50	116.00	0.50	0.772
PLS13-066	116.00	116.50	0.50	0.336
PLS13-066	116.50	117.00	0.50	0.009
PLS13-066	117.00	117.50	0.50	0.791
PLS13-066	117.50	118.00	0.50	0.890
PLS13-066	118.00	118.50	0.50	0.251
PLS13-066	118.50	119.00	0.50	0.130
PLS13-066	119.00	119.50	0.50	0.299
PLS13-066	119.50	120.00	0.50	0.058
PLS13-066	120.00	120.50	0.50	0.075
PLS13-066	120.50	121.00	0.50	0.019
PLS13-066	121.00	121.50	0.50	0.070
PLS13-066	121.50	122.00	0.50	0.118
PLS13-066	122.00	122.50	0.50	3.630
PLS13-066	122.50	123.00	0.50	0.635
PLS13-066	123.00	123.50	0.50	2.160
PLS13-066	123.50	124.00	0.50	2.120
PLS13-066	124.00	124.50	0.50	0.659
PLS13-066	124.50	125.00	0.50	0.124
PLS13-066	125.00	125.50	0.50	0.133
PLS13-066	125.50	126.00	0.50	0.463
PLS13-066	126.00	126.50	0.50	0.026
PLS13-066	126.50	127.00	0.50	0.737
PLS13-066	127.00	127.50	0.50	0.666
PLS13-066	127.50	128.00	0.50	0.151
PLS13-066	128.00	128.50	0.50	0.211
PLS13-066	128.50	129.00	0.50	0.529
PLS13-066	129.00	129.50	0.50	0.089
PLS13-066	129.50	130.00	0.50	0.151
PLS13-066	130.00	130.50	0.50	0.744
PLS13-066	130.50	131.00	0.50	0.241
PLS13-066	131.00	131.50	0.50	0.054
PLS13-066	131.50	132.00	0.50	0.439
PLS13-066	132.00	132.50	0.50	0.558
PLS13-066	132.50	133.00	0.50	1.880
PLS13-066	133.00	133.50	0.50	3.240
PLS13-066	133.50	134.00	0.50	12.600
PLS13-066	134.00	134.50	0.50	18.800
PLS13-066	134.50	135.00	0.50	3.390
PLS13-066	135.00	135.50	0.50	0.285
PLS13-066	135.50	136.00	0.50	0.821

PLS13-066	136.00	136.50	0.50	0.084
PLS13-066	136.50	137.00	0.50	0.279
PLS13-066	137.00	137.50	0.50	0.013
PLS13-066	137.50	138.00	0.50	1.480
PLS13-066	138.00	138.50	0.50	0.627
PLS13-066	138.50	139.00	0.50	1.130
PLS13-066	139.00	139.50	0.50	0.032
PLS13-066	139.50	140.00	0.50	0.083
PLS13-066	140.00	140.50	0.50	0.170
PLS13-066	140.50	141.00	0.50	0.017
PLS13-066	141.00	141.50	0.50	0.020
PLS13-066	141.50	142.00	0.50	0.805
PLS13-066	142.00	142.50	0.50	0.444
PLS13-066	142.50	143.00	0.50	0.122
PLS13-066	143.00	143.50	0.50	0.092
PLS13-066	143.50	144.00	0.50	0.028
PLS13-066	144.00	144.50	0.50	0.025
PLS13-066	144.50	145.00	0.50	0.136
PLS13-066	145.00	145.50	0.50	0.129
PLS13-066	145.50	146.00	0.50	0.023
PLS13-066	146.00	146.50	0.50	0.003
PLS13-066	146.50	147.00	0.50	0.007
PLS13-066	147.00	147.50	0.50	0.015
PLS13-066	147.50	148.00	0.50	0.009
PLS13-066	154.00	154.50	0.50	0.004
PLS13-066	154.50	155.00	0.50	0.008
PLS13-066	155.00	155.50	0.50	0.006
PLS13-066	155.50	156.00	0.50	0.026
PLS13-066	156.00	156.50	0.50	0.016
PLS13-066	156.50	157.00	0.50	0.016
PLS13-066	157.00	157.50	0.50	0.003
PLS13-066	157.50	158.00	0.50	0.009
PLS13-066	240.00	240.50	0.50	0.002
PLS13-066	240.50	241.00	0.50	0.004
PLS13-066	241.00	241.50	0.50	0.012
PLS13-066	241.50	242.00	0.50	<0.001
PLS13-066	242.00	242.50	0.50	<0.001
PLS13-066	245.50	246.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-068	93.00	93.50	0.50	<0.001
PLS13-068	93.50	94.00	0.50	<0.001
PLS13-068	94.00	94.50	0.50	0.001
PLS13-068	94.50	95.00	0.50	0.004
PLS13-068	95.00	95.50	0.50	0.011
PLS13-068	95.50	96.00	0.50	0.017
PLS13-068	96.00	96.50	0.50	0.060

PLS13-068	96.50	97.00	0.50	0.050
PLS13-068	97.00	97.50	0.50	0.023
PLS13-068	97.50	98.00	0.50	0.073
PLS13-068	98.00	98.50	0.50	0.166
PLS13-068	98.50	99.00	0.50	0.171
PLS13-068	99.00	99.50	0.50	0.046
PLS13-068	99.50	100.00	0.50	0.195
PLS13-068	100.00	100.50	0.50	0.166
PLS13-068	100.50	101.00	0.50	0.138
PLS13-068	101.00	101.50	0.50	0.245
PLS13-068	101.50	102.00	0.50	0.419
PLS13-068	102.00	102.50	0.50	0.105
PLS13-068	102.50	103.00	0.50	0.091
PLS13-068	103.00	103.50	0.50	0.437
PLS13-068	103.50	104.00	0.50	0.223
PLS13-068	104.00	104.50	0.50	0.409
PLS13-068	104.50	105.00	0.50	0.325
PLS13-068	105.00	105.50	0.50	0.966
PLS13-068	105.50	106.00	0.50	0.324
PLS13-068	106.00	106.50	0.50	0.306
PLS13-068	106.50	107.00	0.50	0.391
PLS13-068	107.00	107.50	0.50	0.390
PLS13-068	107.50	108.00	0.50	0.114
PLS13-068	108.00	108.50	0.50	0.291
PLS13-068	108.50	109.00	0.50	0.450
PLS13-068	109.00	109.50	0.50	0.644
PLS13-068	109.50	110.00	0.50	0.220
PLS13-068	110.00	110.50	0.50	0.154
PLS13-068	110.50	111.00	0.50	0.075
PLS13-068	111.00	111.50	0.50	0.041
PLS13-068	111.50	112.00	0.50	0.013
PLS13-068	112.00	112.50	0.50	0.017
PLS13-068	112.50	113.00	0.50	0.005
PLS13-068	113.00	113.50	0.50	0.003
PLS13-068	113.50	114.00	0.50	0.002
PLS13-068	114.00	114.50	0.50	0.008
PLS13-068	114.50	115.00	0.50	0.027
PLS13-068	115.00	115.50	0.50	0.010
PLS13-068	115.50	116.00	0.50	0.031
PLS13-068	116.00	116.50	0.50	0.143
PLS13-068	116.50	117.00	0.50	0.063
PLS13-068	117.00	117.50	0.50	0.014
PLS13-068	117.50	118.00	0.50	0.003
PLS13-068	118.00	118.50	0.50	0.009
PLS13-068	118.50	119.00	0.50	0.002
PLS13-068	119.00	119.50	0.50	0.003

PLS13-068	119.50	120.00	0.50	0.005
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-070	83.00	83.50	0.50	<0.001
PLS13-070	83.50	84.00	0.50	<0.001
PLS13-070	84.00	84.50	0.50	0.001
PLS13-070	84.50	85.00	0.50	<0.001
PLS13-070	85.00	85.50	0.50	0.004
PLS13-070	85.50	86.00	0.50	0.165
PLS13-070	86.00	86.50	0.50	0.016
PLS13-070	86.50	87.00	0.50	0.010
PLS13-070	87.00	87.50	0.50	0.054
PLS13-070	87.50	88.00	0.50	0.279
PLS13-070	88.00	88.50	0.50	0.261
PLS13-070	88.50	89.00	0.50	0.105
PLS13-070	89.00	89.50	0.50	0.009
PLS13-070	89.50	90.00	0.50	0.007
PLS13-070	90.00	90.50	0.50	0.008
PLS13-070	90.50	91.00	0.50	0.009
Start of 2013 Summer Program				
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-072	56.0	56.5	0.5	0.009
PLS13-072	56.5	57.0	0.5	0.006
PLS13-072	57.0	57.5	0.5	0.014
PLS13-072	57.5	58.0	0.5	0.003
PLS13-072	58.0	58.5	0.5	0.014
PLS13-072	58.5	59.0	0.5	0.014
PLS13-072	59.0	59.5	0.5	0.026
PLS13-072	59.5	60.0	0.5	0.030
PLS13-072	60.0	60.5	0.5	0.030
PLS13-072	60.5	61.0	0.5	0.028
PLS13-072	61.0	61.5	0.5	0.080
PLS13-072	61.5	62.0	0.5	0.019
PLS13-072	62.0	62.5	0.5	0.008
PLS13-072	62.5	63.0	0.5	0.041
PLS13-072	63.0	63.5	0.5	0.281
PLS13-072	63.5	64.0	0.5	1.400
PLS13-072	64.0	64.5	0.5	0.087
PLS13-072	64.5	65.0	0.5	0.154
PLS13-072	65.0	65.5	0.5	0.748
PLS13-072	65.5	66.0	0.5	1.660
PLS13-072	66.0	66.5	0.5	17.800
PLS13-072	66.5	67.0	0.5	13.400
PLS13-072	67.0	67.5	0.5	17.800
PLS13-072	67.5	68.0	0.5	30.800
PLS13-072	68.0	68.5	0.5	34.400
PLS13-072	68.5	69.0	0.5	47.000

PLS13-072	69.0	69.5	0.5	18.500
PLS13-072	69.5	70.0	0.5	2.230
PLS13-072	70.0	70.5	0.5	19.400
PLS13-072	70.5	71.0	0.5	25.100
PLS13-072	71.0	71.5	0.5	5.960
PLS13-072	71.5	72.0	0.5	3.120
PLS13-072	72.0	72.5	0.5	21.200
PLS13-072	72.5	73.0	0.5	13.200
PLS13-072	73.0	73.5	0.5	7.130
PLS13-072	73.5	74.0	0.5	3.750
PLS13-072	74.0	74.5	0.5	3.530
PLS13-072	74.5	75.0	0.5	10.100
PLS13-072	75.0	75.5	0.5	6.660
PLS13-072	75.5	76.0	0.5	7.760
PLS13-072	76.0	76.5	0.5	5.700
PLS13-072	76.5	77.0	0.5	6.300
PLS13-072	77.0	77.5	0.5	2.890
PLS13-072	77.5	78.0	0.5	5.080
PLS13-072	78.0	78.5	0.5	8.230
PLS13-072	78.5	79.0	0.5	1.960
PLS13-072	79.0	79.5	0.5	1.240
PLS13-072	79.5	80.0	0.5	0.203
PLS13-072	80.0	80.5	0.5	1.750
PLS13-072	80.5	81.0	0.5	3.650
PLS13-072	81.0	81.5	0.5	2.420
PLS13-072	81.5	82.0	0.5	0.305
PLS13-072	82.0	82.5	0.5	0.183
PLS13-072	82.5	83.0	0.5	0.282
PLS13-072	83.0	83.5	0.5	1.870
PLS13-072	83.5	84.0	0.5	1.440
PLS13-072	84.0	84.5	0.5	0.166
PLS13-072	84.5	85.0	0.5	0.184
PLS13-072	85.0	85.5	0.5	0.081
PLS13-072	85.5	86.0	0.5	0.020
PLS13-072	86.0	86.5	0.5	0.070
PLS13-072	86.5	87.0	0.5	0.302
PLS13-072	87.0	87.5	0.5	0.689
PLS13-072	87.5	88.0	0.5	0.174
PLS13-072	88.0	88.5	0.5	1.130
PLS13-072	88.5	89.0	0.5	3.770
PLS13-072	89.0	89.5	0.5	2.790
PLS13-072	89.5	90.0	0.5	8.630
PLS13-072	90.0	90.5	0.5	4.600
PLS13-072	90.5	91.0	0.5	9.110
PLS13-072	91.0	91.5	0.5	22.700
PLS13-072	91.5	92.0	0.5	17.400
PLS13-072	92.0	92.5	0.5	31.600

PLS13-072	92.5	93.0	0.5	11.800
PLS13-072	93.0	93.5	0.5	16.900
PLS13-072	93.5	94.0	0.5	31.000
PLS13-072	94.0	94.5	0.5	16.700
PLS13-072	94.5	95.0	0.5	24.100
PLS13-072	95.0	95.5	0.5	1.800
PLS13-072	95.5	96.0	0.5	0.018
PLS13-072	96.0	96.5	0.5	0.041
PLS13-072	96.5	97.0	0.5	0.044
PLS13-072	97.0	97.5	0.5	0.012
PLS13-072	97.5	98.0	0.5	0.013
PLS13-072	98.0	98.5	0.5	0.004
PLS13-072	98.5	99.0	0.5	1.700
PLS13-072	99.0	99.5	0.5	2.770
PLS13-072	99.5	100.0	0.5	0.757
PLS13-072	100.0	100.5	0.5	0.188
PLS13-072	100.5	101.0	0.5	1.720
PLS13-072	101.0	101.5	0.5	2.300
PLS13-072	101.5	102.0	0.5	0.901
PLS13-072	102.0	102.5	0.5	0.010
PLS13-072	102.5	103.0	0.5	0.421
PLS13-072	103.0	103.5	0.5	0.329
PLS13-072	103.5	104.0	0.5	0.184
PLS13-072	104.0	104.5	0.5	0.056
PLS13-072	104.5	105.0	0.5	0.013
PLS13-072	105.0	105.5	0.5	0.070
PLS13-072	105.5	106.0	0.5	0.008
PLS13-072	106.0	106.5	0.5	0.057
PLS13-072	106.5	107.0	0.5	0.102
PLS13-072	107.0	107.5	0.5	0.004
PLS13-072	107.5	108.0	0.5	0.136
PLS13-072	108.0	108.5	0.5	0.009
PLS13-072	108.5	109.0	0.5	0.578
PLS13-072	109.0	109.5	0.5	0.440
PLS13-072	109.5	110.0	0.5	0.032
PLS13-072	110.0	110.5	0.5	0.014
PLS13-072	110.5	111.0	0.5	0.037
PLS13-072	111.0	111.5	0.5	0.034
PLS13-072	111.5	112.0	0.5	0.019
PLS13-072	112.0	112.5	0.5	0.103
PLS13-072	112.5	113.0	0.5	0.305
PLS13-072	113.0	113.5	0.5	0.221
PLS13-072	113.5	114.0	0.5	0.768
PLS13-072	114.0	114.5	0.5	0.764
PLS13-072	114.5	115.0	0.5	0.460
PLS13-072	115.0	115.5	0.5	0.222
PLS13-072	115.5	116.0	0.5	0.866

PLS13-072	116.0	116.5	0.5	0.041
PLS13-072	116.5	117.0	0.5	0.028
PLS13-072	117.0	117.5	0.5	0.013
PLS13-072	117.5	118.0	0.5	0.032
PLS13-072	118.0	118.5	0.5	0.013
PLS13-072	118.5	119.0	0.5	0.007
PLS13-072	119.0	119.5	0.5	0.038
PLS13-072	119.5	120.0	0.5	1.150
PLS13-072	120.0	120.5	0.5	0.012
PLS13-072	120.5	121.0	0.5	0.022
PLS13-072	121.0	121.5	0.5	0.972
PLS13-072	121.5	122.0	0.5	2.100
PLS13-072	122.0	122.5	0.5	0.600
PLS13-072	122.5	123.0	0.5	0.029
PLS13-072	123.0	123.5	0.5	0.020
PLS13-072	123.5	124.0	0.5	0.003
PLS13-072	124.0	124.5	0.5	0.004
PLS13-072	124.5	125.0	0.5	0.035
PLS13-072	125.0	125.5	0.5	1.400
PLS13-072	125.5	126.0	0.5	0.853
PLS13-072	126.0	126.5	0.5	0.860
PLS13-072	126.5	127.0	0.5	3.420
PLS13-072	127.0	127.5	0.5	1.520
PLS13-072	127.5	128.0	0.5	0.590
PLS13-072	128.0	128.5	0.5	0.046
PLS13-072	128.5	129.0	0.5	0.130
PLS13-072	129.0	129.5	0.5	0.150
PLS13-072	129.5	130.0	0.5	0.003
PLS13-072	130.0	130.5	0.5	0.008
PLS13-072	130.5	131.0	0.5	0.084
PLS13-072	131.0	131.5	0.5	0.397
PLS13-072	131.5	132.0	0.5	0.245
PLS13-072	132.0	132.5	0.5	0.001
PLS13-072	132.5	133.0	0.5	0.001
PLS13-072	133.0	133.5	0.5	0.059
PLS13-072	133.5	134.0	0.5	0.001
PLS13-072	134.0	134.5	0.5	0.007
PLS13-072	134.5	135.0	0.5	0.033
PLS13-072	135.0	135.5	0.5	0.001
PLS13-072	135.5	136.0	0.5	0.001
PLS13-072	136.0	136.5	0.5	0.001
PLS13-072	136.5	137.0	0.5	0.030
PLS13-072	137.0	137.5	0.5	0.152
PLS13-072	137.5	138.0	0.5	0.061
PLS13-072	138.0	138.5	0.5	0.319
PLS13-072	138.5	139.0	0.5	4.620
PLS13-072	139.0	139.5	0.5	2.240

PLS13-072	139.5	140.0	0.5	0.033
PLS13-072	140.0	140.5	0.5	0.001
PLS13-072	140.5	141.0	0.5	0.001
PLS13-072	141.0	141.5	0.5	0.001
PLS13-072	141.5	142.0	0.5	0.094
PLS13-072	142.0	142.5	0.5	11.500
PLS13-072	142.5	143.0	0.5	9.800
PLS13-072	143.0	143.5	0.5	0.051
PLS13-072	143.5	144.0	0.5	0.007
PLS13-072	144.0	144.5	0.5	0.004
PLS13-072	144.5	145.0	0.5	0.003
PLS13-072	145.0	145.5	0.5	0.005
PLS13-072	145.5	146.0	0.5	0.005
PLS13-072	152.0	152.5	0.5	0.001
PLS13-072	152.5	153.0	0.5	0.001
PLS13-072	153.0	153.5	0.5	0.014
PLS13-072	153.5	154.0	0.5	0.018
PLS13-072	154.0	154.5	0.5	0.001
PLS13-072	154.5	155.0	0.5	0.001
PLS13-072	155.0	155.5	0.5	0.075
PLS13-072	155.5	156.0	0.5	1.450
PLS13-072	156.0	156.5	0.5	0.585
PLS13-072	156.5	157.0	0.5	0.982
PLS13-072	157.0	157.5	0.5	0.004
PLS13-072	157.5	158.0	0.5	0.281
PLS13-072	158.0	158.5	0.5	0.025
PLS13-072	158.5	159.0	0.5	0.003
PLS13-072	159.0	159.5	0.5	0.002
PLS13-072	159.5	160.0	0.5	0.001
PLS13-072	160.0	160.5	0.5	0.001
PLS13-072	163.5	164.0	0.5	0.001
PLS13-072	164.0	164.5	0.5	0.001
PLS13-072	164.5	165.0	0.5	0.001
PLS13-072	165.0	165.5	0.5	0.001
PLS13-072	165.5	166.0	0.5	0.030
PLS13-072	166.0	166.5	0.5	0.116
PLS13-072	166.5	167.0	0.5	0.009
PLS13-072	167.0	167.5	0.5	0.027
PLS13-072	167.5	168.0	0.5	0.048
PLS13-072	168.0	168.5	0.5	0.009
PLS13-072	168.5	169.0	0.5	0.002
PLS13-072	169.0	169.5	0.5	0.001
PLS13-072	169.5	170.0	0.5	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-073	100.00	100.50	0.5	0.017
PLS13-073	100.50	101.00	0.5	0.011

PLS13-073	101.00	101.50	0.5	0.011
PLS13-073	101.50	102.00	0.5	0.034
PLS13-073	102.00	102.50	0.5	0.068
PLS13-073	102.50	103.00	0.5	0.022
PLS13-073	103.00	103.50	0.5	0.058
PLS13-073	103.50	104.00	0.5	0.178
PLS13-073	104.00	104.50	0.5	0.023
PLS13-073	104.50	105.00	0.5	0.119
PLS13-073	105.00	105.50	0.5	0.368
PLS13-073	105.50	106.00	0.5	1.050
PLS13-073	106.00	106.50	0.5	0.104
PLS13-073	106.50	107.00	0.5	0.490
PLS13-073	107.00	107.50	0.5	0.133
PLS13-073	107.50	108.00	0.5	2.200
PLS13-073	108.00	108.50	0.5	1.560
PLS13-073	108.50	109.00	0.5	0.400
PLS13-073	109.00	109.50	0.5	0.234
PLS13-073	109.50	110.00	0.5	0.030
PLS13-073	110.00	110.50	0.5	0.024
PLS13-073	110.50	111.00	0.5	0.094
PLS13-073	111.00	111.50	0.5	0.364
PLS13-073	111.50	112.00	0.5	0.302
PLS13-073	112.00	112.50	0.5	0.424
PLS13-073	112.50	113.00	0.5	0.123
PLS13-073	113.00	113.50	0.5	0.021
PLS13-073	113.50	114.00	0.5	0.061
PLS13-073	114.00	114.50	0.5	0.323
PLS13-073	114.50	115.00	0.5	0.201
PLS13-073	115.00	115.50	0.5	0.036
PLS13-073	115.50	116.00	0.5	0.013
PLS13-073	116.00	116.50	0.5	0.018
PLS13-073	116.50	117.00	0.5	0.218
PLS13-073	117.00	117.50	0.5	0.046
PLS13-073	117.50	118.00	0.5	0.073
PLS13-073	118.00	118.50	0.5	0.004
PLS13-073	118.50	119.00	0.5	0.006
PLS13-073	119.00	119.50	0.5	0.013
PLS13-073	119.50	120.00	0.5	0.044
PLS13-073	120.00	120.50	0.5	0.103
PLS13-073	120.50	121.00	0.5	0.049
PLS13-073	121.00	121.50	0.5	0.106
PLS13-073	121.50	122.00	0.5	0.008
PLS13-073	122.00	122.50	0.5	0.025
PLS13-073	122.50	123.00	0.5	0.005
PLS13-073	123.00	123.50	0.5	0.015
PLS13-073	123.50	124.00	0.5	0.009
PLS13-073	124.00	124.50	0.5	0.004

PLS13-073	124.50	125.00	0.5	0.002
PLS13-073	125.00	125.50	0.5	0.005
PLS13-073	125.50	126.00	0.5	0.002
PLS13-073	126.00	126.50	0.5	0.002
PLS13-073	126.50	127.00	0.5	0.003
PLS13-073	127.00	127.50	0.5	0.006
PLS13-073	127.50	128.00	0.5	0.016
PLS13-073	128.00	128.50	0.5	0.006
PLS13-073	128.50	129.00	0.5	0.019
PLS13-073	129.00	129.50	0.5	0.010
PLS13-073	129.50	130.00	0.5	0.013
PLS13-073	130.00	130.50	0.5	0.010
PLS13-073	130.50	131.00	0.5	0.016
PLS13-073	131.00	131.50	0.5	0.008
PLS13-073	131.50	132.00	0.5	0.017
PLS13-073	132.00	132.50	0.5	0.012
PLS13-073	132.50	133.00	0.5	0.067
PLS13-073	133.00	133.50	0.5	0.023
PLS13-073	133.50	134.00	0.5	0.056
PLS13-073	134.00	134.50	0.5	0.092
PLS13-073	134.50	135.00	0.5	0.054
PLS13-073	135.00	135.50	0.5	0.098
PLS13-073	135.50	136.00	0.5	0.023
PLS13-073	136.00	136.50	0.5	0.052
PLS13-073	136.50	137.00	0.5	0.369
PLS13-073	137.00	137.50	0.5	0.389
PLS13-073	137.50	138.00	0.5	2.050
PLS13-073	138.00	138.50	0.5	7.560
PLS13-073	138.50	139.00	0.5	0.360
PLS13-073	139.00	139.50	0.5	0.159
PLS13-073	139.50	140.00	0.5	0.132
PLS13-073	140.00	140.50	0.5	0.132
PLS13-073	140.50	141.00	0.5	0.058
PLS13-073	141.00	141.50	0.5	0.067
PLS13-073	141.50	142.00	0.5	0.055
PLS13-073	142.00	142.50	0.5	0.052
PLS13-073	142.50	143.00	0.5	0.046
PLS13-073	143.00	143.50	0.5	0.045
PLS13-073	143.50	144.00	0.5	0.029
PLS13-073	144.00	144.50	0.5	0.017
PLS13-073	144.50	145.00	0.5	0.013
PLS13-073	145.00	145.50	0.5	0.004
PLS13-073	145.50	146.00	0.5	0.014
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-075	55.50	56.00	0.50	0.031
PLS13-075	56.00	56.50	0.50	0.017

PLS13-075	56.50	57.00	0.50	0.008
PLS13-075	57.00	57.50	0.50	0.030
PLS13-075	57.50	58.00	0.50	0.088
PLS13-075	58.00	58.50	0.50	0.026
PLS13-075	58.50	59.00	0.50	0.028
PLS13-075	59.00	59.50	0.50	0.014
PLS13-075	59.50	60.00	0.50	0.020
PLS13-075	60.00	60.50	0.50	0.027
PLS13-075	60.50	61.00	0.50	0.043
PLS13-075	61.00	61.50	0.50	0.231
PLS13-075	61.50	62.00	0.50	0.214
PLS13-075	62.00	62.50	0.50	0.130
PLS13-075	62.50	63.00	0.50	1.380
PLS13-075	63.00	63.50	0.50	3.680
PLS13-075	63.50	64.00	0.50	0.762
PLS13-075	64.00	64.50	0.50	0.620
PLS13-075	64.50	65.00	0.50	0.491
PLS13-075	65.00	65.50	0.50	0.288
PLS13-075	65.50	66.00	0.50	0.479
PLS13-075	66.00	66.50	0.50	0.178
PLS13-075	66.50	67.00	0.50	0.104
PLS13-075	67.00	67.50	0.50	0.092
PLS13-075	67.50	68.00	0.50	3.100
PLS13-075	68.00	68.50	0.50	0.896
PLS13-075	68.50	69.00	0.50	45.700
PLS13-075	69.00	69.50	0.50	42.400
PLS13-075	69.50	70.00	0.50	13.000
PLS13-075	70.00	70.50	0.50	7.440
PLS13-075	70.50	71.00	0.50	5.400
PLS13-075	71.00	71.50	0.50	3.260
PLS13-075	71.50	72.00	0.50	4.890
PLS13-075	72.00	72.50	0.50	13.900
PLS13-075	72.50	73.00	0.50	23.600
PLS13-075	73.00	73.50	0.50	8.760
PLS13-075	73.50	74.00	0.50	34.000
PLS13-075	74.00	74.50	0.50	52.200
PLS13-075	74.50	75.00	0.50	42.900
PLS13-075	75.00	75.50	0.50	29.700
PLS13-075	75.50	76.00	0.50	28.900
PLS13-075	76.00	76.50	0.50	32.600
PLS13-075	76.50	77.00	0.50	21.400
PLS13-075	77.00	77.50	0.50	23.300
PLS13-075	77.50	78.00	0.50	14.900
PLS13-075	78.00	78.50	0.50	29.200
PLS13-075	78.50	79.00	0.50	13.600
PLS13-075	79.00	79.50	0.50	20.200
PLS13-075	79.50	80.00	0.50	13.400

PLS13-075	80.00	80.50	0.50	6.990
PLS13-075	80.50	81.00	0.50	10.000
PLS13-075	81.00	81.50	0.50	13.800
PLS13-075	81.50	82.00	0.50	21.700
PLS13-075	82.00	82.50	0.50	15.200
PLS13-075	82.50	83.00	0.50	24.900
PLS13-075	83.00	83.50	0.50	32.200
PLS13-075	83.50	84.00	0.50	34.500
PLS13-075	84.00	84.50	0.50	31.400
PLS13-075	84.50	85.00	0.50	24.800
PLS13-075	85.00	85.50	0.50	14.000
PLS13-075	85.50	86.00	0.50	19.900
PLS13-075	86.0	86.5	0.5	35.800
PLS13-075	86.5	87.0	0.5	24.700
PLS13-075	87.0	87.5	0.5	22.800
PLS13-075	87.5	88.0	0.5	11.800
PLS13-075	88.0	88.5	0.5	19.700
PLS13-075	88.5	89.0	0.5	17.000
PLS13-075	89.0	89.5	0.5	5.800
PLS13-075	89.5	90.0	0.5	24.100
PLS13-075	90.0	90.5	0.5	4.580
PLS13-075	90.50	91.00	0.50	0.314
PLS13-075	91.00	91.50	0.50	0.023
PLS13-075	91.50	92.00	0.50	11.500
PLS13-075	92.00	92.50	0.50	3.200
PLS13-075	92.50	93.00	0.50	0.013
PLS13-075	93.00	93.50	0.50	0.182
PLS13-075	93.50	94.00	0.50	0.981
PLS13-075	94.00	94.50	0.50	0.017
PLS13-075	94.50	95.00	0.50	0.051
PLS13-075	95.00	95.50	0.50	0.041
PLS13-075	95.50	96.00	0.50	0.235
PLS13-075	96.00	96.50	0.50	0.047
PLS13-075	96.50	97.00	0.50	0.112
PLS13-075	97.00	97.50	0.50	0.328
PLS13-075	97.50	98.00	0.50	0.138
PLS13-075	98.00	98.50	0.50	0.004
PLS13-075	98.50	99.00	0.50	1.200
PLS13-075	99.00	99.50	0.50	0.056
PLS13-075	99.50	100.00	0.50	0.015
PLS13-075	100.00	100.50	0.50	0.697
PLS13-075	100.50	101.00	0.50	0.099
PLS13-075	101.00	101.50	0.50	0.174
PLS13-075	101.50	102.00	0.50	0.080
PLS13-075	102.00	102.50	0.50	0.002
PLS13-075	102.50	103.00	0.50	0.004
PLS13-075	103.00	103.50	0.50	0.005

PLS13-075	103.50	104.00	0.50	2.480
PLS13-075	104.00	104.50	0.50	1.020
PLS13-075	104.50	105.00	0.50	0.161
PLS13-075	105.00	105.50	0.50	0.011
PLS13-075	105.50	106.00	0.50	0.003
PLS13-075	106.00	106.50	0.50	0.051
PLS13-075	106.50	107.00	0.50	0.507
PLS13-075	107.00	107.50	0.50	0.048
PLS13-075	107.50	108.00	0.50	0.204
PLS13-075	108.00	108.50	0.50	0.122
PLS13-075	108.50	109.00	0.50	0.236
PLS13-075	109.00	109.50	0.50	0.698
PLS13-075	109.50	110.00	0.50	0.380
PLS13-075	110.00	110.50	0.50	1.060
PLS13-075	110.50	111.00	0.50	0.846
PLS13-075	111.00	111.50	0.50	4.180
PLS13-075	111.50	112.00	0.50	1.830
PLS13-075	112.00	112.50	0.50	1.730
PLS13-075	112.50	113.00	0.50	0.648
PLS13-075	113.00	113.50	0.50	0.562
PLS13-075	113.50	114.00	0.50	0.053
PLS13-075	114.00	114.50	0.50	0.030
PLS13-075	114.50	115.00	0.50	0.193
PLS13-075	115.00	115.50	0.50	0.112
PLS13-075	115.50	116.00	0.50	0.025
PLS13-075	116.00	116.50	0.50	0.017
PLS13-075	116.50	117.00	0.50	0.041
PLS13-075	117.00	117.50	0.50	0.015
PLS13-075	117.50	118.00	0.50	0.048
PLS13-075	118.00	118.50	0.50	0.082
PLS13-075	118.50	119.00	0.50	0.003
PLS13-075	119.00	119.50	0.50	0.008
PLS13-075	119.50	120.00	0.50	0.035
PLS13-075	120.00	120.50	0.50	0.058
PLS13-075	120.50	121.00	0.50	0.070
PLS13-075	121.00	121.50	0.50	0.002
PLS13-075	121.50	122.00	0.50	0.003
PLS13-075	122.00	122.50	0.50	0.298
PLS13-075	122.50	123.00	0.50	0.037
PLS13-075	123.00	123.50	0.50	0.027
PLS13-075	123.50	124.00	0.50	0.093
PLS13-075	124.00	124.50	0.50	0.122
PLS13-075	124.50	125.00	0.50	0.071
PLS13-075	125.00	125.50	0.50	0.087
PLS13-075	125.50	126.00	0.50	0.007
PLS13-075	126.00	126.50	0.50	0.003
PLS13-075	126.50	127.00	0.50	0.032

PLS13-075	127.00	127.50	0.50	0.032
PLS13-075	127.50	128.00	0.50	0.008
PLS13-075	128.00	128.50	0.50	0.004
PLS13-075	128.50	129.00	0.50	0.003
PLS13-075	129.00	129.50	0.50	0.011
PLS13-075	129.50	130.00	0.50	0.017
PLS13-075	130.00	130.50	0.50	0.083
PLS13-075	130.50	131.00	0.50	0.399
PLS13-075	131.00	131.50	0.50	0.358
PLS13-075	131.50	132.00	0.50	0.913
PLS13-075	132.00	132.50	0.50	0.119
PLS13-075	132.50	133.00	0.50	0.119
PLS13-075	133.00	133.50	0.50	0.112
PLS13-075	133.50	134.00	0.50	0.069
PLS13-075	134.00	134.50	0.50	0.528
PLS13-075	134.50	135.00	0.50	0.096
PLS13-075	135.00	135.50	0.50	0.204
PLS13-075	135.50	136.00	0.50	0.038
PLS13-075	136.00	136.50	0.50	0.059
PLS13-075	136.50	137.00	0.50	0.432
PLS13-075	137.00	137.50	0.50	0.221
PLS13-075	137.50	138.00	0.50	0.655
PLS13-075	138.00	138.50	0.50	0.262
PLS13-075	138.50	139.00	0.50	0.340
PLS13-075	139.00	139.50	0.50	0.156
PLS13-075	139.50	140.00	0.50	0.095
PLS13-075	140.00	140.50	0.50	0.169
PLS13-075	140.50	141.00	0.50	0.017
PLS13-075	141.00	141.50	0.50	0.051
PLS13-075	141.50	142.00	0.50	0.046
PLS13-075	142.00	142.50	0.50	0.019
PLS13-075	142.50	143.00	0.50	0.004
PLS13-075	143.00	143.50	0.50	0.011
PLS13-075	143.50	144.00	0.50	0.003
PLS13-075	144.00	144.50	0.50	<0.001
PLS13-075	144.50	145.00	0.50	<0.001
PLS13-075	145.00	145.50	0.50	<0.001
PLS13-075	145.50	146.00	0.50	<0.001
PLS13-075	146.00	146.50	0.50	<0.001
PLS13-075	146.50	147.00	0.50	0.277
PLS13-075	147.00	147.50	0.50	2.100
PLS13-075	147.50	148.00	0.50	0.105
PLS13-075	148.00	148.50	0.50	0.099
PLS13-075	148.50	149.00	0.50	0.023
PLS13-075	149.00	149.50	0.50	0.003
PLS13-075	149.50	150.00	0.50	<0.001
PLS13-075	150.00	150.50	0.50	<0.001

PLS13-075	150.50	151.00	0.50	<0.001
PLS13-075	151.00	151.50	0.50	0.232
PLS13-075	151.50	152.00	0.50	1.500
PLS13-075	152.00	152.50	0.50	0.385
PLS13-075	152.50	153.00	0.50	0.038
PLS13-075	153.00	153.50	0.50	<0.001
PLS13-075	153.50	154.00	0.50	<0.001
PLS13-075	154.00	154.50	0.50	0.002
PLS13-075	154.50	155.00	0.50	<0.001
PLS13-075	155.00	155.50	0.50	<0.001
PLS13-075	155.50	156.00	0.50	<0.001
PLS13-075	156.00	156.50	0.50	<0.001
PLS13-075	156.50	157.00	0.50	0.002
PLS13-075	157.00	157.50	0.50	0.060
PLS13-075	157.50	158.00	0.50	0.004
PLS13-075	158.00	158.50	0.50	0.002
PLS13-075	158.50	159.00	0.50	0.002
PLS13-075	159.00	159.50	0.50	0.010
PLS13-075	159.50	160.00	0.50	0.002
PLS13-075	160.00	160.50	0.50	0.069
PLS13-075	160.50	161.00	0.50	0.023
PLS13-075	161.00	161.50	0.50	0.706
PLS13-075	161.50	162.00	0.50	0.490
PLS13-075	162.00	162.50	0.50	0.055
PLS13-075	162.50	163.00	0.50	0.009
PLS13-075	163.00	163.50	0.50	0.032
PLS13-075	163.50	164.00	0.50	0.004
PLS13-075	164.00	164.50	0.50	0.002
PLS13-075	175.00	175.50	0.50	<0.001
PLS13-075	175.50	176.00	0.50	<0.001
PLS13-075	176.00	176.50	0.50	<0.001
PLS13-075	176.50	177.00	0.50	0.24
PLS13-075	177.00	177.50	0.50	0.302
PLS13-075	177.50	178.00	0.50	<0.001
PLS13-075	178.00	178.50	0.50	<0.001
PLS13-075	178.50	179.00	0.50	<0.001
PLS13-075	179.00	179.50	0.50	0.004
PLS13-075	194.00	194.50	0.50	0.002
PLS13-075	194.50	195.00	0.50	0.005
PLS13-075	195.00	195.50	0.50	0.007
PLS13-075	195.50	196.00	0.50	0.008
PLS13-075	196.00	196.50	0.50	0.027
PLS13-075	196.50	197.00	0.50	0.029
PLS13-075	197.00	197.50	0.50	0.020
PLS13-075	197.50	198.00	0.50	0.016
PLS13-075	198.00	198.50	0.50	0.003
PLS13-075	198.50	199.00	0.50	0.002

PLS13-075	199.00	199.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-078	83.00	83.50	0.50	0.004
PLS13-078	83.50	84.00	0.50	0.003
PLS13-078	84.00	84.50	0.50	0.003
PLS13-078	84.50	85.00	0.50	0.003
PLS13-078	85.00	85.50	0.50	0.159
PLS13-078	85.50	86.00	0.50	0.252
PLS13-078	86.00	86.50	0.50	0.047
PLS13-078	86.50	87.00	0.50	0.008
PLS13-078	87.00	87.50	0.50	0.011
PLS13-078	87.50	88.00	0.50	0.039
PLS13-078	88.00	88.50	0.50	0.366
PLS13-078	88.50	89.00	0.50	0.098
PLS13-078	89.00	89.50	0.50	0.092
PLS13-078	89.50	90.00	0.50	0.010
PLS13-078	90.00	90.50	0.50	0.053
PLS13-078	90.50	91.00	0.50	0.668
PLS13-078	91.00	91.50	0.50	7.170
PLS13-078	91.50	92.00	0.50	0.398
PLS13-078	92.00	92.50	0.50	0.119
PLS13-078	92.50	93.00	0.50	0.040
PLS13-078	93.00	93.50	0.50	0.277
PLS13-078	93.50	94.00	0.50	0.025
PLS13-078	94.00	94.50	0.50	0.041
PLS13-078	94.50	95.00	0.50	0.463
PLS13-078	95.00	95.50	0.50	0.788
PLS13-078	95.50	96.00	0.50	0.132
PLS13-078	96.00	96.50	0.50	0.638
PLS13-078	96.50	97.00	0.50	2.420
PLS13-078	97.00	97.50	0.50	6.330
PLS13-078	97.50	98.00	0.50	14.100
PLS13-078	98.00	98.50	0.50	0.188
PLS13-078	98.50	99.00	0.50	0.230
PLS13-078	99.00	99.50	0.50	0.671
PLS13-078	99.50	100.00	0.50	0.105
PLS13-078	100.00	100.50	0.50	0.082
PLS13-078	100.50	101.00	0.50	0.100
PLS13-078	101.00	101.50	0.50	0.122
PLS13-078	101.50	102.00	0.50	0.045
PLS13-078	102.00	102.50	0.50	0.066
PLS13-078	102.50	103.00	0.50	0.030
PLS13-078	103.00	103.50	0.50	0.109
PLS13-078	103.50	104.00	0.50	0.297
PLS13-078	104.00	104.50	0.50	0.050
PLS13-078	104.50	105.00	0.50	0.045

PLS13-078	105.00	105.50	0.50	0.168
PLS13-078	105.5	106	0.5	0.265
PLS13-078	106.00	106.50	0.50	0.208
PLS13-078	106.50	107.00	0.50	0.060
PLS13-078	107.00	107.50	0.50	0.032
PLS13-078	107.50	108.00	0.50	0.235
PLS13-078	108.00	108.50	0.50	0.017
PLS13-078	108.50	109.00	0.50	0.043
PLS13-078	109.00	109.50	0.50	0.078
PLS13-078	109.50	110.00	0.50	0.025
PLS13-078	110.00	110.50	0.50	0.252
PLS13-078	110.50	111.00	0.50	0.352
PLS13-078	111.00	111.50	0.50	0.274
PLS13-078	111.5	112	0.5	0.103
PLS13-078	112.00	112.50	0.50	0.231
PLS13-078	112.50	113.00	0.50	0.110
PLS13-078	113.00	113.50	0.50	0.064
PLS13-078	113.50	114.00	0.50	0.013
PLS13-078	114.00	114.50	0.50	0.006
PLS13-078	114.50	115.00	0.50	0.059
PLS13-078	115.00	115.50	0.50	0.009
PLS13-078	115.50	116.00	0.50	0.010
PLS13-078	116.00	116.50	0.50	0.027
PLS13-078	116.50	117.00	0.50	0.013
PLS13-078	117.00	117.50	0.50	0.013
PLS13-078	117.50	118.00	0.50	0.002
PLS13-078	118.00	118.50	0.50	0.004
PLS13-078	118.50	119.00	0.50	0.005
PLS13-078	119.00	119.50	0.50	0.007
PLS13-078	119.50	120.00	0.50	0.010
PLS13-078	120.00	120.50	0.50	0.004
PLS13-078	120.50	121.00	0.50	0.009
PLS13-078	121.00	121.50	0.50	0.018
PLS13-078	121.50	122.00	0.50	0.007
PLS13-078	122.00	122.50	0.50	0.020
PLS13-078	122.50	123.00	0.50	0.018
PLS13-078	123.00	123.50	0.50	0.003
PLS13-078	123.50	124.00	0.50	0.002
PLS13-078	124.00	124.50	0.50	0.003
PLS13-078	124.50	125.00	0.50	0.009
PLS13-078	125.00	125.50	0.50	0.005
PLS13-078	125.50	126.00	0.50	0.017
PLS13-078	126.00	126.50	0.50	0.004
PLS13-078	126.50	127.00	0.50	0.013
PLS13-078	127.00	127.50	0.50	0.011
PLS13-078	127.50	128.00	0.50	0.004
PLS13-078	128.00	128.50	0.50	0.138

PLS13-078	128.50	129.00	0.50	0.032
PLS13-078	129.00	129.50	0.50	0.009
PLS13-078	129.50	130.00	0.50	0.006
PLS13-078	130.00	130.50	0.50	0.033
PLS13-078	130.50	131.00	0.50	0.093
PLS13-078	131.00	131.50	0.50	0.032
PLS13-078	131.50	132.00	0.50	0.015
PLS13-078	132.00	132.50	0.50	0.063
PLS13-078	132.50	133.00	0.50	0.705
PLS13-078	133.00	133.50	0.50	0.390
PLS13-078	133.50	134.00	0.50	0.169
PLS13-078	134.00	134.50	0.50	0.064
PLS13-078	134.50	135.00	0.50	0.026
PLS13-078	135.00	135.50	0.50	0.089
PLS13-078	135.50	136.00	0.50	0.010
PLS13-078	136.00	136.50	0.50	0.003
PLS13-078	136.50	137.00	0.50	0.002
PLS13-078	137.00	137.50	0.50	<0.001
PLS13-078	137.50	138.00	0.50	<0.001
PLS13-078	158.00	158.50	0.50	<0.001
PLS13-078	178.00	178.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-081	102.50	103.00	0.50	0.004
PLS13-081	103.00	103.50	0.50	0.005
PLS13-081	103.50	104.00	0.50	0.007
PLS13-081	104.00	104.50	0.50	0.009
PLS13-081	104.50	105.00	0.50	0.037
PLS13-081	105.00	105.50	0.50	0.041
PLS13-081	105.50	106.00	0.50	0.044
PLS13-081	106.00	106.50	0.50	0.054
PLS13-081	106.50	107.00	0.50	0.022
PLS13-081	107.00	107.50	0.50	0.016
PLS13-081	107.50	108.00	0.50	0.034
PLS13-081	108.00	108.50	0.50	0.054
PLS13-081	108.50	109.00	0.50	0.067
PLS13-081	109.00	109.50	0.50	0.044
PLS13-081	109.50	110.00	0.50	0.027
PLS13-081	110.00	110.50	0.50	0.100
PLS13-081	110.50	111.00	0.50	0.059
PLS13-081	111.00	111.50	0.50	0.037
PLS13-081	111.50	112.00	0.50	0.138
PLS13-081	112.00	112.50	0.50	0.038
PLS13-081	112.50	113.00	0.50	0.039
PLS13-081	113.00	113.50	0.50	0.024
PLS13-081	113.50	114.00	0.50	0.118
PLS13-081	114.00	114.50	0.50	0.161

PLS13-081	114.50	115.00	0.50	0.062
PLS13-081	115.00	115.50	0.50	0.053
PLS13-081	115.50	116.00	0.50	0.034
PLS13-081	116.00	116.50	0.50	0.060
PLS13-081	116.50	117.00	0.50	0.026
PLS13-081	117.00	117.50	0.50	0.036
PLS13-081	117.50	118.00	0.50	0.108
PLS13-081	118.00	118.50	0.50	0.339
PLS13-081	118.50	119.00	0.50	0.521
PLS13-081	119.00	119.50	0.50	0.312
PLS13-081	119.50	120.00	0.50	0.140
PLS13-081	120.00	120.50	0.50	0.016
PLS13-081	120.50	121.00	0.50	0.329
PLS13-081	121.00	121.50	0.50	0.190
PLS13-081	121.50	122.00	0.50	1.170
PLS13-081	122.00	122.50	0.50	0.703
PLS13-081	122.50	123.00	0.50	0.261
PLS13-081	123.00	123.50	0.50	0.352
PLS13-081	123.50	124.00	0.50	0.803
PLS13-081	124.00	124.50	0.50	0.388
PLS13-081	124.50	125.00	0.50	0.047
PLS13-081	125.00	125.50	0.50	0.020
PLS13-081	125.50	126.00	0.50	0.047
PLS13-081	126.00	126.50	0.50	0.039
PLS13-081	126.50	127.00	0.50	0.017
PLS13-081	127.00	127.50	0.50	0.126
PLS13-081	127.50	128.00	0.50	0.085
PLS13-081	128.00	128.50	0.50	0.010
PLS13-081	128.50	129.00	0.50	0.028
PLS13-081	129.00	129.50	0.50	0.071
PLS13-081	129.50	130.00	0.50	0.034
PLS13-081	130.00	130.50	0.50	0.015
PLS13-081	130.50	131.00	0.50	0.008
PLS13-081	131.00	131.50	0.50	0.002
PLS13-081	131.50	132.00	0.50	0.003
PLS13-081	132.00	132.50	0.50	0.003
PLS13-081	132.50	133.00	0.50	0.006
PLS13-081	203.00	203.50	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-085	57.00	57.50	0.50	0.005
PLS13-085	57.50	58.00	0.50	0.015
PLS13-085	58.00	58.50	0.50	0.021
PLS13-085	58.50	59.00	0.50	0.128
PLS13-085	59.00	59.50	0.50	0.029
PLS13-085	59.50	60.00	0.50	0.008
PLS13-085	60.00	60.50	0.50	0.046

PLS13-085	60.50	61.00	0.50	0.181
PLS13-085	61.00	61.50	0.50	0.668
PLS13-085	61.50	62.00	0.50	0.090
PLS13-085	62.00	62.50	0.50	0.052
PLS13-085	62.50	63.00	0.50	0.016
PLS13-085	63.00	63.50	0.50	0.032
PLS13-085	63.50	64.00	0.50	0.046
PLS13-085	64.00	64.50	0.50	0.045
PLS13-085	64.50	65.00	0.50	0.005
PLS13-085	65.00	65.50	0.50	0.013
PLS13-085	65.50	66.00	0.50	0.012
PLS13-085	66.00	66.50	0.50	0.045
PLS13-085	66.50	67.00	0.50	0.014
PLS13-085	67.00	67.50	0.50	0.014
PLS13-085	67.50	68.00	0.50	0.067
PLS13-085	68.00	68.50	0.50	0.042
PLS13-085	68.50	69.00	0.50	0.049
PLS13-085	69.00	69.50	0.50	0.105
PLS13-085	69.50	70.00	0.50	0.118
PLS13-085	70.00	70.50	0.50	0.052
PLS13-085	70.50	71.00	0.50	0.044
PLS13-085	71.00	71.50	0.50	0.006
PLS13-085	71.50	72.00	0.50	0.007
PLS13-085	72.00	72.50	0.50	0.012
PLS13-085	72.50	73.00	0.50	0.010
PLS13-085	73.00	73.50	0.50	0.016
PLS13-085	73.50	74.00	0.50	0.020
PLS13-085	74.00	74.50	0.50	0.006
PLS13-085	74.50	75.00	0.50	0.009
PLS13-085	75.00	75.50	0.50	0.008
PLS13-085	75.50	76.00	0.50	0.013
PLS13-085	76.00	76.50	0.50	0.012
PLS13-085	76.50	77.00	0.50	0.013
PLS13-085	77.00	77.50	0.50	0.006
PLS13-085	77.50	78.00	0.50	0.009
PLS13-085	78.00	78.50	0.50	0.013
PLS13-085	78.50	79.00	0.50	0.020
PLS13-085	79.00	79.50	0.50	0.030
PLS13-085	79.50	80.00	0.50	0.047
PLS13-085	80.00	80.50	0.50	0.015
PLS13-085	80.50	81.00	0.50	0.030
PLS13-085	81.00	81.50	0.50	0.031
PLS13-085	81.50	82.00	0.50	0.018
PLS13-085	82.00	82.50	0.50	0.009
PLS13-085	82.50	83.00	0.50	0.257
PLS13-085	83.00	83.50	0.50	0.110
PLS13-085	83.50	84.00	0.50	0.074

PLS13-085	84.00	84.50	0.50	0.053
PLS13-085	84.50	85.00	0.50	0.319
PLS13-085	85.00	85.50	0.50	3.030
PLS13-085	85.50	86.00	0.50	9.530
PLS13-085	86.00	86.50	0.50	5.260
PLS13-085	86.50	87.00	0.50	4.040
PLS13-085	87.00	87.50	0.50	4.100
PLS13-085	87.50	88.00	0.50	2.540
PLS13-085	88.00	88.50	0.50	3.000
PLS13-085	88.50	89.00	0.50	1.050
PLS13-085	89.00	89.50	0.50	0.306
PLS13-085	89.50	90.00	0.50	0.314
PLS13-085	90.00	90.50	0.50	0.149
PLS13-085	90.50	91.00	0.50	0.073
PLS13-085	91.00	91.50	0.50	0.177
PLS13-085	91.50	92.00	0.50	0.216
PLS13-085	92.00	92.50	0.50	0.216
PLS13-085	92.50	93.00	0.50	0.332
PLS13-085	93.00	93.50	0.50	0.399
PLS13-085	93.50	94.00	0.50	0.066
PLS13-085	94.00	94.50	0.50	0.102
PLS13-085	94.50	95.00	0.50	0.179
PLS13-085	95.00	95.50	0.50	0.020
PLS13-085	95.50	96.00	0.50	0.040
PLS13-085	96.00	96.50	0.50	0.058
PLS13-085	96.50	97.00	0.50	0.051
PLS13-085	97.00	97.50	0.50	0.026
PLS13-085	97.50	98.00	0.50	0.017
PLS13-085	98.00	98.50	0.50	0.265
PLS13-085	98.50	99.00	0.50	1.260
PLS13-085	99.00	99.50	0.50	0.581
PLS13-085	99.50	100.00	0.50	0.351
PLS13-085	100.00	100.50	0.50	0.620
PLS13-085	100.50	101.00	0.50	0.787
PLS13-085	101.00	101.50	0.50	0.242
PLS13-085	101.50	102.00	0.50	0.147
PLS13-085	102.00	102.50	0.50	0.140
PLS13-085	102.50	103.00	0.50	0.277
PLS13-085	103.00	103.50	0.50	0.011
PLS13-085	103.50	104.00	0.50	0.023
PLS13-085	104.00	104.50	0.50	0.129
PLS13-085	104.50	105.00	0.50	0.036
PLS13-085	105.00	105.50	0.50	0.030
PLS13-085	105.50	106.00	0.50	0.042
PLS13-085	106.00	106.50	0.50	0.017
PLS13-085	106.50	107.00	0.50	0.004
PLS13-085	107.00	107.50	0.50	0.004

PLS13-085	107.50	108.00	0.50	0.004
PLS13-085	108.00	108.50	0.50	0.002
PLS13-085	108.50	109.00	0.50	0.007
PLS13-085	109.00	109.50	0.50	0.036
PLS13-085	109.50	110.00	0.50	0.099
PLS13-085	110.00	110.50	0.50	0.862
PLS13-085	110.50	111.00	0.50	0.080
PLS13-085	111.00	111.50	0.50	0.043
PLS13-085	111.50	112.00	0.50	0.074
PLS13-085	112.00	112.50	0.50	0.325
PLS13-085	112.50	113.00	0.50	0.161
PLS13-085	113.00	113.50	0.50	0.096
PLS13-085	113.50	114.00	0.50	0.014
PLS13-085	114.00	114.50	0.50	<0.001
PLS13-085	114.50	115.00	0.50	0.002
PLS13-085	115.00	115.50	0.50	0.001
PLS13-085	115.50	116.00	0.50	0.002
PLS13-085	116.00	116.50	0.50	0.004
PLS13-085	116.50	117.00	0.50	0.007
PLS13-085	176.00	176.50	0.50	0.004
PLS13-085	176.50	177.00	0.50	0.002
PLS13-085	177.00	177.50	0.50	<0.001
PLS13-085	177.50	178.00	0.50	0.002
PLS13-085	178.00	178.50	0.50	0.085
PLS13-085	178.50	179.00	0.50	0.022
PLS13-085	179.00	179.50	0.50	<0.001
PLS13-085	179.50	180.00	0.50	<0.001
PLS13-085	180.00	180.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-086	73.00	73.50	0.50	0.001
PLS13-086	73.50	74.00	0.50	0.002
PLS13-086	74.00	74.50	0.50	0.010
PLS13-086	74.50	75.00	0.50	0.009
PLS13-086	75.00	75.50	0.50	0.032
PLS13-086	75.50	76.00	0.50	0.065
PLS13-086	76.00	76.50	0.50	0.077
PLS13-086	76.50	77.00	0.50	0.051
PLS13-086	77.00	77.50	0.50	0.054
PLS13-086	77.50	78.00	0.50	0.051
PLS13-086	78.00	78.50	0.50	0.072
PLS13-086	78.50	79.00	0.50	0.044
PLS13-086	79.00	79.50	0.50	0.034
PLS13-086	79.50	80.00	0.50	0.010
PLS13-086	80.00	80.50	0.50	0.034
PLS13-086	80.50	81.00	0.50	0.018
PLS13-086	81.00	81.50	0.50	0.008

PLS13-086	81.50	82.00	0.50	0.113
PLS13-086	82.00	82.50	0.50	0.072
PLS13-086	82.50	83.00	0.50	0.119
PLS13-086	83.00	83.50	0.50	0.750
PLS13-086	83.50	84.00	0.50	0.047
PLS13-086	84.00	84.50	0.50	0.372
PLS13-086	84.50	85.00	0.50	0.104
PLS13-086	85.00	85.50	0.50	0.223
PLS13-086	85.50	86.00	0.50	0.019
PLS13-086	86.00	86.50	0.50	0.024
PLS13-086	86.50	87.00	0.50	0.026
PLS13-086	87.00	87.50	0.50	0.288
PLS13-086	87.50	88.00	0.50	0.021
PLS13-086	88.00	88.50	0.50	0.064
PLS13-086	88.50	89.00	0.50	0.034
PLS13-086	89.00	89.50	0.50	0.042
PLS13-086	89.50	90.00	0.50	0.089
PLS13-086	90.00	90.50	0.50	0.112
PLS13-086	90.50	91.00	0.50	0.019
PLS13-086	91.00	91.50	0.50	0.049
PLS13-086	91.50	92.00	0.50	0.214
PLS13-086	92.00	92.50	0.50	0.340
PLS13-086	92.50	93.00	0.50	0.058
PLS13-086	93.00	93.50	0.50	0.024
PLS13-086	93.50	94.00	0.50	0.058
PLS13-086	94.00	94.50	0.50	0.257
PLS13-086	94.50	95.00	0.50	1.300
PLS13-086	95.00	95.50	0.50	0.169
PLS13-086	95.50	96.00	0.50	0.031
PLS13-086	96.00	96.50	0.50	0.164
PLS13-086	96.50	97.00	0.50	0.211
PLS13-086	97.00	97.50	0.50	0.036
PLS13-086	97.50	98.00	0.50	0.091
PLS13-086	98.00	98.50	0.50	0.238
PLS13-086	98.50	99.00	0.50	0.240
PLS13-086	99.00	99.50	0.50	0.721
PLS13-086	99.50	100.00	0.50	1.190
PLS13-086	100.00	100.50	0.50	0.393
PLS13-086	100.50	101.00	0.50	0.910
PLS13-086	101.00	101.50	0.50	3.310
PLS13-086	101.50	102.00	0.50	14.500
PLS13-086	102.00	102.50	0.50	19.100
PLS13-086	102.50	103.00	0.50	18.900
PLS13-086	103.00	103.50	0.50	24.800
PLS13-086	103.50	104.00	0.50	8.840
PLS13-086	104.00	104.50	0.50	1.270
PLS13-086	104.50	105.00	0.50	1.670

PLS13-086	105.00	105.50	0.50	1.580
PLS13-086	105.50	106.00	0.50	5.160
PLS13-086	106.00	106.50	0.50	0.264
PLS13-086	106.50	107.00	0.50	0.275
PLS13-086	107.00	107.50	0.50	0.363
PLS13-086	107.50	108.00	0.50	0.161
PLS13-086	108.00	108.50	0.50	0.253
PLS13-086	108.50	109.00	0.50	0.490
PLS13-086	109.00	109.50	0.50	3.760
PLS13-086	109.50	110.00	0.50	0.654
PLS13-086	110.00	110.50	0.50	0.148
PLS13-086	110.50	111.00	0.50	0.485
PLS13-086	111.00	111.50	0.50	4.960
PLS13-086	111.50	112.00	0.50	5.830
PLS13-086	112.00	112.50	0.50	1.600
PLS13-086	112.50	113.00	0.50	1.020
PLS13-086	113.00	113.50	0.50	0.237
PLS13-086	113.50	114.00	0.50	0.288
PLS13-086	114.00	114.50	0.50	1.410
PLS13-086	114.50	115.00	0.50	7.060
PLS13-086	115.00	115.50	0.50	6.880
PLS13-086	115.50	116.00	0.50	0.648
PLS13-086	116.00	116.50	0.50	0.469
PLS13-086	116.50	117.00	0.50	0.351
PLS13-086	117.00	117.50	0.50	1.980
PLS13-086	117.50	118.00	0.50	3.320
PLS13-086	118.00	118.50	0.50	0.203
PLS13-086	118.50	119.00	0.50	0.883
PLS13-086	119.00	119.50	0.50	0.176
PLS13-086	119.50	120.00	0.50	0.069
PLS13-086	120.00	120.50	0.50	0.433
PLS13-086	120.50	121.00	0.50	3.790
PLS13-086	121.00	121.50	0.50	8.320
PLS13-086	121.50	122.00	0.50	0.360
PLS13-086	122.00	122.50	0.50	0.032
PLS13-086	122.50	123.00	0.50	0.008
PLS13-086	123.00	123.50	0.50	0.014
PLS13-086	123.50	124.00	0.50	0.043
PLS13-086	124.00	124.50	0.50	0.050
PLS13-086	124.50	125.00	0.50	0.024
PLS13-086	125.00	125.50	0.50	0.020
PLS13-086	125.50	126.00	0.50	0.035
PLS13-086	126.00	126.50	0.50	0.049
PLS13-086	126.50	127.00	0.50	0.017
PLS13-086	127.00	127.50	0.50	0.067
PLS13-086	149.50	150.00	0.50	<0.001
PLS13-086	150.00	150.50	0.50	0.002

PLS13-086	150.50	151.00	0.50	0.002
PLS13-086	151.00	151.50	0.50	<0.001
PLS13-086	151.50	152.00	0.50	0.062
PLS13-086	152.00	152.50	0.50	0.007
PLS13-086	152.50	153.00	0.50	0.012
PLS13-086	153.00	153.50	0.50	0.017
PLS13-086	153.50	154.00	0.50	0.030
PLS13-086	154.00	154.50	0.50	0.084
PLS13-086	154.50	155.00	0.50	0.016
PLS13-086	155.00	155.50	0.50	0.010
PLS13-086	155.50	156.00	0.50	0.006
PLS13-086	171.50	172.00	0.50	0.001
PLS13-086	172.00	172.50	0.50	0.004
PLS13-086	172.50	173.00	0.50	0.002
PLS13-086	173.00	173.50	0.50	0.002
PLS13-086	173.50	174.00	0.50	0.080
PLS13-086	174.00	174.50	0.50	0.045
PLS13-086	174.50	175.00	0.50	0.030
PLS13-086	175.00	175.50	0.50	0.034
PLS13-086	175.50	176.00	0.50	0.004
PLS13-086	176.00	176.50	0.50	0.002
PLS13-086	176.50	177.00	0.50	0.009
PLS13-086	177.00	177.50	0.50	0.002
PLS13-086	177.50	178.00	0.50	0.009
PLS13-086	178.00	178.50	0.50	0.021
PLS13-086	178.50	179.00	0.50	<0.001
PLS13-086	179.00	179.50	0.50	0.002
PLS13-086	179.50	180.00	0.50	<0.001
PLS13-086	180.00	180.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-087A	44.00	44.50	0.50	0.003
PLS13-087A	44.50	45.00	0.50	0.023
PLS13-087A	45.00	45.50	0.50	0.040
PLS13-087A	45.50	46.00	0.50	0.105
PLS13-087A	46.00	46.50	0.50	0.057
PLS13-087A	46.50	47.00	0.50	0.095
PLS13-087A	47.00	47.50	0.50	0.022
PLS13-087A	47.50	48.00	0.50	0.026
PLS13-087A	48.00	48.50	0.50	0.435
PLS13-087A	48.50	49.00	0.50	1.440
PLS13-087A	49.00	49.50	0.50	0.054
PLS13-087A	49.50	50.00	0.50	0.042
PLS13-087A	50.00	50.50	0.50	0.029
PLS13-087A	50.50	51.00	0.50	0.015
PLS13-087A	51.00	51.50	0.50	0.009
PLS13-087A	51.50	52.00	0.50	0.016

PLS13-087A	52.00	52.50	0.50	0.028
PLS13-087A	52.50	53.00	0.50	0.055
PLS13-087A	53.00	53.50	0.50	0.036
PLS13-087A	53.50	54.00	0.50	0.053
PLS13-087A	54.00	54.50	0.50	0.093
PLS13-087A	54.50	55.00	0.50	0.156
PLS13-087A	55.00	55.50	0.50	0.258
PLS13-087A	55.50	56.00	0.50	0.208
PLS13-087A	56.00	56.50	0.50	0.028
PLS13-087A	56.50	57.00	0.50	0.021
PLS13-087A	57.00	57.50	0.50	0.022
PLS13-087A	57.50	58.00	0.50	0.028
PLS13-087A	58.00	58.50	0.50	0.009
PLS13-087A	58.50	59.00	0.50	0.020
PLS13-087A	59.00	59.50	0.50	0.017
PLS13-087A	59.50	60.00	0.50	0.015
PLS13-087A	60.00	60.50	0.50	0.025
PLS13-087A	60.50	61.00	0.50	0.034
PLS13-087A	61.00	61.50	0.50	0.018
PLS13-087A	61.50	62.00	0.50	0.039
PLS13-087A	62.00	62.50	0.50	0.025
PLS13-087A	62.50	63.00	0.50	0.040
PLS13-087A	63.00	63.50	0.50	0.011
PLS13-087A	63.50	64.00	0.50	0.061
PLS13-087A	64.00	64.50	0.50	0.224
PLS13-087A	64.50	65.00	0.50	0.210
PLS13-087A	65.00	65.50	0.50	0.777
PLS13-087A	65.50	66.00	0.50	0.114
PLS13-087A	66.00	66.50	0.50	0.217
PLS13-087A	66.50	67.00	0.50	0.105
PLS13-087A	67.00	67.50	0.50	0.025
PLS13-087A	67.50	68.00	0.50	0.136
PLS13-087A	68.00	68.50	0.50	1.950
PLS13-087A	68.50	69.00	0.50	0.104
PLS13-087A	69.00	69.50	0.50	1.55
PLS13-087A	69.50	70.00	0.50	0.512
PLS13-087A	70.00	70.50	0.50	0.036
PLS13-087A	70.50	71.00	0.50	0.094
PLS13-087A	71.00	71.50	0.50	0.414
PLS13-087A	71.50	72.00	0.50	0.220
PLS13-087A	72.00	72.50	0.50	0.019
PLS13-087A	72.50	73.00	0.50	0.018
PLS13-087A	73.00	73.50	0.50	0.006
PLS13-087A	73.50	74.00	0.50	0.012
PLS13-087A	74.00	74.50	0.50	0.023
PLS13-087A	74.50	75.00	0.50	0.063
PLS13-087A	75.00	75.50	0.50	0.032

PLS13-087A	75.50	76.00	0.50	0.040
PLS13-087A	76.00	76.50	0.50	0.006
PLS13-087A	76.50	77.00	0.50	0.028
PLS13-087A	77.00	77.50	0.50	0.009
PLS13-087A	77.50	78.00	0.50	0.003
PLS13-087A	78.00	78.50	0.50	0.002
PLS13-087A	78.50	79.00	0.50	0.006
PLS13-087A	79.00	79.50	0.50	0.012
PLS13-087A	79.50	80.00	0.50	0.108
PLS13-087A	80.00	80.50	0.50	0.005
PLS13-087A	80.50	81.00	0.50	0.034
PLS13-087A	81.00	81.50	0.50	0.009
PLS13-087A	81.50	82.00	0.50	0.030
PLS13-087A	82.00	82.50	0.50	0.098
PLS13-087A	82.50	83.00	0.50	0.029
PLS13-087A	83.00	83.50	0.50	0.015
PLS13-087A	83.50	84.00	0.50	0.019
PLS13-087A	84.00	84.50	0.50	0.020
PLS13-087A	84.50	85.00	0.50	0.038
PLS13-087A	85.00	85.50	0.50	0.024
PLS13-087A	85.50	86.00	0.50	0.032
PLS13-087A	86.00	86.50	0.50	0.006
PLS13-087A	86.50	87.00	0.50	0.003
PLS13-087A	87.00	87.50	0.50	0.004
PLS13-087A	87.50	88.00	0.50	0.004
PLS13-087A	88.00	88.50	0.50	0.011
PLS13-087A	88.50	89.00	0.50	0.011
PLS13-087A	89.00	89.50	0.50	0.010
PLS13-087A	89.50	90.00	0.50	0.015
PLS13-087A	90.00	90.50	0.50	0.004
PLS13-087A	90.50	91.00	0.50	0.009
PLS13-087A	91.00	91.50	0.50	0.010
PLS13-087A	91.50	92.00	0.50	0.019
PLS13-087A	92.00	92.50	0.50	0.028
PLS13-087A	92.50	93.00	0.50	0.178
PLS13-087A	93.00	93.50	0.50	0.119
PLS13-087A	93.50	94.00	0.50	0.066
PLS13-087A	94.00	94.50	0.50	0.066
PLS13-087A	94.50	95.00	0.50	0.179
PLS13-087A	95.00	95.50	0.50	0.106
PLS13-087A	95.50	96.00	0.50	0.098
PLS13-087A	96.00	96.50	0.50	0.021
PLS13-087A	96.50	97.00	0.50	0.011
PLS13-087A	97.00	97.50	0.50	0.010
PLS13-087A	97.50	98.00	0.50	0.215
PLS13-087A	98.00	98.50	0.50	0.700
PLS13-087A	98.50	99.00	0.50	0.437

PLS13-087A	99.00	99.50	0.50	0.149
PLS13-087A	99.50	100.00	0.50	0.113
PLS13-087A	100.00	100.50	0.50	0.033
PLS13-087A	100.50	101.00	0.50	0.118
PLS13-087A	101.00	101.50	0.50	0.117
PLS13-087A	101.50	102.00	0.50	0.062
PLS13-087A	102.00	102.50	0.50	0.034
PLS13-087A	102.50	103.00	0.50	0.019
PLS13-087A	103.00	103.50	0.50	0.046
PLS13-087A	103.50	104.00	0.50	0.070
PLS13-087A	104.00	104.50	0.50	0.143
PLS13-087A	104.50	105.00	0.50	0.121
PLS13-087A	105.00	105.50	0.50	0.205
PLS13-087A	105.50	106.00	0.50	0.033
PLS13-087A	106.00	106.50	0.50	0.050
PLS13-087A	106.50	107.00	0.50	0.013
PLS13-087A	107.00	107.50	0.50	0.007
PLS13-087A	107.50	108.00	0.50	0.010
PLS13-087A	108.00	108.50	0.50	0.196
PLS13-087A	108.50	109.00	0.50	0.089
PLS13-087A	109.00	109.50	0.50	0.020
PLS13-087A	109.50	110.00	0.50	0.010
PLS13-087A	110.00	110.50	0.50	0.010
PLS13-087A	110.50	111.00	0.50	0.006
PLS13-087A	111.00	111.50	0.50	0.022
PLS13-087A	111.50	112.00	0.50	0.006
PLS13-087A	112.00	112.50	0.50	0.006
PLS13-087A	112.50	113.00	0.50	0.076
PLS13-087A	113.00	113.50	0.50	0.022
PLS13-087A	113.50	114.00	0.50	0.047
PLS13-087A	114.00	114.50	0.50	0.003
PLS13-087A	114.50	115.00	0.50	0.003