


Figure 1



Extension NE Mount Ity: location of drill holes on 50-m grid lines

**Table A**

Line	Drill holes	Dipping	Depth (m)	From (m)	Width (m)	Cy gold (g/t)	
15	508	60E	30.85	6.75	1.00	5.98	
	509	60E	36.15	20.60	5.05	14.84	
	510	60E	77.15	36.75	2.35	3.56	
				45.55	2.00	2.02	
	511	60E	108.85	44.35	1.00	2.36	
				66.60	2.15	2.86	
				70.15	1.60	4.93	
				87.30	1.65	3.74	
	512	60E	103.45	84.40	2.60	1.07	
				96.00	1.35	3.80	
16	513	60E	56.60	21.55	2.31	2.54	
	514	60E	103.80	15.92	3.42	6.02	
				46.80	10.25	2.93	
				60.65	2.10	4.12	
				72.25	10.65	6.93	
				88.12	1.50	2.87	
	515	60E	76.15	1.00	1.00	4.43	
				18.85	1.00	2.45	
				26.45	1.00	5.62	
				42.80	3.65	3.75	
515b	V		104.90	18.03	3.00	3.23	
				62.05	2.45	4.01	
				66.10	2.36	14.78	
				70.46	2.00	3.82	
				78.80	1.80	3.53	
	516	60E	88.90	6.15	10.50	3.15	
				79.90	1.00	2.85	
	517	60E	82.05	13.00	1.00	2.60	
	17	518	60E	103.05			
		520	60E	57.70	1.05	2.65	29.62
			4.70	4.40	2.88		
521	60E	65.50	23.65	1.00	9.83		
			25.65	2.30	4.55		
			62.80	1.00	7.21		
				50.95	1.00	2.94	
19	531	60E	57.20	4.70	1.00	3.31	
	532	60E	36.65	31.55	1.00	3.42	
	533	60E	50.65				
534	60E	49.00	26.15	4.00	3.26		
21	542	60E	83.25	0.80	1.60	2.60	
				67.80	3.00	2.13	
543	60E	110.30	67.05	1.00	2.18		
				83.90	3.15	2.24	
	544	60E	61.35				
	545	60E	57.45				
Total	23 DDH		1657.35				

Drill results. Gold values are in cyanidable gold. Only samples above 2.0 g/t Au are listed.

Figure 2

