

SCHEDULE "A"
AURIFEROUS QUARTZ RUBBLE EXPOSED IN
PITS AT THE TEKWANE PROSPECT

PIT_ID	Arch 1950 Datum Zone 35		Over Burden Thickness (m)	Quartz Rubble			Assays Au
	South			From (m)	To (m)	Thickness (m)	Grade (g/t)
	UTM_East	UTM_North					
TKPT00386	578796.16	7644250.43	0.81	0.81	1.00	0.19	78.00
TKPT00029	579996.79	7644250.80	0.50	0.50	1.00	0.50	43.47
TKPT00030	580000.11	7644298.87	0.45	0.45	0.75	0.30	39.71
TKPT00056	579699.53	7644245.23	0.70	0.70	0.80	0.10	30.50
TKPT00083	580200.00	7644750.00	0.61	0.61	0.73	0.12	22.71
TKPT00133	579593.46	7644846.14	0.50	0.50	0.70	0.20	12.02
TKPT00197	579499.81	7643694.49	0.20	0.20	0.40	0.20	10.31
TKPT00009	580105.00	7644595.00	0.15	0.15	0.45	0.30	8.09
TKPT00084	580200.00	7644800.00	0.49	0.49	0.57	0.08	8.01
TKPT00054	579797.69	7644604.54	0.70	0.70	0.80	0.10	8.00
TKPT00285	579194.23	7643800.88	0.30	0.30	0.97	0.67	7.87
TKPT00320	579096.97	7644347.07	1.03	1.03	1.30	0.27	7.03
TKPT00171	579796.07	7643901.64	0.20	0.20	0.30	0.10	6.79
TKPT00176	579794.86	7644149.71	0.70	0.70	0.80	0.10	6.73
TKPT00477	578299.87	7643798.35	0.48	0.48	0.94	0.46	6.63
TKPT00055	579696.24	7644201.37	0.40	0.40	0.45	0.05	6.11
TKPT00124	579699.92	7644798.58	0.37	0.37	0.48	0.11	5.66
TKPT00186	579695.56	7644152.37	0.60	0.60	0.90	0.22	4.95
TKPT00090	580100.00	7644700.00	0.30	0.30	0.45	0.15	4.92
TKPT00294	579199.47	7644251.67	1.43	1.43	1.61	0.18	4.82
TKPT00270	579296.02	7644300.81	1.00	1.00	1.10	0.10	4.35
TKPT00089	580100.00	7644650.00	0.57	0.57	0.68	0.11	3.90
TKPT00356	578895.83	7643849.50	1.13	1.13	1.21	0.08	3.38
TKPT00101	579995.76	7644844.95	0.60	0.60	0.75	0.15	3.16
TKPT00061	579698.14	7644500.08	0.30	0.30	0.40	0.10	3.12
TKPT00087	580200.00	7644950.00	0.43	0.43	0.64	0.21	3.06
TKPT00016	580199.00	7644500.00	0.45	0.45	0.75	0.30	3.03
TKPT00127	579699.10	7644949.60	0.39	0.39	0.51	0.12	2.99
TKPT00131	579596.23	7644743.96	0.60	0.60	0.63	0.03	2.91
TKPT00038	579899.80	7644251.05	0.30	0.30	0.90	0.60	2.86
TKPT00384	578797.82	7644148.65	0.90	0.90	1.17	0.27	2.84
TKPT00338	578998.27	7644095.69	0.99	0.99	1.13	0.14	2.78
TKPT00077	580300.00	7644850.00	0.40	0.40	1.20	0.80	2.77
TKPT00049	579798.36	7644347.87	0.20	0.20	0.24	0.04	2.73
TKPT00217	579497.75	7644696.05	0.60	0.60	0.65	0.05	2.72
TKPT00071	579599.19	7644556.59	0.40	0.40	0.50	0.10	2.49
TKPT00008	580109.00	7644548.00	0.35	0.35	0.80	0.45	2.48
TKPT00118	579795.10	7644899.06	0.50	0.50	0.72	0.22	2.43
TKPT00066	579599.34	7644300.83	0.70	0.70	0.80	0.10	2.28
TKPT00382	578796.56	7644051.24	0.65	0.65	0.87	0.22	2.27
TKPT00125	579697.90	7644846.94	0.22	0.22	0.33	0.11	2.18
TKPT00444	578495.17	7644050.90	0.42	0.42	1.04	0.62	2.16
TKPT00067	579598.54	7644347.63	0.70	0.70	0.75	0.05	2.15
TKPT00039	579899.12	7644301.98	0.20	0.20	0.30	0.10	2.13
TKPT00339	578996.22	7644146.95	0.81	0.81	1.13	0.32	2.10
TKPT00481	578296.71	7643998.64	0.39	0.39	0.64	0.25	2.03
TKPT00042	579898.60	7644443.26	0.35	0.35	0.55	0.20	2.02
TKPT00318	579096.02	7644246.13	0.76	0.76	0.89	0.13	1.97
TKPT00461	578393.65	7643954.36	0.56	0.56	0.68	0.12	1.96
TKPT00341	578997.86	7644251.16	1.09	1.09	1.25	0.16	1.94
TKPT00315	579092.64	7644097.26	1.12	1.12	1.44	0.32	1.93
TKPT00086	580200.00	7644900.00	0.38	0.38	0.48	0.10	1.89

PIT_ID	Arch 1950 Datum Zone 35 South		Over Burden Thickness (m)	Quartz Rubble			Assays Au
	UTM_East	UTM_North		From (m)	To (m)	Thickness (m)	Grade (g/t)
TKPT00303	579100.00	7643500.00	1.19	1.19	1.36	0.17	1.85
TKPT00005	580100.00	7644399.00	0.55	0.55	1.00	0.45	1.85
TKPT00085	580200.00	7644850.00	1.00	1.00	1.48	0.48	1.76
TKPT00442	578495.68	7643950.23	0.59	0.59	0.71	0.12	1.73
TKPT00098	579998.39	7644695.91	0.20	0.20	0.30	0.10	1.62
TKPT00205	579496.48	7644094.95	0.20	0.20	0.35	0.15	1.61
TKPT00082	580200.00	7644700.00	0.42	0.42	0.49	0.07	1.56
TKPT00195	579599.45	7644098.42	0.60	0.60	0.75	0.15	1.54
TKPT00220	579496.09	7644853.56	0.50	0.50	0.70	0.20	1.51
TKPT00006	580113.00	7644451.00	0.30	0.30	0.40	0.10	1.46
TKPT00057	579694.16	7644299.24	0.50	0.50	0.80	0.30	1.44
TKPT00340	578998.47	7644197.86	1.00	1.00	1.16	0.16	1.36
TKPT00050	579798.32	7644402.20	0.45	0.45	1.30	0.85	1.35
TKPT00123	579699.96	7644748.26	0.43	0.43	0.66	0.23	1.33
TKPT00063	579697.50	7644596.18	0.60	0.60	0.90	0.30	1.29
TKPT00135	579593.19	7644947.77	0.26	0.26	0.37	0.11	1.28
TKPT00007	580103.00	7644502.00	0.40	0.40	0.60	0.20	1.26
TKPT00311	579092.44	7643898.52	1.28	1.28	1.35	0.07	1.23
TKPT00060	579700.84	7644449.82	0.30	0.30	0.55	0.25	1.21
TKPT00100	579995.76	7644796.81	0.40	0.40	0.60	0.20	1.20
TKPT00236	579392.78	7644293.81	1.30	1.30	1.50	0.20	1.18
TKPT00004	580086.00	7644341.00	0.55	0.55	0.80	0.25	1.15
TKPT00362	578894.14	7644145.71	0.78	0.78	0.96	0.18	1.15
TKPT00357	578898.17	7643899.46	1.07	1.07	1.18	0.11	1.14
TKPT00059	579700.61	7644402.69	0.40	0.40	0.90	0.50	1.11
TKPT00072	579603.32	7644602.10	0.40	0.40	0.70	0.30	1.10
TKPT00073	580300.00	7644650.00	0.80	0.80	1.60	0.80	1.09
TKPT00464	578397.16	7644098.40	0.73	0.73	0.96	0.23	1.05
TKPT00074	580300.00	7644700.00	0.60	0.60	1.20	0.60	1.05
TKPT00198	579498.92	7643746.65	0.50	0.50	0.75	0.25	1.03
TKPT00026	580305.00	7644549.00	0.35	0.35	0.50	0.15	1.00
TKPT00064	579601.55	7644200.48	0.40	0.40	0.50	0.10	0.95
TKPT00045	579902.92	7644594.13	0.70	0.70	0.95	0.25	0.95
TKPT00070	579601.28	7644502.23	0.70	0.70	0.85	0.15	0.90
TKPT00273	579297.68	7644450.13	0.70	0.70	0.90	0.20	0.89
TKPT00110	579897.22	7644897.70	0.30	0.30	0.45	0.15	0.87
TKPT00337	578997.06	7644051.04	0.71	0.71	1.07	0.36	0.85
TKPT00462	578395.82	7643998.36	0.82	0.82	0.91	0.09	0.83
TKPT00238	579397.93	7644398.64	0.80	0.80	1.00	0.20	0.83
TKPT00365	578895.91	7644298.18	0.90	0.90	1.01	0.11	0.80
TKPT00122	579695.26	7644694.87	0.48	0.48	0.63	0.15	0.79
TKPT00174	579795.70	7644051.58	0.55	0.55	1.30	0.75	0.79
TKPT00130	579595.15	7644695.74	0.70	0.70	0.75	0.05	0.79
TKPT00097	579997.12	7644648.25	0.30	0.30	0.45	0.15	0.72
TKPT00075	580300.00	7644750.00	1.00	1.00	1.30	0.30	0.71
TKPT00317	579096.07	7644199.22	1.09	1.09	1.15	0.06	0.71
TKPT00361	578895.00	7644096.98	0.88	0.88	1.13	0.25	0.70
TKPT00364	578893.01	7644249.79	0.88	0.88	1.08	0.20	0.69
TKPT00443	578492.53	7644003.73	0.38	0.38	0.65	0.27	0.69
TKPT00108	579898.69	7644800.02	0.20	0.20	0.35	0.15	0.69
TKPT00126	579696.69	7644896.41	0.48	0.48	0.66	0.18	0.68
TKPT00043	579900.16	7644501.95	0.50	0.50	0.80	0.30	0.68
TKPT00363	578896.71	7644196.91	1.01	1.01	1.48	0.47	0.67
TKPT00216	579496.66	7644647.34	0.80	0.80	1.30	0.50	0.67
TKPT00102	579996.10	7644899.47	0.20	0.20	0.45	0.25	0.64
TKPT00081	580200.00	7644650.00	0.50	0.50	0.60	0.10	0.62
TKPT00210	579498.13	7644346.30	0.70	0.70	0.80	0.10	0.61

PIT_ID	Arch 1950 Datum Zone 35 South		Over Burden Thickness (m)	Quartz Rubble			Assays Au
	UTM_East	UTM_North		From (m)	To (m)	Thickness (m)	Grade (g/t)
TKPT00381	578797.74	7644001.04	0.56	0.56	0.80	0.24	0.61
TKPT00035	580007.57	7644554.14	0.25	0.25	0.55	0.30	0.60
TKPT00218	579493.57	7644746.60	0.90	0.90	0.97	0.07	0.57
TKPT00032	579996.69	7644393.21	0.50	0.50	0.80	0.30	0.57
TKPT00080	580300.00	7645000.00	0.60	0.60	0.70	0.10	0.56
TKPT00129	579596.14	7644647.41	0.20	0.20	0.23	0.03	0.56
TKPT00013	580203.00	7644352.00	0.10	0.10	0.20	0.10	0.54
TKPT00134	579596.03	7644897.86	0.30	0.30	0.45	0.15	0.53
TKPT00269	579295.59	7644249.91	1.00	1.00	1.10	0.10	0.52
TKPT00049	579798.36	7644347.87	0.24	0.24	0.80	0.56	0.51
TKPT00040	579898.99	7644348.66	0.15	0.15	0.25	0.10	0.50
TKPT00034	579999.72	7644495.70	0.35	0.35	0.65	0.30	0.49
TKPT00114	579796.93	7644698.62	0.50	0.50	0.63	0.13	0.48
TKPT00188	579597.90	7643746.69	0.20	0.20	0.30	0.10	0.48
TKPT00119	579797.65	7644948.08	0.19	0.19	0.36	0.17	0.47
TKPT00062	579700.74	7644558.62	0.40	0.40	0.55	0.15	0.47
TKPT00295	579196.62	7644299.78	0.77	0.77	0.98	0.21	0.47
TKPT00091	580100.00	7644750.00	0.20	0.20	0.30	0.10	0.46
TKPT00168	579800.00	7643750.00	0.60	0.60	0.80	0.20	0.46
TKPT00088	580200.00	7645000.00	0.26	0.26	0.51	0.25	0.46
TKPT00343	578995.62	7644346.70	0.76	0.76	0.98	0.22	0.46
TKPT00334	578995.66	7643897.73	1.31	1.31	1.35	0.04	0.45
TKPT00214	579492.68	7644549.06	0.80	0.80	1.30	0.50	0.43
TKPT00209	579493.52	7644296.25	0.90	0.90	1.00	0.10	0.43
TKPT00047	579799.42	7644244.76	0.50	0.50	0.70	0.20	0.42
TKPT00099	579998.19	7644745.12	0.30	0.30	0.50	0.20	0.42
TKPT00189	579598.35	7643798.06	0.50	0.50	0.60	0.10	0.42
TKPT00113	579797.26	7644648.66	0.21	0.21	0.29	0.08	0.40
TKPT00037	579900.65	7644203.28	0.40	0.40	0.60	0.20	0.39
TKPT00121	579708.06	7644648.16	0.55	0.55	0.84	0.29	0.36
TKPT00128	579696.22	7644996.84	0.30	0.30	0.55	0.25	0.36
TKPT00093	580100.00	7644850.00	0.30	0.30	0.50	0.20	0.34
TKPT00024	580304.00	7644453.00	0.40	0.40	0.50	0.10	0.34
TKPT00116	579797.99	7644800.42	0.21	0.21	0.34	0.13	0.34
TKPT00138	580094.41	7643747.88	0.60	0.60	0.65	0.05	0.33
TKPT00036	580003.68	7644599.81	0.20	0.20	0.45	0.25	0.33
TKPT00160	579894.86	7643850.55	0.20	0.20	0.50	0.30	0.32
TKPT00181	579695.47	7643896.45	0.30	0.30	0.45	0.15	0.32
TKPT00316	579094.21	7644148.31	1.09	1.09	1.24	0.15	0.29
TKPT00463	578396.91	7644049.66	0.53	0.53	0.86	0.33	0.28
TKPT00046	579799.01	7644193.32	0.60	0.60	0.65	0.05	0.28
TKPT00134	579596.03	7644897.86	0.30	0.30	0.45	0.15	0.28
TKPT00211	579496.40	7644397.05	0.50	0.50	0.60	0.10	0.28
TKPT00237	579396.71	7644346.60	0.70	0.70	0.80	0.10	0.28
TKPT00053	579794.10	7644547.70	0.30	0.30	0.40	0.10	0.27
TKPT00241	579394.73	7644545.19	0.70	0.70	0.95	0.25	0.27
TKPT00242	579399.04	7644599.20	0.90	0.90	1.20	0.30	0.26
TKPT00058	579705.66	7644349.66	0.50	0.50	0.55	0.05	0.25
TKPT00165	579894.96	7644097.61	0.40	0.40	0.50	0.10	0.25
TKPT00107	579895.73	7644747.41	0.20	0.20	0.40	0.20	0.24
TKPT00052	579796.64	7644493.41	0.30	0.30	0.60	0.30	0.23
TKPT00235	579399.88	7644247.98	0.80	0.80	0.90	0.10	0.22
TKPT00246	579397.27	7644799.69	0.60	0.60	0.85	0.25	0.21
TKPT00304	579095.94	7643547.15	0.26	0.26	1.15	0.89	0.21
TKPT00103	579998.85	7644948.16	0.30	0.30	0.45	0.15	0.19
TKPT00366	578893.26	7644348.60	0.70	0.70	0.79	0.09	0.18
TKPT00342	578997.08	7644301.67	0.68	0.68	0.88	0.20	0.18

PIT_ID	Arch 1950 Datum Zone 35 South		Over Burden Thickness (m)	Quartz Rubble			Assays Au
	UTM_East	UTM_North		From (m)	To (m)	Thickness (m)	Grade (g/t)
TKPT00033	579999.10	7644446.40	0.60	0.60	0.72	0.12	0.17
TKPT00296	579193.35	7644349.49	0.51	0.51	0.75	0.24	0.16
TKPT00212	579496.89	7644452.42	0.80	0.80	0.85	0.05	0.14
TKPT00094	580100.00	7644900.00	0.30	0.30	0.60	0.30	0.13
TKPT00106	579896.62	7644699.05	0.30	0.30	0.60	0.30	0.13
TKPT00439	578495.75	7643797.82	0.68	0.68	0.80	0.12	0.13
TKPT00095	580100.00	7644950.00	0.00	0.00	0.20	0.20	0.12
TKPT00096	580100.00	7645000.00	0.20	0.20	0.35	0.15	0.12
TKPT00483	578298.87	7644098.10	0.72	0.72	0.89	0.17	0.12
TKPT00280	579195.35	7643546.27	0.66	0.66	0.73	0.07	0.12
TKPT00051	579797.60	7644450.83	0.20	0.20	0.60	0.40	0.10
TKPT00109	579895.48	7644849.06	0.50	0.50	0.70	0.20	0.10
TKPT00117	579797.50	7644850.88	0.18	0.18	0.22	0.04	0.10
TKPT00244	579394.45	7644696.51	0.60	0.60	0.80	0.20	0.08
TKPT00079	580300.00	7644950.00	0.40	0.40	1.10	0.70	0.08
TKPT00215	579494.59	7644596.08	1.00	1.00	1.30	0.30	0.08
TKPT00213	579494.43	7644496.00	0.80	0.80	1.10	0.30	0.08
TKPT00078	580300.00	7644900.00	0.50	0.50	0.90	0.40	0.07
TKPT00068	579603.12	7644403.44	0.50	0.50	0.65	0.15	0.07
TKPT00495	578200.00	7643800.00	0.28	0.28	0.54	0.26	0.07
TKPT00319	579096.18	7644295.55	0.93	0.93	1.26	0.33	0.06
TKPT00120	579795.40	7645000.41	0.51	0.51	0.61	0.10	0.06
TKPT00388	578795.41	7644348.28	1.23	1.23	1.44	0.21	0.06
TKPT00018	580198.00	7644600.00	0.30	0.30	0.40	0.10	0.06
TKPT00105	579898.83	7644647.66	0.30	0.30	0.55	0.25	0.05
TKPT00247	579396.94	7644849.19	0.40	0.40	0.55	0.15	0.05
TKPT00383	578797.27	7644100.50	0.72	0.72	0.94	0.22	0.05
TKPT00132	579593.76	7644796.54	0.60	0.60	0.67	0.07	0.05
TKPT00239	579394.29	7644452.27	0.90	0.90	1.00	0.10	0.05
TKPT00480	578298.31	7643948.36	0.55	0.55	0.74	0.19	0.05
TKPT00387	578795.65	7644298.82	0.27	0.27	0.98	0.71	0.04
TKPT00274	579294.56	7644499.00	0.80	0.80	1.00	0.20	0.04
TKPT00005	580100.00	7644399.00	0.40	0.40	0.55	0.15	0.04
TKPT00271	579297.08	7644351.43	1.00	1.00	1.10	0.10	0.03
TKPT00500	578198.17	7644048.47	0.39	0.39	0.49	0.10	0.02
TKPT00111	579897.03	7644946.30	0.30	0.30	0.55	0.25	0.02
TKPT00219	579492.51	7644797.02	0.80	0.80	0.90	0.10	0.02
TKPT00499	578197.90	7643999.96	0.47	0.47	0.58	0.11	0.02
TKPT00418	578594.60	7643750.88	0.48	0.48	0.74	0.26	0.01
TKPT00243	579395.39	7644645.80	0.70	0.70	0.90	0.20	0.01
TKPT00104	579997.47	7645001.94	0.30	0.30	0.45	0.15	0.01
TKPT00136	579593.84	7644999.82	0.40	0.40	0.50	0.10	0.01
TKPT00222	579495.65	7644949.15	0.50	0.50	1.00	0.50	0.01
TKPT00221	579498.00	7644900.12	1.00	1.00	1.40	0.40	0.01
TKPT00496	578195.81	7643850.83	0.45	0.45	0.59	0.14	0.01
TKPT00497	578191.86	7643905.69	0.43	0.43	1.10	0.67	0.01
TKPT00199	579496.87	7643795.93	0.50	0.50	0.80	0.30	0.01
TKPT00249	579395.61	7644946.28	0.40	0.40	0.65	0.25	0.01
TKPT00441	578496.47	7643904.43	0.43	0.43	0.67	0.24	0.01
TKPT00501	578194.30	7644098.24	0.59	0.59	0.76	0.17	0.01
TKPT00516	578097.39	7643998.95	0.50	0.50	0.65	0.15	0.01
TKPT00044	579897.19	7644548.67	0.40	0.40	0.80	0.40	x
TKPT00245	579396.92	7644746.24	0.60	0.60	0.90	0.30	x
TKPT00440	578496.56	7643851.59	0.54	0.54	0.66	0.12	x