


Results for the new drill holes are as follows:

Sector 70000

Hole Number	Type	From	To	Length	%CuT	Ag g/t
HA-229-R	Step out	135	141	6	0.41	4.3
HA-239-R	Sectional	106	109	3	0.63	7.2
		108	109	1	1.12	15.0
HA-259-R	Step out	105	111	6	0.73	8.7
		106	107	1	1.09	17.3
		109	110	1	1.10	14.1
HA-260-R	Step out	99	104	5	1.11	13.9
		99	101	2	1.27	15.2
		102	104	2	1.35	17.8
HA-265-R	Sectional	103	108	5	0.75	10.3
		106	107	1	1.16	15.2
HA-268-R	Step out	60	65	5	0.76	4.1
		60	61	1	1.03	<2.0
		63	64	1	1.10	7.4
HA-271-R	Sectional	122	127	5	0.72	14.3
		124	125	1	1.38	19.5
HA-280-R	Sectional	159	164	5	0.92	11.1
		162	163	1	2.02	25.2
HA-281-R	Sectional	55	62	7	0.83	6.9
		57	60	3	1.44	13.9
		57	58	1	2.45	30.9
		59	60	1	1.55	9.9
HA-287-R	Sectional	81	87	6	0.98	7.6
		81	85	4	1.15	8.8
		81	82	1	1.57	8.7
		83	85	2	1.24	11.4
HA-301-R	Step out	142	148	6	0.50	4.9


Figure 1 - Drill hole locations, Sector 70000.



Sector 55000

Hole Number	Type	From	To	Length	%CuT	Ag g/t
HA-251-R	Step out	70	85	15	0.49	6.2
HA-255-R	Step out	64	76	12	0.55	5.9
HA-273-R	Sectional	116	136	20	0.54	5.9
		134	136	2	1.11	11.9
HA-277-R	Step out	70	73	3	0.56	6.4
HA-283-R	Step out	63	70	7	1.19	15.0
		64	67	3	1.74	24.0
		68	69	1	1.06	10.7
HA-284-R	Sectional	133	138	5	0.97	10.0
		134	136	2	1.10	12.7
		137	138	1	1.23	13.8
HA-293-R	Step out	69	74	5	0.59	6.2
HA-297-R	Step out	46	70	24	0.39	3.6
		62	69	7	0.81	8.5
		63	64	1	1.22	15.5
		67	68	1	2.02	20.9


Figure 2 - Drill hole locations, Sector 55000.



Sector 50000

Hole Number	Type	From	To	Length	%CuT	Ag g/t
HA-238-R	Step out	84	101	17	0.39	3.2
HA-253-R	Step out	91	97	6	0.51	5.8
HA-257-R	Sectional	128	129	1	1.13	<2.0
		147	151	4	0.46	5.1
HA-261-R	Step out	100	104	4	0.69	8.5
		102	103	1	1.36	17.8
HA-264-R	Step out	92	97	5	0.72	9.5
HA-267-R	Sectional	143	150	7	0.72	8.4
		149	150	1	1.12	11.6
HA-270-R	Step out	76	96	20	0.80	7.6
		93	96	3	2.68	23.7
HA-275-R	Step out	76	99	23	0.79	6.5
		95	99	4	2.32	17.5
HA-276-R	Sectional	114	126	12	0.62	5.2
		116	117	1	1.56	16.7
HA-282-R	Step out	81	90	9	0.68	6.1
		89	90	1	1.06	9.1
HA-289-R	Step out	89	106	17	0.36	3.3
HA-290-R	Sectional	127	134	7	0.65	5.4
		133	134	1	1.02	7.3
HA-296-R	Step out	118	137	19	0.44	4.2
HA-300-R	Step out	73	86	13	0.47	3.9
HA-303-R	Sectional	75	120	45	0.31	3.4
		111	120	9	0.50	4.2
HA-304-R	Step out	30	64	34	0.40	2.8
		50	51	1	1.01	9.4
HA-310-R	Step out	30	61	31	0.31	<2.0
		43	54	11	0.47	2.1
HA-311-R	Sectional	69	119	50	0.32	3.1
		98	112	14	0.52	4.4
HA-314-R	Step out	52	72	20	0.53	4.7
		60	72	12	0.67	6.1
		70	72	2	1.43	13.8
HA-315-R	Step out	25	46	21	0.54	3.1
		40	46	6	1.12	8.4
		44	46	2	2.05	16.5

Figure 3 - Drill hole locations, Sector 50000.



Sector 20000

Hole Number	Type	From	To	Length	%CuT	Ag g/t
HA-254-R	Sectional	131	133	2	1.89	33.0
		132	133	1	3.03	63.3
HA-256-R	Step out	77	90	13	0.35	3.2
		79	81	2	0.46	5.9
		88	90	2	0.97	9.6
		88	89	1	1.55	14.3
HA-258-R	Step out	80	85	5	0.60	7.4
HA-262-R	Sectional	120	123	3	0.57	7.5
HA-263-R	Step out	78	87	9	0.68	7.2
		86	87	1	2.27	31.4
HA-266-R	Step out	70	85	15	0.56	7.2
		80	81	1	1.11	15.9
		84	85	1	1.54	18.7
HA-269-R	Sectional	105	106	1	1.22	2.6
		117	130	13	0.52	8.3
HA-272-R	Step out	65	68	3	1.27	6.5
		66	67	1	2.31	5.9
		73	82	9	0.43	3.4
		84	97	13	0.32	4.4
HA-278-R	Step out	85	97	12	0.91	19.3
		90	96	6	1.34	29.4
		90	91	1	1.15	22.9
		92	93	1	2.37	47.5
		94	96	2	1.65	41.2
HA-279-R	Sectional	125	137	12	0.76	14.7
		130	137	7	0.94	19.4
		132	133	1	1.29	25.7
		136	137	1	1.19	26.0
HA-285-R	Step out	79	89	10	0.70	16.0
		82	83	1	1.46	68.0
		84	85	1	1.03	15.8
HA-291-R	Step out	96	98	2	0.50	6.5
HA-292-R	Sectional	134	142	8	0.21	2.3
HA-299-R	Step out	106	109	3	0.50	7.5
HA-305-R	Step out	108	111	3	0.48	5.5
HA-306-R	Step out	112	115	3	0.56	7.3
HA-308-R	Step out	109	115	6	0.42	5.1
HA-309-R	Sectional	137	142	5	0.44	4.9
HA-312-R	Sectional	154	159	5	0.82	10.3
		158	159	1	1.75	23.2
HA-313-R	Step out	119	124	5	0.72	9.2
		121	124	3	0.96	12.7

Figure 4 - Drill hole locations, Sector 20000.




Figure 5 - Location of drilled areas, Banana Zone

