

FIGURE #1

2007-2008 Copper Stockwork Drilling Program (From East to West)

Hole #	From	To	Length	Cu(%)	Ag(%)	Au(%)	Pb(%)	Zn(%)	Dip	Section	Lithology	PAGE.1
ATSW-2	43,65	71,25	27,60	1,1	31,5	0,60	0,90	3,90	14°S	690960E	Polymetallic	
<i>And</i>	<i>71,3 m</i>	<i>91,3m</i>	<i>20,0m</i>	<i>0,9</i>	<i>7,7</i>				<i>14°S</i>	<i>690960E</i>	<i>Stockwork</i>	
ATSW-3	51,5 m	82,0m	30,5m	0,9	11,7	0,1			33°S	690960E	Stockwork	
<i>Incl.</i>	<i>51,5m</i>	<i>68,5m</i>	<i>17,0m</i>	<i>1,19</i>	<i>19,8</i>	<i>0,1</i>			<i>33°S</i>	<i>690960E</i>	<i>Stockwork</i>	
ATSW-4	59,7m	137,8m	78,1m	1,15	5,7	0,1			46°SE	690960E	Stockwork	
<i>Incl.</i>	<i>101,8m</i>	<i>117,8m</i>	<i>16,0m</i>	<i>1,61</i>	<i>2,3</i>	<i>0,1</i>			<i>46°SE</i>	<i>690960E</i>	<i>Stockwork</i>	
<i>Incl.</i>	<i>129,9m</i>	<i>137,8m</i>	<i>7,0m</i>	<i>2,2</i>						<i>690960E</i>	<i>Stockwork</i>	
ATSW-5	38,25m	68,25m	30,0m	1,3	83,8	1,7	3,1	8	24°S	690940E	Polymetallic	
<i>And</i>	<i>84,5m</i>	<i>102,6m</i>	<i>18,1m</i>	<i>1,35</i>	<i>3,4</i>	<i>0,1</i>			<i>24°S</i>	<i>690940E</i>	<i>Stockwork</i>	
ATSW-6	26,6m	56,2m	29,6m	1,6	76,2	1,5	2,1	6,4	14°S	690920E	Polymetallic	
<i>Incl.</i>	<i>26,6m</i>	<i>50,2m</i>	<i>23,6</i>	<i>1,7</i>	<i>89,4</i>	<i>1,7</i>	<i>2,7</i>	<i>7,4</i>	<i>14°S</i>	<i>690920E</i>	<i>Polymetallic</i>	
<i>And</i>	<i>85,5m</i>	<i>93,5m</i>	<i>8,0m</i>	<i>2,11</i>	<i>12,8</i>	<i>1,2</i>			<i>14°S</i>	<i>690920E</i>	<i>Stockwork</i>	
ATSW-7	33,5m	59,5m	26,0m	1	60,2	0,9	2	6,1	50°S	690920E	Polymetallic	
<i>And</i>	<i>71,5m</i>	<i>125,5m</i>	<i>54,0m</i>	<i>2,03</i>	<i>4,4</i>	<i>0,1</i>			<i>50°S</i>	<i>690920E</i>	<i>Stockwork</i>	
<i>Incl.</i>	<i>79,5m</i>	<i>101,5m</i>	<i>22,0m</i>	<i>3,26</i>	<i>7,5</i>	<i>0,1</i>			<i>50°S</i>	<i>690920E</i>	<i>Stockwork</i>	
ATSW-8	22,0m	46,5m	24,5	1	90	2,3	2,8	8,5	43°S	690900E	Polymetallic	
<i>And</i>	<i>70,7m</i>	<i>108,7m</i>	<i>38,0m</i>	<i>1,82</i>	<i>7,5</i>	<i>0,1</i>			<i>43°S</i>	<i>690900E</i>	<i>Stockwork</i>	
<i>Incl.</i>	<i>76,6m</i>	<i>100,6m</i>	<i>24,0m</i>	<i>2,17</i>	<i>8,7</i>	<i>0,1</i>			<i>43°S</i>	<i>690900E</i>	<i>Stockwork</i>	
ATSW-9	20,4m	43,5m	23,1m	0,7	74,5	1,6	2,9	8,6	21°S	690900E	Polymetallic	
<i>And</i>	<i>81,0m</i>	<i>87,0m</i>	<i>6,0m</i>	<i>2,4</i>	<i>12</i>	<i>0,3</i>			<i>21°S</i>	<i>690900E</i>	<i>Stockwork</i>	
ATSW-10	33,25m	55,2m	22,0m	1	78,4	1,1	2,4	6,6	70°S	690900E	Polymetallic	
<i>And</i>	<i>62,6m</i>	<i>162,0m</i>	<i>99,4</i>	<i>1,99</i>	<i>4,5</i>				<i>70°S</i>	<i>690900E</i>	<i>Stockwork</i>	
<i>Incl.</i>	<i>132,0m</i>	<i>154,0m</i>	<i>22,0m</i>	<i>3,65</i>	<i>1,9</i>				<i>70°S</i>	<i>690900E</i>	<i>Stockwork</i>	

2007-2008 Copper Stockwork Drilling Program (From East to West)

Hole #	From	To	Length	Cu(%)	Ag(%)	Au(%)	Pb(%)	Zn(%)	Dip	Section	Lithology
PAGE:2											
ATSW-11	14,65m	46,4m	31,75m	0,3	65,9	0,9	3	8,1	32°S	690880E	Polymetallic
And	54,2m	97,8m	43,6m	1,6	11,4	0,1	0,1	0,6	32°S	690880E	Copper MS
ATSW-12	28,4	55,7	27,3	0,8	105	2	3	10	70°S	690880E	Polymetallic
And	101,8m	143,5m	41,7m	2,32	0,9				70°S	690880E	Stockwork
Incl.	131,5m	143,5m	12,0m	3,24					70°S	690880E	Stockwork
ATSW-34	18,0m	54,0m	36,0m	0,4	65,4	0,9	2,7	8,2	55°S	690880E	Polymetallic
And	82,0m	116,0m	34,0m	1	0,7	0	0	0,1	55°S	690880E	Copper MS
And	62,3m	82,0m	19,7m	3,7	8,1	0,1	0,1	0,1	55°S	690880E	Stockwork
And	116,0m	120m	4,0m	1,1	0	0	0	0	55°S	690880E	Stockwork
ATSW-35	40,35m	256m	215m	1,05	0,71	0	0,1	0,04	85°S	690880E	Stockwork
Incl.	96,6m	114m	17,4m	1,79	1,2	0	0,02	0,09	85°S	690880E	Stockwork
Incl.	148m	190m	42m	2,11	1,5	0	0,1	0,03	85°S	690880E	Stockwork
Incl.	200m	212m	12m	2,19	2,1	0	0	0,1	85°S	690880E	Stockwork

2007-2008 Copper Stockwork Drilling Program (From East to West)

PAGE.3

Hole #	From	To	Length	Cu(%)	Ag(%)	Au(%)	Pb(%)	Zn(%)	Dip	Section	Lithology
ATSW-13	1,3m	21,05m	19,75m	0,24	77,7	0,7	3,8	11,7	70°S	690860E	Polymetallic
And	51,0m	118,0m	67,0m	3,24	6,3	0,1			70°S	690860E	Stockwork
Incl.	58,1m	84,2m	26,1m	5,04	9,5	0,1			70°S	690860E	Stockwork
ATSW-14	0m	15,9m	15,9m	0,2	71,1	0,5	4,1	11,8	45°S	690860E	Polymetallic
And	58,1m	76,3m	18,2m	2,3	20,0	0,3	0,3	0,7	45°S	690860E	Copper MS
ATSW-15	0,0m	54,5m	54,5m	0,24	59	0,4	1,9	8,15	20°S	690860E	Polymetallic
Incl.	7,4m	26,7m	19,3m	0,24	91,9	0,7	3,34	12,14	20°S	690860E	Polymetallic
And	54,5m	62,5m	7,8m	2,31	23,6	0,8	0,29	2,21	20°S	690860E	Copper MS
And	69,7m	82,2m	12,5m	2,1	14,7	0	0,28	1,73	20°S	690860E	Stockwork
ATSW-15B	2,9m	58,0m	55,1m	0,29	65,2	0,7	2,33	8,98	90°	690860E	Polymetallic
Incl.	8,4m	34,0m	25,6m	0,22	90,8	0,1	3,47	11,88	90°	690860E	Polymetallic
And	59,0m	82,0m	22,5m	2,66	23,7	0	0,45	1,88	90°	690860E	Copper MS
And	121,0m	205,0m	84,0m	2,21	1,5	0	0,03	1,5	90°	690860E	Stockwork
ATSW-36	6,0m	60,0m	54,0m	0,27	69,1	1	3,79	9,49	78°N	690860E	Polymetallic
Incl.	18,0m	30,0m	12,0m	0,26	121,6	1,1	8,34	15,36	78°N	690860E	Polymetallic
And	75,8m	84,1m	8,3m	1,17	2,4	0	0,08	0,21	78°N	690860E	Stockwork
ATSW-17	0,0m	30,0m	30,0m	0,4	44,3	0	2,1	6,3	34°S	690840E	Polymetallic
And	61,0m	83,7m	22,7m	1,69	6,4	0	0,09	0,31	34°S	690840E	Stockwork
Incl.	65,2m	77,7m	12,5m	2,14	9,1	0	0,07	0,03	34°S	690840E	Stockwork
ATSW-19	0,0m	20,6m	20,6m	0,7	50,1	0	2,5	7,7	70°S	690840E	Polymetallic
And	47,9m	117,5m	69,6m	4,3	6	0	0	0,1	70°S	690840E	Stockwork
Incl.	47,9m	106,8m	58,9m	4,8	7,1	0,0	0,0	0,1	70°S	690840E	Stockwork
ATSW-53	121,6m	181,2m	56,8m	1,94	12,3	0	0,3	0,79	40°S	690844E	Stockwork
Incl.	139,3m	153,4m	16,1m	3,8	22,5	0	0,32	1,09	40°S	690844E	Stockwork
ATSW-54	118,0m	142,0m	24m	0,3	19,4	0,3	0,5	3,4	33,5°S	690844E	Polymetallic
And	144,50m	148,2m	3,7m	4,7	46,4	0,7	0,2	0,5	33,5°S	690844E	Copper MS
And	162,2m	192,8m	30,6m	2,6	3,2	0,4	0	0	33,5°S	690844E	Stockwork
Incl.	166,35m	182,1m	15,75m	4	5,4	0	0	0	33,5°S	690844E	Stockwork
ATSW-55	209,05m	233,2m	24,15m	1,4	0	0	0	0	49°S	690844E	Stockwork
Incl.	209,05m	223,2m	14,15m	2	0	0	0	0	49°s	690844E	Stockwork