



**Table 1. Drill Holes Summary Data for Testing the Buffalo Ankerite North Zone**

Hole #	Grid East	Section Grid North	Elevation	Length (ft)	Length (m)	Dip	Az	Assay From (m)	Assay To (m)	Width (m)	Au-gpt
Collared from the Buffalo Ankerite Property:											
VBA-11-172	3403.3	6995.6	11032.5	2,575.4	785.0	-53.0	90.0	261.0	261.9	0.9	1.66
NZ								503.3	507.0	3.7	5.58
								incl		1.5	9.31
								516.7	518.5	1.8	3.17
								543.0	548.2	5.2	1.72
								686.1	689.1	3.0	1.00
								716.0	717.5	1.5	1.02
								721.6	731.8	10.2	0.72
								743.7	745.2	1.5	1.77
								760.4	761.5	1.1	1.23
VBA-11-173	4426.8	8298.2	10989.6	1,092.5	333.0	-45	88.2	190.0	191.5	1.5	0.81
NZ								193.0	196.4	3.4	0.57
								209.8	212.8	3.0	1.15
								217.5	221.1	3.6	3.65
								301.2	302.4	1.2	0.59
VBA-11-174	3824.5	6992.7	11057.8	1,545.3	471.0	-45.0	90.0	262.9	264.1	1.2	0.91
NZ								394.8	395.6	0.8	3.37
								426.6	429.0	2.4	1.81
								429.0	430.1	1.1	UGO
								430.1	433.0	2.9	2.63
								433.0	449.0	16.0	UGO
								448.9	450.3	1.4	4.16
VBA-11-175	4450.0	8100.0	10988.9	925.2	282.0	-45	88.3	182.9	193.2	10.3	2.13
NZ								incl		4.9	3.60
								incl		0.6	13.95
								196.1	197.0	0.9	0.53
								212.3	213.8	1.5	0.89
VBA-11-177	3804.0	7200.4	11055.5	1,260.1	384.1	-45	90	267.3	268.9	1.5	3.41
NZ								381.8	384.1	2.3	2.68
VBA-11-178	4483.0	8167.0	10993.0	1,504.4	458.5	-70	88	184.7	191.3	6.6	3.77
NZ								incl		2.1	8.00
								270.1	271.0	0.9	13.30
								282.0	283.5	1.5	2.03
								285.0	286.5	1.5	1.97
								367.6	368.8	1.2	1.42
								384.0	385.6	1.6	1.04

Hole #	Grid East	Section Grid North	Elevation	Length (ft)	Length (m)	Dip	Az	Assay From (m)	Assay To (m)	Width (m)	Au-gpt
VBA-11-180	3803.0	7200.0	11055.0	1,814.3	553.0	-65	90	289.6	301.3	11.7	2.07
NZ								incl		1.5	7.05
end in ugo								307.4	308.9	1.5	7.11
								482.9	485.9	3.0	2.99
								500.3	515.8	15.5	1.77
								incl		1.7	6.08
								521.9	531.9	10.0	1.60
								incl		2.6	3.52
								547.1	548.6	1.5	0.67
								551.8	553.0	1.2	2.35
VBA-11-183	3892.3	7385.8	11054.2	1,486.2	453.0	-45	90	40.0	40.9	0.9	1.29
NZ								142.4	143.9	1.5	2.68
								306.4	309.4	3.0	1.12
VBA-11-184	3605.8	7378.7	11064.7	3,097.1	944.0	-68	86	694.8	697.8	3.0	1.41
NZ								726.5	728.0	1.5	6.40
end in ugo											
VBA-11-185	3731.0	7650.5	11056.1	1,438.8	438.5	-50	82	348.0	349.1	1.1	1.05
NZ								350.3	351.2	0.9	1.14
								352.6	353.8	1.2	1.02
								357.6	358.6	1.0	1.67
								368.2	369.7	1.5	1.59
								384.0	385.3	1.3	3.19
								400.1	401.7	1.6	2.47
								413.7	414.2	0.5	2.82
								551.6	552.8	1.2	2.75
								559.0	563.1	4.1	12.69
								613.9	615.4	1.5	2.10
								659.4	660.8	1.4	1.44
10 holes				16,739.30	5,102.10						

Hole #	Grid East	Section Grid North	Elevation	Length (ft)	Length (m)	Dip	Az	Assay From (m)	Assay To (m)	Width (m)	Au-gpt
Collared from the Paymaster Property:											
VGP-11-112	5446.7	8002.6		1,196.50	364.7	-45	271	92	108.1	16.0	1.59
collared on Paymaster								incl		2.2	4.15
end in ugo								140.8	142.0	1.2	1.89
								270.7	273.7	3.0	2.58
VGP-11-117	5541.3	7822.1	11035.2	908.1	276.8	-45	268	14.9	27.4	12.5	2.73
								incl		2.7	5.69
VGP-11-122	5391	7604	11015.3	954	290.8	-45	267.1	278.3	280.7	2.4	6.24
end in ugo								288.7	290.8	2.1	1.46
VGP-11-123	5165.2	7683.2	10997.7	1,276.20	389	-45	265.9	12.0	13.1	1.1	0.95
1 ugo								103.7	105.2	1.5	0.51
								106.8	108.3	1.5	0.55
								112.9	114.4	1.5	0.71
								142.3	143.3	1	0.72
								144.3	146.2	1.9	5.20
								171.2	180.0	8.8	1.80
								incl		2.2	4.69
								183.4	185.4	2	1.77
								240.3	253.4	13.1	3.15
								incl		5.3	6.78
								incl		1.1	17.60
								263.3	264.9	1.6	1.20
4 holes				4,334.80	1,321.30						
Total 14 holes				21,074.10	6,423.40						

Legend

ft – feet; m – metres; Au – gold; Az- azimuth; gpt - grams per tonne; ugo – underground opening.

Intervals reported here are core lengths. True widths are not known at this time. All depth reported as down hole.