

## APPENDICES RESULTS TABLE

TABLE 1. INTERIM DRILL RESULTS FROM AMULSAR PROJECT (~1g/t GOLD)							
Drill Hole	Azimuth	Dip	Total Depth (m)	From (m)	To (m)	Intersection (m)	Gold (g/t)
DDA-155	130	-60	72.6	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
DDAG-162	230	-70	191.6	<b>GEOTECHNICAL DRILL HOLE</b>			
DDA-164	120	-60	99.7	74.0	78.0	4.0	1.1
DDA-167	125	-60	161.6	6.0	25.0	19.0	1.0
				41.0	43.0	2.0	1.2
				96.0	105.0	9.0	1.4
				<b>GEOTECHNICAL DRILL HOLE</b>			
DDAG-170	125	-70	164.5	<b>GEOTECHNICAL DRILL HOLE</b>			
DDA-171	305	-60	56.5	44.0	54.0	10.0	1.0
DDAG-172	305	-60	86.4	<b>GEOTECHNICAL DRILL HOLE</b>			
DDA-173	300	-60	193.2	49.0	54.0	5.0	1.0
				66.0	68.0	2.0	1.1
				83.0	96.0	13.0	1.0
				125.0	134.0	9.0	1.4
				149.0	168.0	19.0	1.5
DDAG-176	300	-60	52.8	<b>GEOTECHNICAL DRILL HOLE</b>			
DDA-177	120	-60	149.8	123.0	133.0	10.0	1.0
DDA-178	205	-60	140.9	22.0	26.0	4.0	1.0
				45.0	124.0	79.0	1.0
DDA-179	250	-60	88	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
DDA-180	115	-60	91	6.0	15.0	9.0	1.0
				29.0	44.0	15.0	1.0
DDA-181	240	-60	172.5	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
DDA-182	225	-60	80	3.0	47.0	44.0	1.0
DDA-183	215	-60	101	0.0	3.0	3.0	1.0
				10.0	25.0	15.0	1.0
				38.0	40.0	2.0	1.6
DDA-184	210	-60	94.1	1.0	4.0	3.0	1.1
				34.0	38.0	4.0	1.1
				85.0	87.0	2.0	1.0
RCA-411	30	-60	159	5.0	8.0	3.0	1.1
				50.0	52.0	2.0	1.0
				66.0	68.0	2.0	1.2
				90.0	95.0	5.0	1.0
				115.0	117.0	2.0	1.1
RCA-412	30	-60	200.0	41.0	46.0	5.0	1.2
				78.0	147.0	69.0	1.1
				190.0	194.0	4.0	1.2
RCA-413	25	-60	161.0	55.0	58.0	3.0	1.3
				75.0	96.0	21.0	1.1
				117.0	129.0	12.0	1.1
				135.0	138.0	3.0	1.0
				146.0	151.0	5.0	1.2

Cut-off 0.2g/t gold, maximum down-hole internal dilution 10m


All intersections are oxide gold, not true widths

TABLE 1. INTERIM DRILL RESULTS FROM AMULSAR PROJECT (~1g/t GOLD) Continued							
RCA-414	25	-60	107.0	24.0	30.0	6.0	1.0
RCA-415	30	-60	167.0	5.0	27.0	22.0	1.9
				70.0	72.0	2.0	1.8
				131.0	138.0	7.0	1.0
RCA-416	310	-70	51.0	7.0	16.0	9.0	1.0
RCA-417	30	-60	185.0	51.0	54.0	3.0	1.0
				120.0	178.0	58.0	1.0
RCA-418	115	-60	209.0	132.0	142.0	10.0	1.0
				150.0	152.0	2.0	1.0
				155.0	174.0	19.0	1.0
RCA-419	115	-60	218.0	66.0	74.0	8.0	1.0
				134.0	161.0	27.0	1.0
				169.0	171.0	2.0	1.0
				188.0	215.0	27.0	4.2
RCA-420	120	-60	143.0	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
RCA-421	115	-60	179.0	109.0	148.0	39.0	1.0
RCA-422	120	-60	200.0	114.0	146.0	31.0	1.6
				173.0	175.0	2.0	1.2
RCA-423	210	-60	195.0	99.0	102.0	3.0	1.2
				121.0	123.0	2.0	1.0
				158.0	175.0	17.0	1.0
RCA-424	300	-60	160.0	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
RCA-425	120	-60	65.0	<b>BOGGED AND LOST</b>			
RCA-426	120	-60	155.0	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
RCA-427	115	-60	131.0	63.0	68.0	5.0	2.9
				84.0	89.0	5.0	1.3
RCA-428	215	-60	126.0	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			
RCA-429	210	-60	119.0	<b>NO SIGNIFICANT INTERSECTIONS GREATER THAN 1g/t</b>			

Cut-off 0.2g/t gold, maximum down-hole internal dilution 10m

All intersections are oxide gold, not true widths

APPENDICES DRILLHOLE LOCATION MAP



APPENDICES FIGURE SECTION RCA-419

