

Figure 1: Plan view of the Tulare Porphyry Project showing the location of all currently defined exploration target areas together with combined gold-copper soil geochemical anomalies. Note that the grid spacing is 1,000 meters.






Figure 2: Plan view of the Kiseljak areas showing Dunav drilling to date (section line A-A' relates to Figure 3). Note that the grid spacing is 500 meters.




Figure 3: Shows a representative north-south cross-section (looking east) through the Kiseljak area with all drill hole intersections (0.19% CuEq cut-off) and summary geology based on Dunav's understanding to date. Note that copper-gold mineralization remains open at depth across a significant majority of the cross-section.

Table 1: All Kiseljak Copper-Gold Porphyry Significant Intervals – Drilling

Drilling Significant Intervals								
Kiseljak								
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD001	250.2	2.5	35.0	32.5	0.41	0.29	0.98	0.49
KIDD001		41.0	186.0	145.0	0.77	0.67	2.10	1.05
KIDD002	250.5	0.0	91.0	91.0	0.33	0.39	1.12	0.56
KIDD003	250.2	8.0	126.0	118.0	0.27	0.23	0.74	0.37
KIDD003		134.0	152.0	18.0	0.20	0.21	0.62	0.31
KIDD004	250.1	0.0	140.0	140.0	0.52	0.46	1.45	0.73
KIDD005	89.4	10.7	24.0	13.3	0.60	0.27	1.13	0.57
KIDD005		38.9	89.4	50.5	0.74	0.30	1.34	0.67
KIDD006	419.8	6.3	108.0	101.7	0.45	0.25	0.95	0.47
KIDD006		128.0	135.0	7.0	0.13	0.20	0.53	0.26
KIDD007	612.7	115.0	150.0	35.0	0.19	0.22	0.63	0.31
KIDD007		158.0	256.0	98.0	0.53	0.48	1.49	0.75
KIDD007		268.0	330.0	62.0	0.57	0.38	1.32	0.66
KIDD007		345.0	491.0	146.0	0.56	0.55	1.66	0.83
KIDD007		498.0	586.0	88.0	0.19	0.23	0.66	0.33
KIDD007		592.0	612.7	20.7	0.33	0.47	1.27	0.64
KIDD008	174.5	3.0	10.0	7.0	0.48	0.02	0.53	0.27
KIDD008		16.0	60.0	44.0	0.44	0.58	1.60	0.80
KIDD009	354.7	0.4	138.0	137.6	0.43	0.24	0.91	0.46
KIDD010	613.4	171.0	203.0	32.0	0.20	0.22	0.64	0.32
KIDD010		218.0	283.0	65.0	0.22	0.22	0.66	0.33
KIDD010		290.0	572.0	282.0	0.33	0.38	1.10	0.55
KIDD010		578.0	585.0	7.0	0.26	0.24	0.75	0.37
KIDD010		591.0	613.4	22.4	0.21	0.23	0.67	0.33
KIDD011	437.2	29.0	35.0	6.0	0.19	0.17	0.53	0.26
KIDD011		41.0	50.0	9.0	0.19	0.17	0.52	0.26
KIDD011		168.0	265.0	97.0	0.22	0.23	0.67	0.34
KIDD011		283.0	338.0	55.0	0.25	0.25	0.74	0.37
KIDD011		351.0	373.0	22.0	0.20	0.19	0.58	0.29
KIDD011		390.0	411.0	21.0	0.20	0.20	0.60	0.30
KIDD012	157.6	23.0	38.4	15.4	0.19	0.19	0.58	0.29
KIDD012		81.0	89.0	8.0	0.17	0.18	0.52	0.26
KIDD012		127.0	157.6	30.6	0.22	0.25	0.72	0.36
KIDD013	638.5	402.0	424.0	22.0	0.17	0.18	0.53	0.26
KIDD013		442.0	569.0	127.0	0.30	0.30	0.91	0.46

Drilling Significant Intervals								
Kiseljak								
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD013		577.0	582.0	5.0	0.20	0.19	0.57	0.29
KIDD014	501.0	10.0	19.0	9.0	0.17	0.22	0.61	0.30
KIDD014		74.0	140.0	66.0	0.39	0.23	0.86	0.43
KIDD014		146.0	159.0	13.0	0.41	0.28	0.98	0.49
KIDD014		190.0	268.0	78.0	0.34	0.26	0.86	0.43
KIDD014		274.0	499.0	225.0	0.27	0.29	0.85	0.43
KIDD015	506.4	277.0	334.0	57.0	0.19	0.25	0.70	0.35
KIDD015		367.0	372.0	5.0	0.11	0.31	0.74	0.37
KIDD015		474.0	481.0	7.0	0.10	0.23	0.57	0.28
KIDD015		496.0	506.4	10.4	0.13	0.23	0.58	0.29
KIDD016	602.2	405.0	467.0	62.0	0.18	0.27	0.71	0.36
KIDD016		478.0	485.0	7.0	0.14	0.20	0.53	0.27
KIDD016		495.0	522.0	27.0	0.12	0.24	0.60	0.30
KIDD016		542.0	547.0	5.0	0.14	0.25	0.64	0.32
KIDD016		554.0	601.0	47.0	0.19	0.33	0.85	0.42
KIDD017	424.7	247	424.7	177.7	0.31	0.37	1.05	0.52
KIDD018	173.7	10	33	23.0	0.25	0.28	0.80	0.40
KIDD018		43	121	78.0	0.20	0.21	0.62	0.31
KIDD018		129	140	11.0	0.23	0.19	0.61	0.31
KIDD019	570.8	58	158	100.0	0.38	0.36	1.11	0.56
KIDD019		195	207	12.0	0.44	0.29	1.02	0.51
KIDD019		216	384	168.0	0.42	0.45	1.33	0.66
KIDD019		397	570.8	173.8	0.27	0.37	1.00	0.50
KIDD020	518.8	20.6	28	7.4	0.24	0.27	0.78	0.39
KIDD020		202	237	35.0	0.21	0.23	0.67	0.34
KIDD020		258	263	5.0	0.24	0.23	0.70	0.35
KIDD020		275	507	232.0	0.19	0.26	0.71	0.36
KIDD021	644.3	278	291.7	13.7	0.22	0.23	0.67	0.33
KIDD021		361	390	29.0	0.23	0.27	0.77	0.39
KIDD021		396	644.3	248.3	0.38	0.39	1.16	0.58
KIDD022	529.1	40	83	43.0	0.21	0.19	0.59	0.29
KIDD022		107	313	206.0	0.33	0.33	0.99	0.50
KIDD022		363	377	14.0	0.18	0.20	0.57	0.29
KIDD022		384	528	144.0	0.39	0.42	1.23	0.61
KIDD023	518.7	20	100	80.0	0.24	0.22	0.69	0.34

Drilling Significant Intervals								
Kiseljak								
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD023		115.6	127	11.4	0.31	0.26	0.82	0.41
KIDD023		353	375	22.0	0.22	0.23	0.67	0.34
KIDD023		407	518.7	111.7	0.42	0.35	1.12	0.56
KIDD024	536.5	0.6	56	55.4	1.03	0.56	2.15	1.07
KIDD024		101	241	140.0	0.53	0.48	1.50	0.75
KIDD024		298	312	14.0	0.15	0.28	0.65	0.33
KIDD024		393.9	536.5	142.6	0.43	0.53	1.48	0.74
KIDD025	350.5	177	184	7.0	0.18	0.17	0.53	0.26
KIDD025		223	235	12.0	0.18	0.17	0.52	0.26
KIDD025		249	255	6.0	0.23	0.20	0.63	0.31
KIDD025		261	274	13.0	0.27	0.22	0.71	0.35
KIDD025		323	335	12.0	0.16	0.21	0.58	0.29
KIDD026	329.3	15	24	9.0	0.11	0.38	0.88	0.44
KIDD026		272	329.3	57.3	0.18	0.29	0.76	0.38
KIDD027	440.0	172	288	116.0	0.22	0.28	0.77	0.39
KIDD027		312	404	92.0	0.18	0.27	0.73	0.36
KIDD027		434	439	5.0	0.19	0.23	0.65	0.32
KIDD028	517.6	22	195	173.0	0.42	0.42	1.26	0.63
KIDD028		319	437	118.0	0.40	0.43	1.26	0.63
KIDD028		471	489	18.0	0.21	0.23	0.67	0.34
KIDD028		496	503	7.0	0.16	0.18	0.53	0.26
KIDD029	481.2	0	13	13.0	0.50	0.42	1.35	0.67
KIDD029		28	118	90.0	0.53	0.43	1.39	0.69
KIDD029		263	274	11.0	0.11	0.23	0.56	0.28
KIDD029		287	481.2	194.2	0.29	0.35	0.99	0.50
KIDD031	485.4	0	82	82.0	0.42	0.45	1.33	0.66
KIDD031		244	366	122.0	0.25	0.30	0.84	0.42
KIDD031		393	405	12.0	0.21	0.26	0.74	0.37
KIDD031		418	485.4	67.4	0.24	0.26	0.76	0.38
KIDD032	510.0	63	72	9.0	0.11	0.23	0.58	0.29
KIDD032		108	114	6.0	0.18	0.18	0.54	0.27
KIDD032		123	508	385.0	0.34	0.31	0.95	0.48
KIDD033	40.0	26	40	14.0	0.31	0.43	1.16	0.58
KIDD034	569.2	10	26	16.0	0.18	0.43	1.05	0.52
KIDD034		245	295	50.0	0.23	0.21	0.65	0.33

Drilling Significant Intervals								
Kiseljak								
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD034		303	309	6.0	0.38	0.36	1.10	0.55
KIDD034		361	569.2	208.2	0.27	0.33	0.92	0.46
KIDD035	41.5	28	41.5	13.5	0.24	0.53	1.30	0.65
KIDD036	68.5	18	68.5	50.5	0.27	0.36	0.99	0.49
KIDD037	217.4	16.6	70.2	53.6	0.23	0.34	0.91	0.46
KIDD037		76	87	11.0	0.17	0.18	0.53	0.27
KIDD037		93	113.6	20.6	0.22	0.21	0.64	0.32
KIDD037		212	217.4	5.4	0.49	0.40	1.29	0.65
KIDD038	509.2	10	96	86.0	0.28	0.23	0.75	0.37
KIDD038		108	135	27.0	0.32	0.27	0.86	0.43
KIDD038		152	179	27.0	0.32	0.28	0.89	0.44
KIDD038		208	275	67.0	0.26	0.23	0.71	0.36
KIDD038		281	329	48.0	0.4	0.36	1.12	0.56
KIDD038		336	342	6.0	0.24	0.15	0.53	0.27
KIDD038		360	365	5.0	0.33	0.38	1.10	0.55
KIDD038		425	509.2	84.2	0.29	0.24	0.78	0.39
KIDD039	253.7	6	106	100.0	0.53	0.12	0.77	0.39
KIDD040	830.1	11	287	276.0	0.79	0.60	1.99	0.99
KIDD040		326	610	284.0	0.40	0.41	1.22	0.61
KIDD040		628	657	29.0	0.28	0.33	0.94	0.47
KIDD040		694	790	96.0	0.27	0.35	0.98	0.49
KIDD040		796	825	29.0	0.11	0.25	0.61	0.31
KIDD041	584.9	392	405	13.0	0.15	0.19	0.54	0.27
KIDD041		425	431	6.0	0.16	0.18	0.52	0.26
KIDD041		439	584	145.0	0.21	0.31	0.83	0.41
KIDD042	106.4	1.8	23.3	21.5	0.62	0.01	0.64	0.32
KIDD043	570.2	250	301	51.0	0.24	0.20	0.65	0.32
KIDD043		308	329	21.0	0.21	0.25	0.71	0.35
KIDD043		350	424	74.0	0.25	0.27	0.79	0.39
KIDD043		459	553	94.0	0.36	0.33	1.02	0.51
KIDD044	628.1	22	38	16.0	0.16	0.24	0.64	0.32
KIDD045	657.8	203	496	293.0	0.44	0.43	1.31	0.65
KIDD045		518	534	16.0	0.19	0.17	0.54	0.27
KIDD045		545	562	17.0	0.19	0.20	0.58	0.29
KIDD045		571	657.8	86.8	0.54	0.63	1.80	0.90

Drilling Significant Intervals									
Kiseljak									
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution									
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)	
KIDD046	444.5	33	38.4	5.4	0.25	0.19	0.63	0.31	
KIDD046		112.5	119.3	6.8	0.21	0.16	0.53	0.26	
KIDD046		126	166	40.0	0.22	0.18	0.58	0.29	
KIDD046		171.3	308.2	136.9	0.26	0.24	0.74	0.37	
KIDD047	511.9	0.5	85	84.5	0.79	0.52	1.82	0.91	
KIDD047		99	105	6.0	0.12	0.21	0.54	0.27	
KIDD047		313	405	92.0	0.17	0.25	0.68	0.34	
KIDD047		498	505	7.0	0.15	0.23	0.61	0.30	
KIDD048	307.6	93.1	98.3	5.2	0.21	0.18	0.57	0.29	
KIDD048		117	131	14.0	0.22	0.17	0.55	0.27	
KIDD048		176	217	41.0	0.19	0.20	0.59	0.30	
KIDD049	428.3	292	308	16.0	0.1	0.21	0.52	0.26	
KIDD050	388.9	1.1	14.3	13.2	0.2	0.33	0.86	0.43	
KIDD050		21.6	129	107.4	0.34	0.30	0.95	0.47	
KIDD052	417.5	167	192	25.0	0.26	0.25	0.77	0.38	
KIDD052		232	417.5	185.5	0.18	0.26	0.70	0.35	
KIDD053	252.5	34	47	13.0	0.22	0.15	0.53	0.26	
KIDD053		105	164	59.0	0.27	0.20	0.67	0.33	
KIDD053		172	177	5.0	0.32	0.22	0.75	0.38	
KIDD053		188	239	51.0	0.2	0.18	0.56	0.28	
KIDD054	212.2	126	212.2	86.2	0.31	0.38	1.07	0.53	
KIDD056	512.7	0	42	42.0	0.55	0.28	1.12	0.56	
KIDD056		96	141	45.0	0.31	0.21	0.73	0.36	
KIDD056		196	209	13.0	0.19	0.22	0.63	0.31	
KIDD056		219	234	15.0	0.17	0.20	0.58	0.29	
KIDD056		240	379	139.0	0.15	0.24	0.64	0.32	
KIDD056		412	512.7	100.7	0.14	0.27	0.68	0.34	
KIDD057	399.4	8.7	14.4	5.7	0.13	0.27	0.67	0.34	
KIDD057		132.9	138	5.1	0.17	0.26	0.69	0.35	
KIDD057		144	155	11.0	0.14	0.20	0.53	0.27	
KIDD057		161	179	18.0	0.15	0.26	0.66	0.33	
KIDD057		200	270	70.0	0.19	0.29	0.76	0.38	
KIDD057		280	285	5.0	0.12	0.22	0.56	0.28	
KIDD057		308	313	5.0	0.1	0.22	0.54	0.27	
KIDD057		329	342	13.0	0.12	0.23	0.57	0.28	

Drilling Significant Intervals								
Kiseljak								
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD058	498.0	240	311	71.0	0.14	0.24	0.62	0.31
KIDD059	720.2	321	549	228.0	0.27	0.29	0.86	0.43
KIDD059		636	686	50.0	0.52	0.56	1.64	0.82
KIDD059		693	720.2	27.2	0.32	0.34	1.00	0.50
KIDD060	511.3	216	319	103.0	0.21	0.27	0.76	0.38
KIDD060		329	350	21.0	0.14	0.22	0.58	0.29
KIDD060		356	436	80.0	0.25	0.28	0.81	0.41
KIDD060		442	481	39.0	0.17	0.23	0.64	0.32
KIDD060		491	507	16.0	0.14	0.20	0.54	0.27
KIDD061	420.9	165	170	5.0	0.14	0.25	0.64	0.32
KIDD061		207	258	51.0	0.19	0.24	0.67	0.34
KIDD061		265	309	44.0	0.14	0.23	0.59	0.29
KIDD061		317	341	24.0	0.13	0.24	0.61	0.30
KIDD061		350	355	5.0	0.1	0.21	0.52	0.26
KIDD061		396	418	22.0	0.13	0.25	0.63	0.31
KIDD062	520.5	21.8	118	96.2	0.34	0.23	0.80	0.40
KIDD062		147	154	7.0	0.1	0.24	0.59	0.29
KIDD062		178	187.4	9.4	0.15	0.19	0.53	0.27
KIDD062		193	278	85.0	0.17	0.21	0.60	0.30
KIDD062		284	452	168.0	0.27	0.32	0.91	0.46
KIDD062		488	520.5	32.5	0.34	0.36	1.07	0.53
KIDD063	571.2	27	46.7	19.7	0.19	0.30	0.79	0.40
KIDD063		206	211	5.0	0.14	0.19	0.52	0.26
KIDD063		223	254	31.0	0.16	0.18	0.53	0.26
KIDD063		260	267	7.0	0.21	0.26	0.73	0.36
KIDD063		273	306	33.0	0.22	0.24	0.70	0.35
KIDD063		312	319	7.0	0.28	0.19	0.67	0.33
KIDD063		349	481	132.0	0.25	0.29	0.82	0.41
KIDD063		487	535	48.0	0.17	0.25	0.68	0.34
KIDD064	555.5	148	162	14.0	0.39	0.37	1.14	0.57
KIDD064		174	369	195.0	0.28	0.28	0.84	0.42
KIDD064		376	382	6.0	0.31	0.28	0.87	0.44
KIDD064		444	459	15.0	0.23	0.20	0.63	0.32
KIDD064		465	509	44.0	0.35	0.26	0.88	0.44
KIDD064		528	535	7.0	0.26	0.16	0.57	0.29

Drilling Significant Intervals								
Kiseljak								
<i>0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution</i>								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD064		544	552	8.0	0.24	0.18	0.60	0.30
KIDD065	638.2	239.7	638.2	398.5	0.35	0.40	1.16	0.58
KIDD067	494.4	58.5	93	34.5	0.27	0.25	0.77	0.38
KIDD067		102	108	6.0	0.17	0.19	0.55	0.28
KIDD067		202.3	214	11.7	0.12	0.22	0.57	0.28
KIDD067		232	254	22.0	0.13	0.19	0.52	0.26
KIDD067		319	494.4	175.4	0.23	0.32	0.88	0.44
KIDD068	139.2	28.2	138	109.8	0.72	0.27	1.26	0.63
KIDD069	324.2	123	129	6.0	0.44	0.23	0.89	0.45
KIDD069		137	179	42.0	0.2	0.20	0.60	0.30
KIDD070	479.8	0	30	30.0	0.62	0.02	0.66	0.33
KIDD070		44	143	99.0	0.3	0.19	0.68	0.34
KIDD071	658.2	151	172	21.0	0.17	0.20	0.57	0.29
KIDD071		178	531	353.0	0.27	0.30	0.87	0.44
KIDD071		542	560	18.0	0.25	0.27	0.79	0.39
KIDD071		607	613	6.0	0.18	0.20	0.58	0.29

- 0.26% CuEq cut-off (\$1,200/oz. Au, \$3.50/lb. Cu), 5m minimum composite length, 5m maximum internal dilution.
 - $\text{AuEq} = ((\text{Au g/t} * 38.58) + (\text{Cu\%} * 77.16)) / 38.58$
 - $\text{CuEq} = ((\text{Cu\%} * 77.16) + (\text{Au g/t} * 38.58)) / 77.16$
- Diamond drill samples are generally taken on a 1m basis and weigh ~3-6kg.
- Assay method: Fire assay Au (50g); Cu by aqua regia digestion with AAS finish.
- Intercept widths do not necessarily represent true width.
- No top cut applied.
- Significant intervals 'not in bold' have been previously released.

Table 2: All Yellow Creek Copper-Gold Porphyry Significant Intervals – Drilling.

Drilling Significant Intervals								
Yellow Creek								
0.26% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	EOH (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
YCDD001	513.5	7.9	102	94.1	0.34	0.13	0.59	0.30
YCDD001		208	217	9.0	0.23	0.16	0.54	0.27
YCDD004	505.8	204	209	5.0	0.36	0.18	0.72	0.36
YCDD005	407.9	398	407.9	9.9	0.75	0.44	1.64	0.82
YCDD008	691.5	20	160	140.0	0.36	0.26	0.88	0.44
YCDD008		167	172	5.0	0.38	0.31	1.00	0.50
YCDD008		178	381	203.0	0.62	0.48	1.58	0.79
YCDD008		391	400	9.0	0.16	0.29	0.74	0.37
YCDD008		406	415	9.0	0.22	0.25	0.72	0.36
YCDD008		442	526	84.0	0.22	0.22	0.67	0.34
YCDD008		533	543	10.0	0.23	0.23	0.69	0.34
YCDD008		549	667	118.0	0.52	0.56	1.65	0.82
YCDD008		673	691.5	18.5	0.29	0.24	0.77	0.38
YCDD010	576.8	19	48	29.0	0.53	0.31	1.14	0.57
YCDD010		111	156	45.0	0.18	0.22	0.61	0.31
YCDD010		174	185	11.0	0.21	0.23	0.68	0.34
YCDD010		192	197	5.0	0.23	0.22	0.67	0.34
YCDD010		203	258	55.0	0.2	0.18	0.57	0.28
YCDD010		264	291	27.0	0.2	0.19	0.58	0.29
YCDD010		298	377.2	79.2	0.16	0.21	0.58	0.29
YCDD010		386.2	406	19.8	0.17	0.19	0.55	0.28
YCDD010		412	417	5.0	0.26	0.21	0.67	0.34

- 0.26% CuEq cut-off (\$1,200/oz. Au, \$3.50/lb. Cu), 5m minimum composite length, 5m maximum internal dilution.
 - $AuEq = ((Au\ g/t * 38.58) + (Cu\ % * 77.16)) / 38.58$
 - $CuEq = ((Cu\ % * 77.16) + (Au\ g/t * 38.58)) / 77.16$
- Diamond drill samples are generally taken on a 1m basis and weigh ~3-6kg.
- Assay method: Fire assay Au (50g); Cu by aqua regia digestion with AAS finish.
- Intercept widths do not necessarily represent true width.
- No top cut applied.
- Significant intervals ‘not in bold’ have been previously released.
- Refer to www.dunavresources.com for a full listing of significant intervals at various cut-off grades.