

**TABLE 1 - Larder Lake Assay Results**

<b>Hole no.</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Core Length (m)</b>	<b>Au (g/t)</b>	<b>Mineralization Type</b>
<b>NFX07-11**</b>	<b>587.5</b>	<b>592.7</b>	<b>5.2</b>	<b>10.4</b>	<b>Carbonate-type</b>
Including	<b>588.0</b>	<b>589.5</b>	<b>1.5</b>	<b>20.8</b>	
	<b>664.6</b>	<b>674.8</b>	<b>10.2</b>	<b>8.0</b>	<b>Flow-type</b>
Including	<b>667.0</b>	<b>673.0</b>	<b>6.0</b>	<b>13.3</b>	
Including	<b>668.8</b>	<b>673.0</b>	<b>4.2</b>	<b>18.6</b>	
<b>NFX07-14**</b>	470.9	479.8	8.9	0.5	<b>Carbonate-type</b>
	647.5	652.7	7.0	0.5	<b>Flow-type</b>
<b>NFX07-15**</b>	593.0	598.5	5.5	1.2	<b>Carbonate-type</b>
	701.0	711.7	10.7	3.9	<b>Flow-type</b>
Including	<b>705.6</b>	<b>709.7</b>	<b>4.1</b>	<b>7.0</b>	
<b>NFX07-16**</b>	658.0	664.0	6.0	1.8	<b>Flow-type</b>
Including	662.2	662.7	0.5	4.2	
<b>NFX07-17A**</b>	600.5	601.0	0.5	12.2	<b>Graphitic Fault Zone</b>
	686.5	691.3	4.8	6.0	<b>Carbonate-type</b>
Including	<b>690.0</b>	<b>691.3</b>	<b>1.3</b>	<b>9.7</b>	
	<b>736.9</b>	<b>745.0</b>	<b>8.1</b>	<b>4.9</b>	<b>Flow-type</b>
Including	<b>738.0</b>	<b>741.0</b>	<b>3.0</b>	<b>11.4</b>	
<b>NFX08-24A**</b>	<b>678.3</b>	<b>680.2</b>	<b>1.9</b>	<b>9.1</b>	<b>Carbonate-type</b>
	713.8	721.0	7.2	1.3	<b>Carbonate-type</b>
<b>NFX08-24AW**</b>	716.3	722.9	6.6	1.6	<b>Carbonate-type</b>
including	718.2	718.9	0.7	5.5	
	854.2	860.0	5.8	3.0	<b>Flow-type</b>
including	<b>856.8</b>	<b>858.2</b>	<b>1.4</b>	<b>10.2</b>	
<b>NFX08-25**</b>	587.5	619.0	31.6	0.3	<b>Carbonate-type</b>
<b>NFX08-25W**</b>	688.2	689.3	1.1	1.6	<b>Flow-type</b>
<b>NFX08-29**</b>	435.5	489.0	53.5	0.3	<b>Carbonate-type</b>
<b>NFX08-35**</b>	<b>164.1</b>	<b>164.8</b>	<b>0.7</b>	<b>7.2</b>	<b>Sediments</b>
<b>NFX08-35**</b>	<b>137.8</b>	<b>142.6</b>	<b>4.8</b>	<b>18.3</b>	<b>Flow-type</b>
Including	<b>137.8</b>	<b>138.3</b>	<b>0.5</b>	<b>163.5</b>	
<b>NFX08-38**</b>	555.2	558.1	2.9	6.5	<b>Flow-type</b>
Including	<b>555.2</b>	<b>557.1</b>	<b>1.9</b>	<b>8.9</b>	

**TABLE 1 (cont') - Larder Lake Assay Results**

<b>NFX08-44**</b>	<b>685.7</b>	<b>700.8</b>	<b>15.1</b>	<b>13.6</b>	<b>Carbonate-type</b>
Including	<b>692.6</b>	<b>697.0</b>	<b>4.4</b>	<b>41.9</b>	
Including	<b>692.6</b>	<b>693.1</b>	<b>0.5</b>	<b>338.5</b>	
<b>NFX08-44W**</b>	689.5	702.5	13.0	2.6	<b>Carbonate-type</b>
including	<b>689.5</b>	<b>691.0</b>	<b>1.5</b>	<b>7.1</b>	
and	<b>697.3</b>	<b>700.5</b>	<b>3.2</b>	<b>5.1</b>	
<b>NFX08-45**</b>	564.0	569.6	5.6	2.1	<b>Carbonate-type</b>
including	569.0	569.6	0.6	4.3	
and	564.0	565.0	1.0	4.0	
	686.6	687.7	1.1	4.4	<b>Flow-type</b>
<b>NFX08-46*</b>	590.9	610.5	19.6	0.5	<b>Flow-type (Fernland)</b>
<b>NFX08-47</b>	912.5	914.5	2.0	2.5	<b>Carbonate-type</b>
<b>NFX08-47</b>	779.0	784.5	5.5	0.5	<b>Flow-type</b>
<b>NFX08-48*</b>	474.8	487.1	12.3	0.4	<b>Flow-type (Fernland)</b>
<b>NFX08-49</b>	<b>888.5</b>	<b>898.0</b>	<b>9.5</b>	<b>19.4</b>	<b>Carbonate-type</b>
including	<b>888.5</b>	<b>895.0</b>	<b>6.5</b>	<b>27.9</b>	
or	<b>893.5</b>	<b>895.0</b>	<b>1.5</b>	<b>76.1</b>	



\* Holes drilled at Fernland

\*\* Holes previously released

Holes # 26 to 28, 30, 31, 32, 34, 36, 39, 42A, 43, 43W, 10(deepening) and 50: No significant gold value

Holes #33, 37, 40, 41: Abandoned due to technical problems before reaching their respective targets

Holes 24A, 24W, 25, 25W, 42A, 43, 44, 44W, 49: stopped in strongly sheared zone before reaching flow-type mineralization



# Bear Lake Area

## Longitudinal Section – Flow-type Mineralization (Looking North)

