

**Table 1:** Drill Assay Intercepts for Cosmo Gold Mine (*Intercepts are outside of the December 31, 2015 Indicated Mineral Resources*)

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
<b>SURFACE DRILLING</b>						
CP023	No significant intercept – target not intersected					Sliver not intersected
CP023W2	687.00	690.60	3.60	2.60	4.81	Sliver
CP023W3	725.80	728.70	2.90	2.30	2.14	300 Lode
CP023W4	630.70	633.70	3.00	2.60	2.39	Sliver
And	636.80	639.90	3.10	2.45	2.3	Sliver
And	641.80	643.95	2.15	1.75	2.01	Sliver
And	669.50	671.50	2.00	1.50	2.12	Sliver
<b>UNDERGROUND DRILLING</b>						
<b>Sliver Results</b>						
CE64030	308.70	317.50	8.80	5.60	2.3	Sliver
And	357.80	364.10	6.30	1.70	2.35	Sliver
And	422.20	438.10	15.90	4.40	2.93	Sliver
CE64050	210.00	218.00	8.00	7.40	2.12	Sliver
<b>And</b>	<b>251.00</b>	<b>270.60</b>	<b>19.60</b>	<b>19.10</b>	<b>2.09</b>	<b>Sliver</b>
And	274.00	276.00	2.00	1.80	3.44	Sliver
CE64058	No significant intercept – target not intersected					Sliver not intersected
<b>CE64060</b>	<b>193.15</b>	<b>206.35</b>	<b>13.20</b>	<b>12.20</b>	<b>3.14</b>	<b>Sliver</b>
<b>And</b>	<b>210.15</b>	<b>217.10</b>	<b>6.95</b>	<b>6.20</b>	<b>7.04</b>	<b>Sliver</b>
And	239.45	244.75	5.30	4.60	2.32	Sliver
And	251.10	256.25	5.15	2.30	2.39	Sliver
CE64061	194.40	202.00	7.60	2.28	3.84	Sliver
And	213.20	220.40	7.20	5.70	2.42	Sliver
And	250.90	253.00	2.10	1.80	3.01	Sliver
And	254.00	267.60	13.60	7.80	2.16	Sliver
And	272.00	275.00	3.00	1.72	2.2	Sliver
And	282.60	288.90	6.30	3.61	2.59	Sliver
CE64062	197.15	199.45	2.30	1.90	2.01	Sliver
<b>And</b>	<b>217.65</b>	<b>225.20</b>	<b>7.55</b>	<b>6.80</b>	<b>8.76</b>	<b>Sliver</b>
And	255.00	260.85	5.85	4.30	2.19	Sliver
And	269.75	278.90	9.15	5.39	3.76	Sliver
CE64063	198.45	202.35	3.90	1.80	2.08	Sliver
And	309.00	311.00	2.00	1.56	2.48	Sliver
And	316.70	319.90	3.20	2.50	3.5	Sliver
CE64064	219.90	227.35	7.45	7.00	3.47	Sliver
<b>CE64069</b>	<b>229.55</b>	<b>242.35</b>	<b>12.80</b>	<b>10.40</b>	<b>4.27</b>	<b>Sliver</b>
CE64070	254.20	261.20	7.00	5.50	3.92	Sliver
CE64071	218.20	224.00	5.80	4.70	2.04	Sliver
And	225.20	229.40	4.20	2.30	2.2	Sliver

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
And	286.85	292.65	5.80	5.10	5.41	Sliver
And	295.85	300.80	4.95	3.90	2.31	Sliver
CE64072	No significant intercept – target not intersected					Sliver not intersected
CE64073	292.10	296.80	4.70	2.74	2.02	Sliver
And	298.50	301.30	2.80	1.70	2.01	Sliver
<b>And</b>	<b>304.00</b>	<b>318.40</b>	<b>14.40</b>	<b>12.40</b>	<b>3.61</b>	<b>Sliver</b>
CE64074	259.00	264.00	5.00	3.20	7.53	Sliver
And	285.10	295.20	10.10	7.50	2.22	Sliver
And	300.60	303.20	2.60	1.80	2.34	Sliver
And	305.60	310.00	4.40	3.80	2.37	Sliver
CE64075	281.05	287.00	5.95	3.40	2.68	Sliver
And	297.70	302.00	4.30	1.60	2.22	Sliver
And	320.40	334.25	13.85	9.60	2.38	Sliver
CE64077	239.10	243.90	4.80	4.40	2.19	Sliver
And	342.40	346.00	3.60	3.10	2.78	Sliver
And	360.75	365.00	4.25	3.90	2.44	Sliver
CE64078	328.20	332.60	4.40	3.30	2.36	Sliver
And	338.85	344.75	5.90	5.50	2.74	Sliver
CE64079	341.00	354.00	13.00	11.10	2.07	Sliver
And	370.15	371.00	2.85	2.10	3.41	Sliver
<b>CE64082</b>	<b>340.00</b>	<b>357.30</b>	<b>17.30</b>	<b>15.40</b>	<b>2.94</b>	<b>Sliver</b>
CE64086	No significant intercept – target not intersected					Sliver
<b>Redbelly Results</b>						
CE64029	106.00	115.60	9.60	8.30	2.99	Redbelly
CE64050	103.00	106.00	3.00	2.55	2.07	Redbelly
And	110.00	118.00	8.00	6.80	2.5	Redbelly
<b>And</b>	<b>123.70</b>	<b>139.00</b>	<b>15.30</b>	<b>13.01</b>	<b>2.39</b>	<b>Redbelly</b>
And	142.10	145.10	3.00	2.55	8.41	Redbelly
CE64056	103.60	105.60	2.00	1.70	2.03	Redbelly
And	146.40	148.50	2.10	1.80	2.4	Redbelly
CE64059	120.20	135.50	15.30	11.20	2.29	Redbelly
<b>CE64060</b>	<b>100.80</b>	<b>115.70</b>	<b>14.90</b>	<b>14.20</b>	<b>3.46</b>	<b>Redbelly</b>
And	141.55	145.20	3.65	2.74	2.4	Redbelly
CE64061	101.80	111.00	9.20	8.70	2.61	Redbelly
And	121.25	127.50	6.25	5.63	4.06	Redbelly
And	144.30	152.40	8.10	5.20	4.23	Redbelly
CE64062	99.25	107.35	8.10	8.00	3.58	Redbelly
And	116.30	119.10	2.80	2.77	2.19	Redbelly
And	132.30	136.80	4.50	3.60	4.52	Redbelly
And	140.70	146.95	6.25	5.00	4.35	Redbelly
CE64063	100.40	104.20	3.80	3.40	2.08	Redbelly
And	129.80	135.60	5.80	3.50	2.87	Redbelly

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
And	152.00	154.00	2.00	1.80	5.84	Redbelly
<b>CE64064</b>	<b>100.00</b>	<b>111.80</b>	<b>11.80</b>	<b>10.00</b>	<b>4.29</b>	<b>Redbelly</b>
And	122.20	132.90	10.70	9.07	2.03	Redbelly
And	137.50	148.20	10.70	5.90	4.67	Redbelly
CE64069	159.80	162.10	2.30	1.73	2.48	Redbelly
And	170.20	174.75	4.55	3.41	2.47	Redbelly
<b>CE64070</b>	<b>151.05</b>	<b>159.80</b>	<b>8.75</b>	<b>6.80</b>	<b>5.18</b>	<b>Redbelly</b>
CE64071	155.05	163.90	8.85	3.00	2.95	Redbelly
CE64073	145.30	157.55	12.25	7.50	3.72	Redbelly
And	163.30	165.50	2.20	1.30	2.18	Redbelly
CE64091	142.80	145.10	2.30	1.90	2.03	Redbelly
CE64092 <sup>(1)</sup>	163.65	169.90	6.25	5.60	2.15	Redbelly
CE64093 <sup>(1)</sup>	187.00	189.00	2.00	0.80	2.09	Redbelly
And	192.15	195.25	3.10	1.20	2.87	Redbelly
CE64094	No significant intercept – target not intersected					Redbelly not intersected
<b>CE64095</b>	<b>157.20</b>	<b>166.15</b>	<b>8.95</b>	<b>7.20</b>	<b>4.34</b>	<b>Redbelly</b>
CE64096	137.95	141.00	3.05	2.70	2.11	Redbelly
And	143.00	146.00	3.00	3.00	2.22	Redbelly
And	149.70	152.00	2.30	1.80	2.49	Redbelly
CE64097	142.15	144.55	2.40	2.30	5.32	Redbelly
And	147.60	165.90	18.30	7.90	3.2	Redbelly
And	166.85	168.90	2.05	1.30	2.39	Redbelly
And	181.60	190.40	8.80	3.80	4.26	Redbelly
CE64098	138.35	141.30	2.95	2.80	2.21	Redbelly
And	162.75	169.00	6.25	3.60	2.27	Redbelly
And	178.00	182.00	4.00	2.90	5.37	Redbelly
And	186.00	190.00	4.00	2.30	3.35	Redbelly
CE640100	141.80	144.10	2.30	1.90	2.61	Redbelly
CE640101	No significant intercept – target not intersected					Redbelly not intersected
CE70001	24.15	28.45	4.30	4.10	4.24	Redbelly
And	30.85	39.10	8.25	7.60	2.07	Redbelly
And	81.10	85.40	4.30	1.80	2.37	Redbelly
CE70002	No significant intercept – target not intersected					Redbelly not intersected
CE70003	26.10	34.20	8.10	7.40	2.34	Redbelly
CE70004	7.80	12.60	4.80	3.49	2.02	Redbelly
And	16.85	19.05	2.20	1.60	2.15	Redbelly
<b>Taipan Results</b>						
CE64075	128.75	132.00	3.25	2.60	3.47	Taipan
And	135.00	139.55	4.55	3.64	2.32	Taipan
CE64077	144.00	163.90	19.90	6.10	4.12	Taipan
<b>CE64078</b>	<b>149.80</b>	<b>162.95</b>	<b>13.15</b>	<b>5.90</b>	<b>5.86</b>	<b>Taipan</b>

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
And	212.80	223.70	10.90	5.90	3.66	Taipan
CE64079	129.00	135.00	6.00	2.90	10.31	Taipan
CE64082	140.05	143.00	2.95	2.80	2.59	Taipan
And	230.60	233.60	3.00	2.10	2.47	Taipan
<b>CE64083</b>	<b>102.00</b>	<b>122.00</b>	<b>20.00</b>	<b>12.80</b>	<b>2.59</b>	<b>Taipan</b>
<b>And <sup>(1)</sup></b>	<b>152.55</b>	<b>174.00</b>	<b>21.45</b>	<b>9.00</b>	<b>6.23</b>	<b>Taipan</b>
<b>Including <sup>(1)</sup></b>	<b>159.00</b>	<b>169.15</b>	<b>10.15</b>	<b>4.30</b>	<b>11.34</b>	<b>Taipan</b>
And	194.00	202.10	8.10	7.20	3.24	Taipan
And	234.00	239.00	5.00	3.70	6.49	Taipan
CE64086	189.45	195.25	5.80	3.30	8.92	Taipan
<b>CE64087</b>	<b>253.60</b>	<b>258.80</b>	<b>5.20</b>	<b>2.90</b>	<b>12.07</b>	<b>Taipan</b>
Including	253.60	254.00	0.40	0.20	101	Taipan
CE640100	123.50	130.55	7.05	5.30	5.6	Taipan
<b>Other Results</b>						
CE64030	91.85	100.80	8.95	8.80	2.08	Dolerite Contact
And	390.10	392.30	2.20	2.00	2.35	Lode 22
CE64050	45.95	51.00	5.05	3.79	3.77	Lode 22
CE64056	44.10	49.35	5.25	3.94	2.43	Lode 22
And	81.35	87.55	6.20	4.65	2.17	Lode 22
CE64060	40.20	52.95	12.75	9.56	2.93	Lode 22
CE64061	48.00	52.00	4.00	3.00	2.17	Lode 22
And	82.70	90.00	7.30	5.48	2.19	Lode 22
CE64063	82.25	88.30	6.05	4.54	2.24	Lode 22
CE64064	89.70	93.60	3.90	2.93	2.83	Lode 22
And	185.50	188.75	3.25	2.44	3.78	Lode 22
CE64069	47.65	53.80	6.15	4.61	3.12	Lode 22
And	192.25	212.60	20.35	7.20	2.8	300 Lode
CE64070	62.00	67.35	5.35	4.01	3.36	Dolerite Contact
CE64071	56.25	62.60	6.35	4.76	2.55	Lode 22
CE64072	74.75	78.00	3.25	2.44	2.92	Lode 22
And	89.15	94.30	5.15	3.86	3.76	Dolerite Contact
And	96.40	99.70	3.30	2.48	2.12	Lode 22
And	185.15	189.80	4.65	3.49	2.22	Lode 22
CE64073	82.00	86.70	4.70	4.30	2.62	Lode 22
CE64074	69.35	72.75	3.40	2.55	2.15	Dolerite Contact
And	85.65	88.30	2.65	1.99	5.61	Lode 22
CE64077	90.00	98.55	8.55	6.41	2.05	Lode 22
<b>CE64078</b>	<b>105.30</b>	<b>123.50</b>	<b>18.20</b>	<b>13.65</b>	<b>3.58</b>	<b>Lode 22</b>
CE64079	111.00	116.00	5.00	3.75	2.23	Lode 22
And	118.00	122.00	4.00	3.00	2.02	Lode 22
CE64082	103.00	107.00	4.00	3.00	2.04	Lode 22

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
And	112.00	116.10	4.10	3.08	2.66	Lode 22
CE64086	116.85	127.10	10.25	7.69	2.17	Lode 22
CE64092	83.50	87.35	3.85	2.89	2.26	Lode 22
CE64093	121.15	125.30	4.15	3.11	4.93	Lode 22
CE64095	141.60	144.50	2.90	2.18	2.24	Lode 22
And	148.55	152.75	4.20	3.15	2.37	Lode 22
CE64096	81.40	87.25	5.85	4.39	2.81	Lode 22
CE64099	83.00	85.40	2.40	1.80	5.77	Lode 22
CE640100	68.50	72.30	3.80	2.85	2.53	Dolerite Contact
CE640102	78.20	83.25	5.05	4.40	5.36	Dolerite Contact

Notes: <sup>(1)</sup> - Visible gold observed in drill intercept

Drill intercepts greater than 30 Gram-Metres (gold grade x estimated true width) are shown in bold text

Lode 22 drill intercepts are intercepts that are outside of current modelled mineralized lodes.

**Table 2:** Exploration Surface and Underground Diamond Drill Hole Collar Locations, Cosmo Gold Mine. (Drilling programs are later than and outside of the December 31, 2015 Indicated Mineral Resources, Cosmo Mine Grid)

Hole ID	Northing (m)	Easting (m)	Elevation (m)	Collar Azimuth (°)	Collar Plunge (°)	Total Hole Length (m)
<b>SURFACE DRILLING</b>						
CP023	2203.1	4575.1	1148.2	87.6	-74.4	572.0
CP023W2	2203.1	4575.1	1148.2	87.6	-74.4	773.8
CP023W3	2203.1	4575.1	1148.2	87.6	-74.9	828.7
CP023W4	2203.1	4575.1	1148.2	87.6	-74.8	752.6
<b>UNDERGROUND DRILLING</b>						
CE64029	1829.4	4766.4	647.9	24.8	13.7	151.2
CE64030	1830.3	4765.9	646.1	14.0	-14.9	472.9
CE64050	1828.5	4766.6	647.4	35.2	7.5	317.5
CE64056	1828.6	4767.0	647.0	25.4	1.1	179.2
CE64058	1827.5	4767.4	648.8	45.5	30.2	158.0
CE64059	1826.9	4767.5	648.6	60.5	27.1	166.6
CE64060	1827.9	4767.1	647.0	34.8	1.6	305.7
CE64061	1827.9	4767.0	647.4	33.2	8.2	320.4
CE64062	1827.9	4767.0	647.1	32.6	2.8	323.9
CE64063	1828.1	4767.0	647.3	29.5	5.6	346.7
CE64064	1828.1	4767.0	647.0	30.7	1.1	323.7
CE64069	1827.9	4767.2	646.9	36.2	-2.1	293.4
CE64070	1841.0	4702.9	634.6	42.4	6.0	347.8
CE64071	1841.0	4702.9	634.4	42.1	1.2	345.1
CE64072	1841.1	4702.9	634.2	42.0	-3.8	334.3
CE64073	1841.1	4702.8	634.5	38.2	2.6	357.1
CE64074	1841.1	4702.7	634.3	37.6	-2.1	351.0
CE64075	1854.1	4645.2	626.3	45.7	-6.1	387.0
CE64077	1854.2	4645.0	626.5	41.6	1.0	401.9
CE64078	1854.2	4644.9	626.4	41.0	-3.1	405.0
CE64079	1854.2	4644.9	626.3	41.1	-7.6	401.7
CE64082	1854.2	4644.7	626.3	37.9	-6.0	411.0
CE64083	1854.2	4644.7	626.2	37.7	-9.9	327.0
CE64086	1844.9	4630.4	625.9	36.4	-8.9	492.1
CE64087	1844.9	4630.4	625.8	36.1	-11.7	464.4
CE64091	1744.9	4821.3	646.6	9.9	22.8	189.5
CE64092	1745.0	4821.0	645.9	3.3	12.2	202.9
CE64093	1745.0	4820.8	645.9	359.3	14.9	200.7
CE64094	1744.7	4820.9	646.6	0.7	25.9	176.6
CE64095	1744.8	4821.1	647.1	5.1	31.6	173.2
CE64096	1840.7	4703.4	635.5	54.5	21.7	160.6
CE64097	1840.6	4703.5	635.2	58.5	17.0	208.8

Hole ID	Northing (m)	Easting (m)	Elevation (m)	Collar Azimuth (°)	Collar Plunge (°)	Total Hole Length (m)
CE64098	1840.8	4703.0	634.7	48.2	8.9	199.6
CE64099	1841.4	4702.6	634.5	30.5	3.4	165.0
CE640100	1841.5	4702.6	635.2	30.5	13.7	158.6
CE640101	1841.3	4702.6	634.1	31.1	-6.8	230.8
CE640102	1841.3	4702.9	635.0	38.8	11.4	152.4
CE70001	1880.9	4891.2	701.8	289.7	1.4	103.9
CE70002	1881.6	4891.6	701.8	304.3	1.7	85.8
CE70003	1881.5	4891.7	703.5	304.1	26.1	55.1
CE70004	1881.6	4891.9	701.3	308.4	-9.3	58.9

#### Table Notes & Drilling and Assay QAQC

Newmarket Gold has in place quality-control systems to ensure best practice in drilling, sampling and analysis of drill core. All diamond drill hole collars (Table 2) are accurately surveyed using a Leica Total Stations instrument and down hole deviations are measured using a down hole Gyro instrument.

All reported drill intercepts are from NQ2 or NQ sized diamond drill core that was either whole-core sampled or sampled from core cut longitudinally in half with a diamond saw, depending on the requirements to keep core for future reference. In the cases of sawn drill core, one-half of the drill core was sent for assay and the other half retained for reference. In a small set of holes the retained half core was subsequently quarter-core sawn and assayed as a duplicate quality control sample. Drill core sample intervals vary between 0.2 and 1.4m in length and were determined from logging of sulfide and visible gold and conform to logged lithological and alteration geological boundaries.

Assay results are based on 50 gram charge fire assay. Mean grades are calculated using a lower grade cut-off (generally 2 g/t Au) and maximum contiguous 2m internal dilution. No upper gold grade cut has been applied to the data. However, during future resource work the requirement for assay top cutting will be assessed.

Drill samples from the Cosmo Deposit are routinely assayed at North Australian Laboratories Pty Ltd, an independent laboratory in Pine Creek, Northern Territory. However, drill hole CP023W2 was assayed using another independent laboratory, Australian Laboratory Services Pty Ltd in Brisbane where a 30 gram charge fire assay method was used.

All Mine Geology and Exploration teams conduct site audits and reviews from time to time of the independent laboratories as well as conduct intra-laboratory analysis of results to test the quality of reported results. All reviews of QAQC data have not identified any significant issues that cannot be resolved prior to assay results being used for mineral resource modelling or reporting.

It should be noted that drill holes listed in Tables a1 and 2 include all those within the described targets. Drill holes not listed in the tables are yet to be drilled.