

**Table 1:** Drill Assay Intercepts for Harrier South Underground Diamond Drilling at Fosterville Gold Mine.

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
<b>Harrier Base</b>						
UDH1673	No Significant Intercept					Harrier Base
UDH1730A	359.2	361.1	1.9	1.89	9.31	Harrier Base
<b>UDH1734<sup>(1)</sup></b>	<b>359.5</b>	<b>364</b>	<b>4.5</b>	<b>4.3</b>	<b>64.8</b>	<b>Harrier Base</b>
UDH1763	No Significant Intercept					Harrier Base
<b>UDH1764<sup>(1)</sup></b>	<b>389.75</b>	<b>396.55</b>	<b>6.8</b>	<b>6.59</b>	<b>46.22</b>	<b>Harrier Base</b>
UDH1765	No Significant Intercept					Harrier Base
UDH1766	355	356.15	1.15	1.13	5.86	Harrier Base
UDH1767	No Significant Intercept					Harrier Base
UDH1806	330.3	330.85	0.55	0.51	11.4	Harrier Base
UDH1827	419.5	420.8	1.3	1.18	6.67	Harrier Base
<b>UDH1829<sup>(1)</sup></b>	<b>389.3</b>	<b>396.7</b>	<b>7.4</b>	<b>7.18</b>	<b>10.29</b>	<b>Harrier Base</b>
<b>UDH1832</b>	<b>377.6</b>	<b>383.65</b>	<b>6.05</b>	<b>6</b>	<b>8.7</b>	<b>Harrier Base</b>
UDH1840	152.35	152.7	0.35	0.34	3.28	Harrier Base
UDH1841	138.35	139.05	0.7	0.69	3.04	Harrier Base
<b>Harrier Splay</b>						
<b>UDH1680<sup>(1)</sup></b>	<b>258.2</b>	<b>260.4</b>	<b>2.2</b>	<b>2.07</b>	<b>14.53</b>	<b>Harrier Splay</b>
UDH1763 <sup>(1)</sup>	268.7	269.35	0.65	0.63	31.12	Harrier Splay
<b>UDH1765<sup>(1)</sup></b>	<b>379</b>	<b>382.85</b>	<b>3.85</b>	<b>3.82</b>	<b>11.99</b>	<b>Harrier Splay</b>
UDH1767	369.4	370.25	0.85	0.84	8.27	Harrier Splay
UDH1841	No Significant Intercept					Harrier Splay
<b>Osprey</b>						
UDH1673	No Significant Intercept					Osprey
UDH1730A	No Significant Intercept					Osprey
UDH1734	212	212.7	0.7	0.63	1.97	Osprey
UDH1763	No Significant Intercept					Osprey
UDH1764	223.8	224.55	0.75	0.72	3.71	Osprey
UDH1765	230.5	231	0.5	0.48	5.46	Osprey
UDH1766	216.6	216.95	0.35	0.32	4.17	Osprey
UDH1767	225.65	226.05	0.4	0.36	9.17	Osprey
<b>UDH1806</b>	<b>189.55</b>	<b>193.4</b>	<b>3.85</b>	<b>3.45</b>	<b>8.72</b>	<b>Osprey</b>
UDH1810	182.2	182.55	0.35	0.32	7.27	Osprey
UDH1829	No Significant Intercept					Osprey
UDH1832	221.35	222.85	1.5	1.47	4.41	Osprey
UDH1840	37.7	38.2	0.5	0.37	1.29	Osprey

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
UDH1841	29.25	31.6	2.35	2.11	11.03	Osprey
<b>Osprey Hangingwall</b>						
UDH1673	181.1	183.2	2.1	2.06	7.55	Osprey Hangingwall
UDH1679	193.5	194.35	0.85	0.8	6.22	Osprey Hangingwall
UDH1680	190.8	191.8	1.0	0.97	10.8	Osprey Hangingwall
UDH1730A	177.55	179.15	1.6	1.59	8.27	Osprey Hangingwall
UDH1734	190.2	191.05	0.85	0.75	2.76	Osprey Hangingwall
UDH1763	190.95	191.4	0.45	0.43	2.84	Osprey Hangingwall
UDH1766	201.9	202.5	0.6	0.51	4.69	Osprey Hangingwall
UDH1827	191.3	192.1	0.8	0.78	12.7	Osprey Hangingwall
UDH1829	193.25	193.8	0.55	0.53	11.7	Osprey Hangingwall
UDH1832	193.85	195.2	1.35	1.21	7.18	Osprey Hangingwall
UDH1841	36.45	37.2	0.75	0.74	7.24	Osprey Hangingwall
<b>Osprey Link</b>						
UDH1673	219.6	220.2	0.6	0.6	9.94	Osprey Link
UDH1730A	218.85	219.25	0.4	0.4	3.62	Osprey Link
UDH1764	234.7	235	0.3	0.29	2.56	Osprey Link
UDH1765	233.9	235.5	1.6	1.58	8.54	Osprey Link
UDH1829	No Significant Intercept					Osprey Link
UDH1832	No Significant Intercept					Osprey Link
<b>Harrier East Dipper</b>						
UDH1673	275.15	275.7	0.55	0.3	9.87	Harrier East Dipper
UDH1730A	286.55	289.55	3	1.85	8.58	Harrier East Dipper
UDH1734	256.7	257.2	0.5	0.34	4.05	Harrier East Dipper
UDH1764	271.7	272	0.3	0.24	8.13	Harrier East Dipper
UDH1766	264.9	266.05	1.15	0.83	6.06	Harrier East Dipper
UDH1829	No Significant Intercept					Harrier East Dipper
<b>Harrier Hangingwall</b>						
UDH1673	No Significant Intercept					Harrier Hangingwall
UDH1680	249.7	250.8	1.1	1.07	9.67	Harrier Hangingwall
UDH1730A	No Significant Intercept					Harrier Hangingwall
UDH1734	246.8	247.3	0.5	0.48	2.86	Harrier Hangingwall
UDH1763	241	241.95	0.95	0.93	15.72	Harrier Hangingwall
UDH1764	No Significant Intercept					Harrier Hangingwall
UDH1765	258.1	258.4	0.3	0.27	12.8	Harrier Hangingwall
UDH1766	243.8	244.15	0.35	0.33	7.59	Harrier Hangingwall
UDH1767	254.75	255.85	1.1	1.05	4.11	Harrier Hangingwall

Hole ID	From (m)	To (m)	Downhole Interval (m)	Estimated True Width (m)	Gold Grade (g/t Au)	Geological Structure
UDH1806	243.7	244	0.3	0.28	9.76	Harrier Hangingwall
UDH1810	253.95	255.1	1.15	1.02	8.72	Harrier Hangingwall
UDH1827	246.7	247.65	0.95	0.91	4.14	Harrier Hangingwall
UDH1829	241.4	242	0.6	0.59	1.61	Harrier Hangingwall
UDH1832	244.35	244.85	0.5	0.47	1.66	Harrier Hangingwall
UDH1840	101.3	102.65	1.35	1.31	11.37	Harrier Hangingwall
UDH1841	No Significant Intercept					Harrier Hangingwall
<b>Harrier</b>						
UDH1840	117.2	118.3	1.1	0.77	1.15	Harrier
UDH1841	104.45	106.9	2.45	1.91	5.11	Harrier
<b>Osprey Splays</b>						
UDH1841	22.6	22.9	0.3	0.3	1.99	Osprey Splays

Notes: <sup>(1)</sup> - Visible gold observed in drill intercept

Drill intercepts greater than 30 Gram-Meters (gold grade x estimated true width) are shown in bold text

## Drilling and Assay QAQC

Newmarket Gold has in place quality-control systems to ensure best practice in drilling, sampling and analysis of drill core. All diamond drill hole collars (Table 2) are accurately surveyed using a Leica Total Stations instrument and down-hole deviations are measured by electronic multi-shot cameras.

All reported drill intercepts are from NQ2 sized diamond drill core that was either whole core sampled or cut longitudinally in half with a diamond saw. In the cases of sawn drill core, one-half of the drill-core was sent for assay and the other half retained for reference. Drill core sample intervals vary between 0.3 and 1.2m in length and were determined from logging of sulphide and visible gold.

Samples containing visible gold or considered likely to contain visible gold were separated from sulphide gold samples and dispatched independently for assaying. At the laboratory “visible gold” jobs were processed through a single pulverizer and material barren of gold was crushed before and after each sample to minimize the potential for gold to contaminate successive samples.

Assay results are based on 25-gram charge fire assays. Mean grades are calculated using a variable lower grade cut-off (generally 2 g/t Au) and maximum 2m internal dilution. No upper gold grade cut is applied to the data. However, during future resource work the requirement for assay top cutting will be assessed.

Drill samples were assayed at On Site Laboratories, an independent laboratory in Bendigo, Victoria. The facility is registered ISO 9001:2008 (CERT-C33510).

**Table 2:** Harrier South Drill Hole Collar Locations (Fosterville Mine Grid)

Hole ID	Northing (m)	Easting (m)	Elevation (m)	Collar Azimuth (°)	Collar Plunge (°)	Depth (m)
UDH1673	4894	1588	4633	84.5	-53.1	358.7
UDH1679	4846	1571	4634	109.9	-35.8	372
UDH1680	4846	1571	4634	112.6	-45.7	422.9
UDH1730A	4894	1588	4633	94.6	-52.3	389.7
UDH1734	4894	1588	4632	85.9	-63.7	386.8
UDH1763	4847	1571	4634	103.9	-50.4	416.8
UDH1764	4847	1571	4634	99.1	-56.6	407.7
UDH1765	4847	1571	4634	99.6	-63	425.8
UDH1766	4895	1588	4632	68.4	-64.5	380.8
UDH1767	4894	1588	4632	97.7	-68.2	404.8
UDH1806	5099	1611	4628	122.2	-66	353.8
UDH1810	5100	1611	4628	102	-76.4	356.9
UDH1827	4847	1571	4634	107.9	-52.6	431.3
UDH1829	4847	1571	4634	97.1	-53.3	470.2
UDH1832	4847	1571	4634	88.7	-56.3	395.5
UDH1840	5132	1655	4500	93.5	-19.6	246.1
UDH1841	5132	1655	4500	82.4	-23.8	156