

Hole Number	Hole Type	TD (m)	Azimuth/ Angle	From - To (m)	Intercept (m)	Au Grade (g/t)	Primary Host Rock Unit(s)
16 OKR-315	RC	126.5	-90°	96.0 - 126.5	30.5	5.37 ¹	Tertiary Sill and Aspen
16 OKR-316	RC	182.9	50/-77	126.5-182.9	56.4	0.85	Bottomed in Aspen
16 OKR-317	RC	182.9	50/-75	32.0-50.3 64.0-67.1 103.6-115.8 120.4-181.4	18.3 3.1 12.2 61.0	0.50 0.72 0.34 1.03²	Felsic Dike Tertiary Sill Tertiary Sill Aspen
16 OKR-318	RC	228.6	230/-80	53.3-57.9 80.8-86.9 93.0-213.4	4.6 6.1 120.4	0.51 0.46 1.55³	Tertiary Sill Tertiary Sill Tertiary Sill and Aspen
16 OKR-319	RC	259.0	-/-90	57.9-88.4 195.1-227.1 233.2-259.1	30.5 32.0 25.9	0.35 0.40 0.51	Dike Sill and Aspen Bottomed in Aspen
16 OKR-320	RC	283.5	-90°	65.5 – 76.2 266.7 – 275.8	10.7 9.1	0.31 0.57	Lithic Tuff Aspen
16 OKC-321	Core	392.6	50/-60	54.3-80.2 122.2-131.1 144.5-148.7 162.4-217.9	25.9 8.8 4.3 55.5	0.51 0.51 0.51 0.82	Lithic Tuff Tertiary Sill Lithic Tuff Lithic Tuff and Tertiary Sill
16 OKC-322	Core	314.9	50°/-70°	79.2 – 86.9 100.6 – 111.3 165.5 – 180.7 207.3 – 219.5	7.6 10.7 15.2 12.2	0.54 0.52 0.65 0.92	Lithic Tuff Lithic Tuff Lithic Tuff Tertiary Sill
16 OKR-323	RC	173.7	-/-90	74.7-85.3 108.2-121 132.6-140.2	10.7 13.7 7.6	1.45 0.53 0.96	All in Aspen
16 OKR-324	RC	182.9	-90°	93.0 – 158.5 181.4-182.9	65.5 1.5	0.69 4.00	All in Aspen (Hole ended in 4.00 g/t Au @ 182.9m)
16 OKR-325	RC	219.5	-90°	96.0 – 117.3 138.7 – 185.9	21.3 47.2	1.27 0.81	All in Aspen
16 OKC-326	Core	331.6	-90°	89.9 – 105.2 112.8 – 125.0 129.5 – 146.3 160.0 – 198.1	15.2 12.2 16.8 38.1	0.68 0.51 0.53 0.81	All in Aspen
16 OKC-327	Core	307.2	50°/-80°	57.9-172.2 185.0-211.8 257.6-277.4	114.3 26.8 19.8	1.00 0.67 1.09	Lithic Tuff Tertiary Sill Tertiary Sill
16 OKR -328	RC	213.4	230°/-73°	96.0 – 109.7 120.4 – 128.0	13.7 7.6	0.80 0.40	Lithic Tuff
16 OKR-329	RC	213.4	230°/-55°	103.6 – 149.4	45.7	0.67	Lithic Tuff
16 OKR-330	RC	225.6	230°/-50°	65.5 – 115.8	50.3	2.04	Lithic Tuff

16 OKC-331	Core	304.8	-/-90°	123.4 – 139.6 164.6 – 169.2	16.2 4.6	0.69 0.92	Lithic Tuff Tertiary Sill
16 OKC-332	Core	335.5	50°/-70°	53.3 – 103.6 131.1 – 141.7 285.0 – 319.4	50.3 10.6 34.4	0.63 0.91 1.28	Lithic Tuff Lithic Tuff Aspen
16 OKC-333	Core	321.6	230°/-75°	16.2- 43.6 51.2 – 69.5 147.2 – 159.4 179.2 – 191.4	27.4 18.3 12.2 12.2	0.52 0.74 0.62 0.47	Lithic Tuff Lithic Tuff Lithic Tuff Lithic Tuff
16 OKC-334	Core	260.6	50°/-70°	51.8 – 79.2 102.1 – 158.0 185.9 – 208.8	27.4 55.9 22.9	0.59 0.86 3.13	Lithic Tuff Tertiary Sill Aspen and Sill
16 OKC-335	Core	327.7	50°/-80°	102.1 – 153.9	51.8	0.75	Tertiary Sill
16 OKR-336	RC	198.1	50°/-75°	No significant intercepts			
16 OKR-337	RC	173.1	50°/-45°	8.5 – 25.6 46.6 – 49.7	17.1 3.1	0.59 1.21	Lithic Tuff Lithic Tuff
16 OKR-338	RC	198.1	50°/-70°	45.7 – 131.1 176.8 – 195.1	85.4 18.3	2.50 0.83	Tertiary Sill and Aspen Aspen
16 OKR-339	RC	182.9	50°/-75°	4.5 – 33.5 96.0 – 114.3 153.9 – 158.5	29.0 18.3 4.6	1.17 0.75 0.95	Lithic Tuff Tertiary Sill Tertiary Sill
16 OKC-340	Core	305.7	50°/-65°	No significant intercepts			
16 OKC-341	Core	142.6	-/-90°	38.1 – 62.5 67.1 – 80.8 94.5 – 106.7 117.3 – 141.7	24.4 13.7 12.2 24.4	1.22 0.36 0.73 0.49	Dike Lithic Tuff Lithic Tuff Lithic Tuff
16 OKR-342	RC	213.4	-/-90°	67.1 – 76.2 189.0 – 205.7	9.1 16.7	0.69 0.91	Lithic Tuff Aspen
16 OKR-343	RC	198.1	50°/-75°	No significant intercepts			
16 OKC-344	Core	298.7	50°/-65°	108.2 – 171.3	63.1	0.66	Tertiary Sill and Aspen
16 OKC-345	Core	299.6	50°/-70°	93.0 – 157.0 225.6 – 231.6	64.0 6.1	1.08 2.11	Breccia and Aspen Aspen
16 OKR-346	RC	243.8	230°/-61°	41.1 – 45.7 77.7 – 109.7 134.1 – 138.7 172.2 – 189.0	4.6 32.0 4.6 16.8	0.51 0.89 0.57 0.79	Tertiary Sill Aspen Aspen Aspen
16 OKR-347	RC	222.5	230°/-72°	120.4 – 170.7	50.3	0.97	Aspen
16 OKR-348³	RC	174.3 ²	230°/-75°	80.8 – 97.5 105.2 – 174.3	16.7 69.1	0.43 2.07²	Tertiary Sill Aspen
16 OKC-349	Core	322.5	50°/-80°	21.3 – 45.7 147.8 – 268.2	24.4 120.4⁴	0.73 1.18	Lithic Tuff Dominantly Aspen w/Sill
16 OKC-350	Core	331.6	50°/-80°	108.8 – 121.9 132.6 – 145.4 196.6 – 207.3 216.4 – 221.0 245.4 – 263.7	13.1 12.8 10.7 4.6 18.3	0.38 0.47 0.54 0.68 0.46	Lithic Tuff Lithic Tuff Tertiary Sill and Aspen Aspen Aspen

16 OKR-351	RC	371.9	230°/-75°	No Significant Intercepts			
16 OK-352	Core	304.8	50°/-80°	54.9 – 62.5 150.9 - 186.8 195.1 – 219.5 225.6 – 300.2	7.6 35.9 24.4 74.6	0.82 1.12 0.43 1.01	Lithic Tuff Tertiary Sill and Aspen Aspen Aspen
16 ORC-353	Core	304.8	-/-90°	32.0 – 38.1 164.6 – 292.6	6.1 128.0⁵	0.92 1.79	Dike Tertiary Sill and Aspen
16 OKC-354	Core	334.7	50°/-80°	45.7 – 53.3 59.4 – 64.0 85.3 – 112.8 125.0 – 126.5 175.3 – 202.7 240.8 – 321.6	7.6 4.6 27.5⁶ 1.5 27.4 80.8⁷	0.42 0.55 2.63 4.62 1.19 1.87	Dike Dike Dike and Lithic Tuff Lithic Tuff Tertiary Sill and Aspen Aspen

Notes:

1. Includes 13.7 metres at 8.71 g/t Au. This drill hole has been capped at 34.25 g/t Au (or 1.0 oz/t Au).
2. Includes 7.6 meters at 8.86 g/t Au.
3. Hole OKR-348 was lost in Aspen Sandstone and ended in rock containing 5.63 g/t Au.
4. Includes 7.6 meters at 4.1 g/t Au.
5. Includes 7.6 meters at 11.96 g/t Au.
6. Includes 7.6 meters at 10.23 g/t Au.
7. Includes 7.6 meters at 10.32 g/t Au.
8. True widths are estimated at between 80% and 100% of the drilled interval, based on their estimated dip, association with diking and the orientation of sedimentary bedding, and continuity of mineralization between drill holes.