Hole ID From (m) To (m) Interval (m) Au (g/t) Cu (%) Ag (g/t) Kucukdag Target KCD038 65.5 67.0 0.31 0.292 24.1 1.5 68.8 0.6 0.30 23.8 and 69.4 0.211 74.1 2.0 0.34 0.109 and 76.1 16.9 77.0 and 90.2 13.2 1.21 0.119 5.3 including 78.5 80.0 1.5 6.77 0.065 4.7 and 97.5 98.9 1.4 0.52 0.175 4.3 125.5 6.5 and 127.0 1.5 0.39 0.061 130.0 131.5 1.5 0.31 0.099 3.1 and 136.6 138.6 2.0 0.90 0.338 13.7 and and 141.0 210.0 69.0 0.93 0.510 7.0 197.0 2.0 including 195.0 3.63 2.827 37.2 including 204.0 206.0 2.0 3.67 2.491 28.0 213.0 216.5 3.5 1.01 0.134 0.9 and KCD039 21.0 137.1 5.94 0.534 12.6 158.1 including 34.0 35.4 1.4 4.04 0.007 1.5 37.9 47.1 9.2 8.49 0.020 7.8 including 39.2 12.0 including 42.0 2.8 13.2 0.024 including 44.5 45.8 1.3 12.5 0.031 14.2 49.5 23.0 24.6 including 72.5 6.42 0.736 including 59.1 60.1 1.0 11.1 0.680 23.0 61.1 62.1 17.6 0.470 17.0 including 1.0 69.7 1.4 10.7 20.3 including 71.1 0.677 77.1 79.7 2.6 3.40 0.296 including 6.5 82.0 83.0 1.0 3.02 10.9 including 0.871 including 128.1 155.1 27.0 18.9 1.358 13.1 128.1 including 139.9 11.8 25.5 1.006 11.2 including 144.6 147.6 3.0 0.65 0.098 1.1 including 152.1 155.1 3.0 55.8 3.333 30.7 12.76 **KCD040** 104.0 117.5 13.5 1.13 0.189 and 191.2 212.2 21.0 5.06 0.165 2.29 3.0 204.5 207.5 28.8 0.499 6.0 including **KCD041** 56.9 72.0 15.1 0.90 0.114 11.85 KCD042 103.1 104.2 1.1 1.01 0.127 6.8 1.2 110.3 111.5 0.37 0.016 1.7 and 112.6 3.7 113.6 1.0 0.53 0.025 and and 123.4 124.8 1.4 0.32 0.076 2.2 128.6 130.0 1.4 0.32 0.175 1.8 and 0.7 130.9 132.9 2.1 0.37 0.014 and 134.2 136.4 2.2 0.83 0.033 0.7 and 44.7 KCD043 33.0 42.0 9.0 0.64 0.010 175.0 180.5 5.5 1.03 0.248 1.0 and **KCD044** 121.7 128.1 6.4 1.65 0.596 6.87 0.047 137.5 146.3 8.8 1.01 0.60 and 107.8 117.5 9.7 0.47 0.590 25.6 **KCD045**

TV Tower Drill Results (2012)

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
and	183.5	186.5	3.0	1.69	0.235	3.9
KCD046	65.9	81.1	15.2	10.0	3.886	46.25
including	70.4	78.9	8.5	17.5	6.763	78.30
KCD047	15.6	42.8	27.2	0.72	0.013	5.78
and	60.0	146.9	87.0	3.40	0.712	10.57
including	94.3	103.8	9.5	6.66	1.253	15.32
including	121.7	129.1	7.4	4.38	1.396	17.59
including	138.2	139.9	1.7	39.1	0.764	10.60
KCD048	65.6	71.0	5.4	1.60	0.105	2.2
and	91.6	98.0	6.4	5.01	0.089	5.3
KCD049	22.5	30.5	8.0	1.37	0.021	9.8
and	73.6	86.4	12.8	3.20	0.762	10.6
including	73.6	79.5	5.9	6.51	1.226	17.4
and	88.0	100.7	12.7	6.06	1.538	26.7
including	93.8	99.2	5.4	12.0	2.235	36.1
and	124.3	156.8	32.5	11.6	0.259	5.4
including	125.8	141.5	15.7	21.7	0.337	7.8
KCD050	9.4	10.7	1.3	1.46	0.004	5.4
and	44.0	45.5	1.5	0.64	0.042	5.6
and	47.0	48.5	1.5	0.32	0.078	10.1
and	62.8	66.3	3.5	0.60	0.075	3.2
and	74.0	75.5	1.5	0.33	0.483	3.6
and	87.5	98.0	10.5	0.58	0.102	1.3
and	99.5	101.0	1.5	0.33	0.053	1.1
and	102.0	132.5	30.6	76.7	0.300	5.6
including	117.5	131.0	13.5	172	0.414	8.8
including	117.5	129.5	12.0	193	0.462	9.8
and	139.1	140.1	1.0	0.38	0.032	0.5
KCD051	15.1	16.8	1.7	0.58	0.002	7.10
and	49.0	59.4	10.4	0.45	0.177	5.10
and	89.5	91.0	1.5	0.31	0.432	9.40
and	98.5	104.5	6.0	0.61	0.234	1.73
and	115.0	116.5	1.5	0.37	0.063	0.70
and	122.5	124.0	1.5	0.45	0.081	1.50
and	127.0	136.0	9.0	0.77	0.043	1.67
KCD052	44.5	52.0	7.5	1.30	0.131	6.3
and	77.5	133.0	55.5	1.31	0.200	5.3
including	79.0	83.5	4.5	5.12	0.915	24.2
and	145.9	157.0	11.1	7.23	0.155	2.4
including	151.0	154.5	3.5	20.2	0.146	2.1
KCD053	69.5	77.8	8.3	1.76	0.075	112.9
KCD057	65.5	76.7	11.2	0.61	0.395	32.3
and	86.0	88.0	2.0	0.40	0.156	11.5
and	89.1	93.2	4.1	0.33	0.362	29.6
and	94.6	118.5	23.9	1.11	0.318	12.5
and	119.3	121.6	2.3	0.35	0.433	12.6
and	124.7	126.2	1.5	0.38	0.148	6.6
and	129.2	131.7	2.5	0.95	0.061	8.4
and	137.2	137.9	0.8	0.42	0.621	36.3

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
and	157.4	165.8	8.4	0.50	0.134	1.9
and	168.5	169.9	1.4	0.33	0.088	1.1
and	175.9	180.6	4.7	0.42	0.183	1.8
and	190.5	192.5	2.0	0.75	0.238	7.0
and	194.5	195.6	1.1	0.34	0.356	2.8
and	203.5	206.5	3.0	0.62	0.491	3.7
and	213.4	215.6	2.2	2.09	1.361	15.2
including	213.4	214.6	1.2	3.54	2.423	27
and	218.5	220.2	1.7	0.32	0.120	0.9
KCD058	18.9	62.0	43.1	2.11	0.046	7.4
including	26.0	27.2	1.2	7.70	0.006	24.6
including	46.3	51.0	4.7	8.79	0.167	15.5
including	46.3	47.0	0.7	15.9	0.596	34.2
including	60.6	62.0	1.4	4.08	0.057	10.6
and	67.7	69.1	1.4	0.98	0.140	2.8
and	77.0	78.2	1.2	2.81	0.202	9.1
and	87.0	88.2	1.2	1.11	0.491	4.6
and	93.0	94.5	1.5	0.31	0.153	3.0
and	97.6	100.7	3.1	1.06	1.420	9.7
including	99.9	100.7	0.8	3.16	5.025	30.4
and	104.0	111.2	7.2	1.35	1.432	17.9
including	105.5	106.5	1.0	3.40	6.706	68.5
and	115.7	117.2	1.5	0.33	1.044	6.6
and	118.8	121.5	2.7	0.34	0.112	2.3
and	125.0	147.5	22.5	2.69	0.395	4.0
including	132.6	140.0	7.4	5.41	0.370	5.0
including	137.0	138.0	1.0	13.7	0.218	6.5
including	141.8	143.0	1.2	6.20	2.515	18.4
KCD059	39.2	44.0	4.8	0.68	0.348	12.9
and	69.1	102.9	33.8	0.81	0.170	7.2
including	83.5	84.2	0.8	7.60	2.588	46.9
and	104.4	105.9	1.5	0.24	0.069	3.3
and	106.7	107.3	0.6	0.69	0.280	7.8
and	122.1	124.2	2.1	0.41	0.142	7.4
and	130.4	131.4	1.0	0.43	0.038	4.1
and	133.0	134.6	1.6	0.36	0.106	6.4
and	139.4	141.0	1.6	0.41	0.066	1.6
and	148.4	160.8	12.4	0.84	0.049	0.9
and	164.0	167.2	3.2	0.31	0.009	0.5
and	170.4	171.3	0.9	0.33	0.015	0.4
KCD060	73.7	75.2	1.5	0.54	0.131	24.7
and	79.9	81.5	1.6	0.64	0.082	12.6
and	89.7	91.9	2.2	0.73	0.075	9.2
and	98.3	120.0	21.7	1.10	0.159	9.7
including	109.0	110.0	1.1	3.12	0.511	24.8
and	126.4	135.5	9.1	0.55	0.065	3.4
and	141.6	143.1	1.5	0.39	0.034	2.1
and	146.2	150.0	3.8	0.76	0.192	6.2
and	193.0	197.6	4.6	0.61	0.054	2.7

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
and	198.6	200.4	1.8	0.39	0.121	2.2
and	216.3	220.8	4.6	0.40	0.138	2.6
and	228.6	232.8	4.2	0.84	0.068	1.3
KCD061	14.0	19.2	5.2	0.79	0.007	2.7
and	25.0	28.2	3.2	0.55	0.017	1.9
and	36.3	40.3	4.0	0.76	0.089	4.6
and	53.0	55.4	2.4	0.40	0.307	12.4
and	72.3	75.6	3.3	0.43	0.073	21.2
and	94.3	95.5	1.2	0.31	0.020	2.6
and	115.2	116.0	0.8	0.32	0.176	4.6
and	125.0	126.4	1.4	0.38	0.033	2.1
and	129.5	131.0	1.5	0.38	0.098	5.2
and	168.5	178.5	10.0	0.83	0.424	17.2
and	186.0	187.0	1.1	0.73	0.501	14.9
and	191.0	192.3	1.3	0.55	0.198	6.9
and	209.0	210.0	1.0	0.46	0.016	2.2
and	222.5	224.0	1.5	0.34	0.115	1.9
Newly reporte expected to b All intervals o	d holes highlighted ir e 30-90% of reported f no sampling have b	n yellow. All t I widths unle een assigner	rue widths are u ss otherwise stat d zero grade for	ncertain due to limi ted. the purposes of cor	ted drilling to c	late but are

NSV means No Significant Values (< 0.3 g/t gold). Composites were calculated at 0.3, 3.0, 10.0 g/t gold cut-offs. Ag and Cu values are weighted averages corresponding to reported gold intervals.

Note: For KCD-50 and subsequent holes, criteria for inclusion in a mineralized interval have been changed slightly as noted below, to reflect a change to operation entirely in metric units:

New	Min g/t*m	0.0	Farlier	Min g/t*ft	0.1	
	Max Waste (m)	3.0	Lanier	Max Waste (ft)	8	