

GOLDEN RIDGE DRILL INTERSECTIONS (2010 NEW WESTERN GOLD TREND)									
Hole No.	Easting	Northing	Azimuth	Dip	From (metres)	To (metres)	Interval (metres) ¹	Au (g/t) ²	
GR-10-24	2400305	7433206	115	-45		156.00	181.00	25.00	0.74
					including	156.00	158.00	2.00	1.45
					and	162.00	169.00	7.00	1.21
						174.00	181.00	7.00	1.00
						195.00	198.00	3.00	1.40
GR-10-28	2400327	7433133	115	-44		46.00	54.00	8.00	0.69
					including	73.00	97.00	24.00	1.20
						73.00	91.00	18.00	1.45
					including	193.00	211.00	18.00	0.89
						193.00	201.00	8.00	1.48
GR-10-37	2400311	7433313	115	-45		70.00	144.00	74.00	0.82
						131.00	141.00	10.00	3.39
GR-10-51	2400359	7432891	295	-45		168.00	176.00	8.00	0.68
					including	173.00	176.00	3.00	1.18
						185.00	205.00	20.00	1.10
					including	185.00	195.00	10.00	1.51
					and	200.00	204.00	4.00	1.23
GR-10-52	2400326	7433245	115	-45		18.00	23.00	5.00	0.73
						65.00	77.00	12.00	0.97
					or	65.00	73.00	8.00	1.10
					including	65.00	67.00	2.00	1.53
					and	70.00	73.00	3.00	1.84
GR-10-54	2400330	7433244	295	-45		192.00	199.00	7.00	1.07
					including	196.00	199.00	3.00	1.83
GR-10-55	2400330	7433244	295	-45		55.00	80.00	25.00	2.76
					including	64.00	79.00	15.00	4.12
						159.00	163.00	4.00	1.54
GR-10-57	2400332	7433132	295	-45		35.00	39.00	4.00	1.41
						125.00	143.00	18.00	1.73
					including	129.00	143.00	14.00	2.06
GR-10-58	2400327	7433134	115	-73		39.00	87.00	48.00	0.83
					including	43.00	47.00	4.00	1.05
					and	53.00	60.00	7.00	1.06
					and	67.00	87.00	20.00	1.12
						97.00	103.00	6.00	0.77
						158.00	166.00	8.00	0.90
						182.00	187.00	5.00	1.38
GR-10-59	2400332	7433360	115	-45		11.00	14.00	3.00	0.56
						24.00	25.00	1.00	2.56
						54.00	55.00	1.00	1.22
						63.00	66.00	3.00	0.94
						72.00	77.00	5.00	0.87
GR-10-60	2400315	7433096	295	-45		9.00	15.00	6.00	0.66
						63.00	67.00	4.00	1.54

¹Intervals are core length. True width will be defined with additional drilling

²Assays performed by Activation Laboratories Ltd, Ontario using the fire assay method (A3-50) on 50 grams of prepared sample and/or INAA (1H (Au+48)). All INAA assay results > than 500 ppb gold have been also analyzed using the fire assay method.