

TABLE 1

**MARIO PROJECT, PERU – FRANC-OR DRILL ASSAY RESULTS  
SIGNIFICANT INTERSECTIONS  
MARCH 2008**

HOLE	INCL	TD (M)	FROM (M)	TO (M)	INT (M)	Au g/t	Ag g/t	Pb %	Zn %
FO-07-18	minus 70°	260.20	173.20	207.00	33.80	0.011	26.3	0.53	0.97
Incl.			173.20	183.70	10.50	0.020	78.0	1.55	2.59
FO-07-20	minus 45°	121.40	28.55	31.40	2.85	0.005	31.3	0.23	0.05
FO-07-21	minus 45°	82.65	6.20	7.60	1.40	0.007	7.3	0.12	2.15
FO-07-23	minus 45°	109.20	45.70	74.90	25.80*	0.008	7.0	0.03	1.24
Incl.			51.80	59.05	3.85 *	0.010	31.3	0.09	3.39
"			*54.20	57.60	3.40	NO	CORE	RECOVERY	VOID
FO-07-24	minus 60°	130.00	64.30	81.70	17.40	0.005	1.1	Tr.	0.70
FO-07-25	minus 60°	194.00	0.00	7.50	7.50	0.023	41.1	0.06	0.02
"			17.80	28.00	10.20	0.042	31.3	0.26	0.12
"			42.00	64.60	22.60	0.049	56.4	0.10	0.03
"			111.80	130.70	18.90	0.060	31.5	0.04	0.10
"			174.30	177.70	3.40	0.119	309.3	0.36	0.52
"			185.70	187.70	2.00	0.057	54.4	0.04	0.05
FO-07-26	minus 60°	320.70	1.30	10.00	8.70	0.233	23.1	0.11	0.08
"			16.00	30.00	14.00	0.190	18.9	0.06	0.04
"			41.00	44.00	3.00	0.138	7.0	0.25	0.43
"			128.00	130.00	2.00	0.140	31.0	0.04	0.02
"			306.00	308.00	2.00	0.021	53.0	0.99	0.06
"			314.00	316.00	2.00	0.142	47.0	0.17	0.19
FO-08-27	minus 60°	391.85	19.50	133.00	113.50	0.326	7.0	0.03	0.03
"			6.00	10.00	4.00	0.033	31.5	0.07	0.01
Incl.			19.50	37.00	17.50	0.381	6.7	0.03	0.05
Incl.			45.00	54.00	9.00	0.490	25.7	0.04	0.05
Incl.			69.00	105.00	36.00	0.446	4.1	0.02	0.02
Incl.			111.00	119.00	8.00	0.310	1.0	0.05	0.03
Incl.			123.00	133.00	10.00	0.272	1.0	0.05	0.04
"			219.00	242.00	23.00	0.030	31.6	0.46	0.52
FO-08-28	minus 50°	191.20	10.60	15.12	4.52	0.094	20.3	0.28	0.38
FO-08-29	minus 65°	257.20	7.55	11.00	3.45	0.725	91.2	0.39	0.41
"			17.30	21.05	4.10	0.085	5.8	0.23	0.37
"			41.60	54.85	13.25	0.357	46.1	0.59	0.17
"			70.30	81.80	8.75*	0.229	658.0	6.04	1.32
"			*72.85	73.80	0.95	NO	CORE	RECOVERY	VOID
"			*79.40	81.20	1.80	"	"	"	"
"			111.10	117.00	5.90	0.875	522.9	5.56	6.85
"			125.80	133.05	7.25	0.694	176.1	2.93	4.77
FO-08-30	minus 70°	292.35	3.20	13.60	10.40	0.050	24.1	0.04	0.01
"			55.90	59.50	3.60	0.226	55.0	0.01	0.01
"			263.90	266.65	2.75	0.050	9.0	0.01	1.02
FO-08-32	minus 70°	200.30	65.30	83.50	18.20	0.051	36.9	0.14	0.27
FO-08-33	minus 60°	307.80	37.00	41.00	4.00	0.084	32.0	0.02	0.06
"			64.00	68.00	4.00	0.048	25.5	0.02	0.01
"			78.00	83.00	5.00	0.028	37.3	0.12	0.01
FO-08-34	minus 50°	237.80	34.75	162.65	127.90	0.685	16.1	0.26	0.29
Incl.			53.00	151.85	98.85	0.805	17.7	0.28	0.27
Incl.			71.64	81.00	9.36	1.063	10.2	0.08	0.07
Incl.			107.10	149.85	42.75	1.047	31.2	0.54	0.55
Incl.			112.90	128.40	15.50	1.170	64.8	0.91	0.76
Incl.			136.54	145.85	9.31	1.465	10.8	0.31	0.44
Incl.			145.85	155.75	9.90	0.430	21.2	1.03	0.57
"			218	229.6	11.6	0.028	34.0	0.47	0.01