

# Core Holes GAX001-18

# Appendix 1

Hole Number	Silver (opt)	Gold (opt)	Length (ft)	From (ft)	Silver (gpt)	Gold (gpt)	Length (m)	From (m)	Azimuth	Dip
GAX001	3.4		4.9	38.7	116.0		1.5	11.8	348°	-45°
And	3.0		3.3	59.1	104.0		1.0	18.0		
And	9.9	0.08	19.8	80.4	340.7	2.8	6.1	24.5		
Including	19.5	0.42	2.8	80.4	669.0	14.3	0.9	24.5		
GAX002	4.3		4.8	156.7	149.0		1.5	47.8	348°	-50°
And	5.4		6.6	185.2	184.0		2.0	56.5		
And	17.7		17.6	362.0	607.9		5.4	110.4		
Including	36.8		2.3	377.3	1260.0		0.7	115.0		
And	17.1		5.9	390.4	585.0		1.8	119.0		
GAX003	3.3		3.0	31.7	112.0		0.9	9.7	350°	-55°
And	10.3		78.1	43.0	354.6		23.8	13.1		
Including	36.5		6.6	70.9	1250.0		2.0	21.6		
Including	33.5	0.05	5.6	109.3	1148.2	1.2	1.7	33.3		
And	5.2		13.9	172.7	179.5		4.3	52.7		
And	4.1		6.6	231.0	139.5		2.0	70.4		
GAX004	5.3		47.2	35.1	183.2		14.4	10.7	168°	-45°
Including	33.0		3.4	35.1	1130.0		1.1	10.7		
GAX005	6.6		14.4	73.0	227.2		4.4	22.3	348°	-45°
Including	21.0		3.6	73.0	718.4		1.1	22.3		
GAX006	5.0		66.4	69.2	171.5		20.3	21.1	348°	-55°
GAX007	9.4		55.8	4.6	320.7		17.0	1.4	348°	-45°
Including	30.0		4.1	15.6	1030.0		1.3	4.8		
Including	33.3		5.1	42.5	1140.0		1.6	13.0		
And	4.8		10.7	158.3	163.8		3.3	48.3		
And	4.6		17.7	183.1	157.3		5.4	55.8		

GAX008	10.8	34.4	10.0	370.5	10.5	3.1	168°	-45°
And	46.5	1.0	16.1	87.6	1593.2	32.8	4.9	26.7
And	17.4	7.1	161.4	595.0	2.2	49.2		
And	4.7	6.7	176.7	161.9	2.1	53.9		

GAX009	10.9	2.5	180.0	373.0	0.8	54.9	348°	-60°
--------	------	-----	-------	-------	-----	------	------	------

GAX010	31.6	104.0	0.0	1,082.4	31.7	0.0	0	-90°
Including	176.3	14.9	37.9	6,046.1	4.6	11.6		
Including	305.1	3.9	40.4	10,461.0	1.2	12.3		
And	4.9	17.7	125.3	166.6	5.4	38.2		
And	5.7	6.7	150.6	195.6	2.1	45.9		
And	13.5	4.8	229.7	463.2	1.5	70.0		

GAX011	7.3	6.9	175.2	250.3	2.1	53.4	348°	-60°
And	5.8	2.6	216.0	198.0	0.8	65.9		
And	11.1	2.8	346.9	380.0	0.9	105.8		

GAX012	16.8	13.0	167.8	574.4	4.0	51.2	348°	-55°
Including	44.0	3.6	167.8	1510.0	1.1	51.2		
And	20.8	14.3	431.4	713.1	4.4	131.5		
Including	73.8	2.5	437.3	2530.0	0.8	133.3		

GAX013	10.0	35.9	9.8	341.6	11.0	3.0	168°	-70°
And	6.2	3.9	61.0	212.0	1.2	18.6		
And	8.3	2.8	241.5	286.0	0.9	73.6		
And	11.1	3.9	305.8	381.0	1.2	93.2		

GAX014	3.7	7.7	39.4	128.5	2.4	12.0	55°	-45°
And	5.6	7.2	138.5	192.2	2.2	42.2		

GAX015	5.2	5.1	16.9	178.5	1.6	5.2	350°	-50°
And	5.7	15.3	35.9	195.0	4.7	11.0		
And	7.8	16.9	93.5	268.4	5.2	28.5		
And	8.5	9.2	354.0	290.6	2.8	107.9		

GAX016	10.1	15.9	95.6	347.4	4.9	29.2	170°	-50°
And	5.7	21.8	129.6	195.1	6.7	39.5		
And	64.5	1.3	347.9	2,210.0	0.4	106.1		

GAX017	3.9	316.6	101.7	135.4	96.5	31.0	350°	-45°
Including	5.5	14.0	202.5	188.3	4.3	61.7		
Including	12.3	34.4	226.4	423.3	10.5	69.0		
Including	33.8	2.8	226.4	1,160.0	0.9	69.0		
Including	5.9	27.9	282.2	202.8	8.5	86.0		
Including	12.6	6.6	282.2	433.5	2.0	86.0		
Including	6.8	18.0	357.6	234.2	5.5	109.0		

GAX018	9.8	3.9	135.7	337.0	1.2	41.4	170°	-65°
And	5.5	12.0		188.7	3.7	116.9		