

Core Holes GAX001-27

Appendix 1

<u>Hole Number</u>	<u>Silver</u> (opt)	<u>Gold</u> (opt)	<u>Length</u> (ft)	<u>From</u> (ft)	<u>Silver</u> (gpt)	<u>Gold</u> (gpt)	<u>Length</u> (m)	<u>From</u> (m)	<u>Azimuth</u>	<u>Dip</u>
GAX001	3.4		4.9	38.7	116		1.5	11.8	348°	-45°
And	3		3.3	59.1	104		1	18		
And	9.9	0.08	19.8	80.4	340.7	2.8	6.1	24.5		
Including	19.5	0.42	2.8	80.4	669	14.3	0.9	24.5		
GAX002	4.3		4.8	156.7	149		1.5	47.8	348°	-50°
And	5.4		6.6	185.2	184		2	56.5		
And	17.7		17.6	362	607.9		5.4	110.4		
Including	36.8		2.3	377.3	1260		0.7	115		
And	17.1		5.9	390.4	585		1.8	119		
GAX003	3.3		3	31.7	112		0.9	9.7	350°	-55°
And	10.3		78.1	43	354.6		23.8	13.1		
Including	36.5		6.6	70.9	1250		2	21.6		
Including	33.5	0.05	5.6	109.3	1148.2	1.2	1.7	33.3		
And	5.2		13.9	172.7	179.5		4.3	52.7		
And	4.1		6.6	231	139.5		2	70.4		
GAX004	5.3		47.2	35.1	183.2		14.4	10.7	168°	-45°
Including	33		3.4	35.1	1130		1.1	10.7		
GAX005	6.6		14.4	73	227.2		4.4	22.3	348°	-45°
Including	21		3.6	73	718.4		1.1	22.3		
GAX006	5		66.4	69.2	171.5		20.3	21.1	348°	-55°
GAX007	9.4		55.8	4.6	320.7		17	1.4	348°	-45°
Including	30		4.1	15.6	1030		1.3	4.8		
Including	33.3		5.1	42.5	1140		1.6	13		
And	4.8		10.7	158.3	163.8		3.3	48.3		
And	4.6		17.7	183.1	157.3		5.4	55.8		
GAX008	10.8		34.4	10	370.5		10.5	3.1	168°	-45°
And	46.5	1	16.1	87.6	1593.2	32.8	4.9	26.7		
And	17.4		7.1	161.4	595		2.2	49.2		
And	4.7		6.7	176.7	161.9		2.1	53.9		
GAX009	10.9		2.5	180	373		0.8	54.9	348°	-60°

<u>Hole Number</u>	<u>Silver</u> (opt)	<u>Gold</u> (opt)	<u>Length</u> (ft)	<u>From</u> (ft)	<u>Silver</u> (gpt)	<u>Gold</u> (gpt)	<u>Length</u> (m)	<u>From</u> (m)	<u>Azimuth</u>	<u>Dip</u>
GAX010	31.6		104	0	1,082.40		31.7	0	0°	-90°
Including	176.3		14.9	37.9	6,046.1		4.6	11.6		
Including	305.1		3.9	40.4	10,461		1.2	12.3		
And	4.9		17.7	125.3	166.6		5.4	38.2		
And	5.7		6.7	150.6	195.6		2.1	45.9		
And	13.5		4.8	229.7	463.2		1.5	70		
GAX011	7.3		6.9	175.2	250.3		2.1	53.4	348°	-60°
And	5.8		2.6	216	198		0.8	65.9		
And	11.1		2.8	346.9	380		0.9	105.8		
GAX012	16.8		13	167.8	574.4		4	51.2	348°	-55°
Including	44		3.6	167.8	1510		1.1	51.2		
And	20.8		14.3	431.4	713.1		4.4	131.5		
Including	73.8		2.5	437.3	2530		0.8	133.3		
GAX013	10		35.9	9.8	341.6		11	3	168°	-70°
And	6.2		3.9	61	212		1.2	18.6		
And	8.3		2.8	241.5	286		0.9	73.6		
And	11.1		3.9	305.8	381		1.2	93.2		
GAX014	3.7		7.7	39.4	128.5		2.4	12	55°	-45°
And	5.6		7.2	138.5	192.2		2.2	42.2		
GAX015	5.2		5.1	16.9	178.5		1.6	5.2	350°	-50°
And	5.7		15.3	35.9	195		4.7	11		
And	7.8		16.9	93.5	268.4		5.2	28.5		
And	8.5		9.2	354	290.6		2.8	107.9		
GAX016	10.1		15.9	95.6	347.4		4.9	29.2	170°	-50°
And	5.7		21.8	129.6	195.1		6.7	39.5		
And	64.5		1.3	347.9	2,210.00		0.4	106.1		
GAX017	4		316.6	101.7	136.6		96.5	31	350°	-45°
Including	5.5		14	202.5	188.3		4.3	61.7		
Including	12.3		34.4	226.4	423.3		10.5	69		
Including	33.8		2.8	226.4	1,160.00		0.9	69		
Including	5.9		27.9	282.2	202.8		8.5	86		
Including	12.6		6.6	282.2	433.5		2	86		
Including	6.8		18	357.6	234.2		5.5	109		

<u>Hole Number</u>	<u>Silver</u>	<u>Gold</u>	<u>Length</u>	<u>From</u>	<u>Silver</u>	<u>Gold</u>	<u>Length</u>	<u>From</u>	<u>Azimuth</u>	<u>Dip</u>
	(opt)	(opt)	(ft)	(ft)	(gpt)	(gpt)	(m)	(m)		
GAX018	9.8		3.9	135.7	337		1.2	41.4	170°	-65°
And	5.5		12.0	383.5	188.7		3.7	116.9		
GAX019	6.9		1.3	551.8	236		0.4	168.2	350°	-50°
GAX020	50.3		3.6	98.4	1,725		1.1	30.0	55°	-45°
GAX021	10.3		143.4	72.2	352.7		43.7	22.0	350°	-45°
Including	154.3		4.9	85.0	5,290		1.5	25.9		
Including	32.1		4.1	155.0	1,100		1.3	47.3		
And	4.6		3.6	234.3	158.0		1.1	71.4		
And	45.5		1.4	297.4	1,560		0.4	90.7		
GAX022	3.8		1.3	139.9	130		0.4	42.7	350°	-50°
And	4.3		2.6	162.2	149		0.8	49.5		
And	6.6		3.0	252.3	227		0.9	76.9		
GAX023	6.3		46.5	157.2	215.8		14.2	47.9	350°	-55°
And	13.9		23.0	378.4	476.8		7	115.4		
Including	36.3		4.9	378.4	1,245		0.9	115.4		
GAX024	5.2		3.9	49.5	177		1.2	15.1	348°	-62°
And	18.4		1.1	198.5	631		0.4	60.5		
And	5.5		3.3	343.8	187		1.0	104.8		
GAX025	14.5		32.8	77.1	497.2		10.0	23.5	350°	-45°
Including	22.9		16.4	90.2	785.4		5.0	27.5		
And	5.5		7.2	124.7	187.0		2.2	38.0		
And	7.1		13.1	139.4	242.0		4.0	42.5		
And	5.0		4.9	172.2	170.0		1.5	52.5		
And	15.9		2.8	371.2	545.0		0.9	113.2		
And	5.8		6.6	395.3	199.5		2.0	118.5		
GAX026	4.1		9.8	4.9	140.0		3.0	1.5	170°	-80°
And	8.5		37.6	70.7	291.3		11.5	21.6		
And	7.9		4.9	142.7	271.0		1.5	43.5		
And	6.4		9.8	184.9	218.0		3.0	56.4		
And	26.4		2.3	242.0	903.6		0.7	73.8		

<u>Hole Number</u>	<u>Silver</u>	<u>Gold</u>	<u>Length</u>	<u>From</u>	<u>Silver</u>	<u>Gold</u>	<u>Length</u>	<u>From</u>	<u>Azimuth</u>	<u>Dip</u>
	(opt)	(opt)	(ft)	(ft)	(gpt)	(gpt)	(m)	(m)		
GAX027	5.7		14.8	4.9	195.3		4.5	1.5	170°	-50°
And	19.8		50.9	39.4	677.3		15.5	12.0		
Including	55.9		12.3	39.4	1918.0		3.8	12.0		
And	4.1		5.2	128.9	141.0		1.6	39.3		
And	5.7		5.6	159.1	194.0		1.7	48.5		
And	7.7		9.8	184.5	265.3		3.0	56.3		
And	14.4		6.5	223.2	494.3		2.0	68.0		
And	14.3		2.5	266.1	491.0		0.8	81.1		
And	11.5		2.0	288.7	393.0		0.6	88.0		