



# DENISON MINES CORP. PHOENIX A URANIUM DEPOSIT WHEELER RIVER PROPERTY

Denison 60% Cameco 30% JCU 10%

- Only the highest grade intersections are shown where drill holes have more than one mineralized interval. \* See news release for multiple intervals.
- Intersections from 2014 winter drill program using downhole probe equivalent grade.
- Grade x Thickness contours based on results to hole WR-550 of the 2014 winter program.
- To accompany press release dated Feb 26<sup>th</sup>, 2014

- drill hole collar and trace
- pelite
- graphitic pelite
- garnetiferous pelite
- semipelite
- quartzite
- WS thrust fault
- WS hangingwall fault
- cross fault

Uranium Intersection

**WR-545**  
16.98%eU<sub>3</sub>O<sub>8</sub>/3.1m

**WR-541**  
0.22%eU<sub>3</sub>O<sub>8</sub>/10.6m

**WR-539**  
11.63%eU<sub>3</sub>O<sub>8</sub>/3.5m

**WR-548**  
29.61%eU<sub>3</sub>O<sub>8</sub>/6.5m

**WR-538\***  
2.14%eU<sub>3</sub>O<sub>8</sub>/5.1m

**WR-543**  
0.14%eU<sub>3</sub>O<sub>8</sub>/1.5m

**WR-546**  
7.91%eU<sub>3</sub>O<sub>8</sub>/1.1m

**WR-550**  
18.37%eU<sub>3</sub>O<sub>8</sub>/4.7m

