

**Hudson Bay Mining and Smelting Co., Limited**  
**Lalor Project**  
**All Hole Locations**

Hole	Status	Core Size	Grid East meters	Grid North meters	Grid Elev. meters	Length meters	Grid Direction	Azimuth	Dip
DUB168	complete	BQ	1962	5364	0	929	250	207	-90.0
DUB168DPN	complete	BQ	1962	5364	0	1127	250	207	-90.0
DUB169	complete	BQ	2087	5649	0	971	250	207	-85.0
DUB169DPN	complete	BQ	2087	5649	0	1215	250	207	-85.0
DUB170	complete	NQ	2082	5147	0	953	250	207	-85.0
<b>DUB170W01</b>	drilling	NQ	2082	5147	0	414	250	207	-85.0
DUB171	complete	NQ	2277	5549	0	1202	250	207	-75.0
DUB172	complete	NQ	2262	5243	0	1106	263	220	-80.0
DUB172DPN	complete	NQ	2262	5243	0	1310	263	220	-80.0
DUB173	complete	NQ	2277	5549	0	1187	250	207	-58.0
DUB174	complete	NQ	1864	5364	0	1001	250	207	-80.0
DUB174DPN	complete	NQ	1864	5364	0	1193	250	207	-80.0
DUB174W01	complete	NQ	1864	5364	0	1067	250	207	-80.0
DUB174W02	complete	NQ	1864	5364	0	968	250	207	-80.0
DUB174W03	complete	NQ	1864	5364	0	1097	250	207	-80.0
DUB174W04	abandoned	NQ	1864	5364	0	530	250	207	-80.0
DUB175	complete	NQ	2277	5549	0	1195	250	207	-90.0
DUB176	complete	NQ	1774	5121	0	998	250	207	-90.0
DUB177	complete	NQ	1864	5364	0	959	250	207	-65.0
DUB178	complete	NQ	1678	5364	0	869	250	207	-70.0
DUB179	complete	NQ	2358	5364	0	1202	250	207	-75.0
DUB179W01	complete	NQ	2358	5364	0	982	250	207	-75.0
DUB179W02	complete	NQ	2358	5364	0	1289	250	207	-75.0
<b>DUB179W03</b>	complete	NQ	2358	5364	0	1073	250	207	-75.0
<b>DUB179W04</b>	complete	NQ	2358	5364	0	1214	250	207	-75.0
<b>DUB179W05</b>	complete	NQ	2358	5364	0	1130	250	207	-75.0
<b>DUB179W06</b>	abandoned	NQ	2358	5364	0	584	250	207	-75.0
DUB179W07	assays pending	NQ	2358	5364	0	1056	250	207	-75.0
DUB180	complete	NQ	2113	4998	0	1205	250	207	-85.0
DUB181	complete	NQ	1774	5121	0	1016	250	207	-75.0
DUB182	complete	NQ	1704	5486	0	973	250	207	-90.0
DUB183	complete	NQ	1829	5242	0	1004	70	27	-86.0
DUB184	complete	NQ	2652	5974	0	1427	90	47	-80.0
DUB184DPN	complete	NQ	2652	5974	0	1688	90	47	-80.0
DUB185	complete	NQ	2358	5364	0	1211	250	207	-90.0
<b>DUB185W01</b>	complete	NQ	2358	5364	0	1092	250	207	-90.0
<b>DUB185W02</b>	assays pending	NQ	2358	5364	0	1068	250	207	-90.0
<b>DUB185W03</b>	assays pending	NQ	2358	5364	0	1070	250	207	-90.0
DUB186	complete	NQ	1962	5364	0	1184	70	27	-75.0
DUB187	complete	NQ	1707	5243	0	851	70	27	-82.0
DUB187DPN	complete	NQ	1707	5243	0	991	70	27	-82.0
DUB188	complete	NQ	2262	5243	0	1292	263	220	-90.0
DUB189	complete	NQ	2522	5852	0	1466	250	207	-90.0
DUB190	complete	NQ	1707	5243	0	1004	250	207	-90.0

Holes highlighted in bold have new or additional results since the previous press release

Deepened holes show the final depth

Wedge holes show the final depth

Hole locations are chained relative to the ERL surface cut grid

Holes in progress show the depth as of April 17th, 2009 7am

**Hudson Bay Mining and Smelting Co., Limited**  
**Lalor Project**  
**All Hole Locations**

Hole	Status	Core Size	Grid East meters	Grid North meters	Grid Elev. meters	Length meters	Grid Direction	Azimuth	Dip
DUB191	complete	NQ	1962	5364	0	1286	43	360	-82.0
DUB192	complete	NQ	1707	5243	0	1003	250	207	-78.0
DUB193	complete	NQ	2442	5486	0	1313	250	207	-90.0
DUB194	complete	NQ	1864	5364	0	1252	43	360	-82.0
DUB195	complete	NQ	1793	5608	0	1040	250	207	-90.0
DUB195W01	complete	NQ	1793	5608	0	833	250	207	-90.0
DUB195W02	complete	NQ	1793	5608	0	1085	250	207	-90.0
DUB195W03	complete	NQ	1793	5608	0	1091	250	207	-90.0
DUB195W04	complete	NQ	1793	5608	0	977	250	207	-90.0
<b>DUB195W05</b>	complete	NQ	1793	5608	0	893	250	207	-90.0
DUB196	complete	NQ	2652	6096	0	1604	43	360	-80.0
DUB197	complete	NQ	2087	5649	0	1328	43	360	-82.0
DUB198	complete	NQ	2216	5121	0	1259	270	227	-80.0
<b>DUB198W01</b>	assays pending	NQ	2216	5121	0	1022	270	227	-80.0
<b>DUB198W02</b>	assays pending	NQ	2216	5121	0	1028	270	227	-80.0
DUB199	complete	NQ	1829	5242	0	1142	83	40	-79.0
DUB199W01	complete	NQ	1829	5242	0	884	83	40	-79.0
DUB199W02	abandoned	NQ	1829	5242	0	756	83	40	-79.0
DUB199W03	abandoned	NQ	1829	5242	0	476	83	40	-79.0
DUB200	complete	NQ	1890	5730	0	1099	250	207	-90.0
DUB200W01	complete	NQ	1890	5730	0	896	250	207	-90.0
DUB200W02	complete	NQ	1890	5730	0	884	250	207	-90.0
<b>DUB200W03</b>	assays pending	NQ	1890	5730	0	965	250	207	-90.0
DUB201	complete	NQ	2216	5121	0	1253	270	227	-90.0
DUB202	complete	NQ	2522	5852	0	1543	130	87	-80.0
DUB203	complete	NQ	2149	5791	0	1337	43	360	-82.0
DUB204	complete	NQ	1876	5441	0	1125	43	360	-90.0
DUB204W01	complete	NQ	1876	5441	0	1011	43	360	-90.0
<b>DUB204W02</b>	complete	NQ	1876	5441	0	1042	43	360	-90.0
<b>DUB204W03</b>	complete	NQ	1876	5441	0	1024	43	360	-90.0
<b>DUB204W04</b>	complete	NQ	1876	5441	0	1191	43	360	-90.0
DUB205	complete	NQ	1829	5242	0	1195	83	40	-84.0
DUB205W01	complete	NQ	1829	5242	0	834	83	40	-84.0
DUB206	complete	NQ	1882	5444	0	1086	253	210	-82.0
DUB206W01	complete	NQ	1882	5444	0	840	253	210	-82.0
DUB206W02	complete	NQ	1882	5444	0	1110	253	210	-82.0
DUB206W03	complete	NQ	1882	5444	0	1014	253	210	-82.0
DUB207	complete	NQ	1920	5548	0	1110	250	207	-86.0
DUB208	complete	NQ	1814	5243	0	1097	70	27	-75.0
DUB208W01	complete	NQ	1814	5243	0	884	70	27	-75.0
<b>DUB209</b>	complete	NQ	1951	5852	0	1007	250	207	-85.0
DUB210	complete	NQ	1920	5548	0	1227	70	27	-75.0
<b>DUB210DPN</b>	complete	NQ	1920	5548	0	1326	70	27	-75.0
DUB211	complete	NQ	1814	5243	0	1076	54	11	-72.0

Holes highlighted in bold have new or additional results since the previous press release

Deepened holes show the final depth

Wedge holes show the final depth

Hole locations are chained relative to the ERL surface cut grid

Holes in progress show the depth as of April 17th, 2009 7am

**Hudson Bay Mining and Smelting Co., Limited**  
**Lalor Project**  
**All Hole Locations**

Hole	Status	Core Size	Grid East meters	Grid North meters	Grid Elev. meters	Length meters	Grid Direction	Azimuth	Dip
DUB212	complete	NQ	1951	5852	0	977	240	197	-77.0
DUB213	complete	NQ	1920	5548	0	1106	121	78	-84.0
DUB214	complete	NQ	1814	5243	0	1136	151	108	-82.0
DUB215	complete	NQ	1951	5852	0	1106	121	78	-84.0
<b>DUB216</b>	complete	NQ	1784	5608	0	1019	270	227	-80.0
DUB217	complete	NQ	1920	5548	0	1150	101	58	-78.0
DUB218	complete	NQ	1774	5121	0	1036	131	88	-82.0
DUB219	complete	NQ	1951	5852	0	1102	43	360	-80.0
DUB220	complete	NQ	1774	5121	0	1011	310	267	-82.0
<b>DUB220W01</b>	abandoned	NQ	1774	5121	0	518	310	267	-82.0
<b>DUB220W02</b>	complete	NQ	1774	5121	0	992	310	267	-82.0
DUB221	complete	NQ	1920	5548	0	1218	43	360	-80.0
DUB222	complete	NQ	1890	5730	0	960	250	207	-82.0
DUB223	assays pending	NQ	1951	5852	0	995	240	197	-86.0
DUB224	abandoned	NQ	1890	5730	0	20	270	227	-82.0
DUB225	complete	NQ	1890	5730	0	1004	270	227	-82.0
DUB226	complete	NQ	1920	5548	0	1074	360	317	-86.0
DUB227	complete	NQ	1774	5121	0	1115	107	64	-86.0
DUB228	complete	NQ	1890	5730	0	980	195	152	-86.0
DUB229	complete	NQ	1951	5852	0	1010	205	162	-82.0
DUB230	complete	NQ	1920	5548	0	1047	320	277	-84.0
DUB231	complete	NQ	1882	5444	0	1209	83	40	-86.0
DUB232	complete	NQ	1774	5121	0	1049	93	50	-84.0
DUB233	complete	NQ	1951	5852	0	1025	90	47	-80.0
DUB234	partial assays	NQ	1920	5547	0	1084	320	277	-90.0
DUB235	complete	NQ	1890	5730	0	1001	118	75	-84.0
DUB236	assays pending	NQ	1774	5121	0	1241	35	352	-75.0
DUB237	assays pending	NQ	1882	5444	0	1152	68	25	-86.0
<b>DUB237W01</b>	assays pending	NQ	1882	5444	0	1203	68	25	-86.0
DUB238	assays pending	NQ	1920	5548	0	940	216	173	-88.0
DUB239	assays pending	NQ	1774	5121	0	1203	18	335	-75.0
<b>DUB239W01</b>	assays pending	NQ	1774	5121	0	1077	18	335	-75.0
DUB240	assays pending	NQ	1920	5548	0	999	253	210	-80.0
DUB241	assays pending	NQ	2149	5791	0	1178	316	273	-88.0
DUB242	assays pending	NQ	1920	5548	0	1035	231	188	-82.0
DUB243	assays pending	NQ	2087	5649	0	1106	43	360	-88.0
DUB244	assays pending	NQ	1704	5486	0	999	55	12	-84.0
<b>DUB244W01</b>	assays pending	NQ	1704	5486	0	990	55	12	-84.0
<b>DUB244W02</b>	assays pending	NQ	1704	5486	0	1108	55	12	-84.0
<b>DUB244W03</b>	drilling	NQ	1704	5486	0	681	55	12	-84.0
DUB245	assays pending	NQ	2200	5700	0	1272	183	140	-85.0
DUB246	assays pending	NQ	2149	5791	0	1200	93	50	-82.0
DUB247	assays pending	NQ	1920	5548	0	1158	231	188	-85.0
<b>DUB247W01</b>	assays pending	NQ	1920	5548	0	822	231	188	-85.0

Holes highlighted in bold have new or additional results since the previous press release

Deepened holes show the final depth

Wedge holes show the final depth

Hole locations are chained relative to the ERL surface cut grid

Holes in progress show the depth as of April 17th, 2009 7am

**Hudson Bay Mining and Smelting Co., Limited**  
**Lalor Project**  
**All Hole Locations**

<b>Hole</b>	<b>Status</b>	<b>Core Size</b>	<b>Grid East meters</b>	<b>Grid North meters</b>	<b>Grid Elev. meters</b>	<b>Length meters</b>	<b>Grid Direction</b>	<b>Azimuth</b>	<b>Dip</b>
<b>DUB247W02</b>	drilling	NQ	1920	5548	0	957	231	188	-85.0
<b>DUB248</b>	assays pending	NQ	2087	5649	0	1106	183	140	-85.0
<b>DUB249</b>	assays pending	NQ	2169	5695	0	1185	83	40	-85.0
<b>DUB250</b>	assays pending	NQ	1774	5121	0	1032	357	314	-83.0
<b>DUB251</b>	drilling	NQ	2149	5791	0	1128	343	300	-86.0
<b>DUB252</b>	drilling	NQ	2169	5695	0	990	123	80	-80.0
<b>DUB253</b>	drilling	NQ	2087	5649	0	675	303	260	-82.0

Holes highlighted in bold have new or additional results since the previous press release

Deepened holes show the final depth

Wedge holes show the final depth

Hole locations are chained relative to the ERL surface cut grid

Holes in progress show the depth as of April 17th, 2009 7am