

**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID		Easting		Northing		Collar RL (m)		Total Depth (m)		Azimuth (Deg)		Dip (Deg)	
LLA-004		307798		6531911		1332		244		300		-60	
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)
151	152	0.317	0.050	207	208	0.208	0.030						
152	153	0.278	0.040	208	209	0.190	0.050						
153	154	0.271	0.070	209	210	0.165	0.030						
154	155	0.246	0.050	210	211	0.169	0.030						
155	156	0.254	0.050	211	212	0.123	0.030						
156	157	0.246	0.040	212	213	0.200	0.060						
157	158	0.306	0.050	213	214	0.235	0.060						
158	159	0.229	0.050	214	215	0.247	0.040						
159	160	0.342	0.040	215	216	0.342	0.130						
160	161	0.220	0.030	216	217	0.265	0.050						
161	162	0.316	0.060	217	218	0.294	0.060						
162	163	0.343	0.050	218	219	0.153	0.030						
163	164	0.231	0.040	219	220	0.129	0.010						
164	165	0.233	0.040	220	221	0.139	0.360						
165	166	0.262	0.040	221	222	0.277	0.050						
166	167	0.257	0.040	222	223	0.181	0.030						
167	168	0.287	0.040	223	224	0.189	0.030						
168	169	0.299	0.040	224	225	0.254	0.040						
169	170	0.411	0.060	225	226	0.245	0.130						
170	171	0.265	0.030	226	227	0.140	0.030						
171	172	0.237	0.020	227	228	0.164	0.020						
172	173	0.388	0.040	228	229	0.169	0.030						
173	174	0.827	0.170	229	230	0.235	0.110						
174	175	0.328	0.050	230	231	0.153	0.030						
175	176	0.197	0.010	231	232	0.168	0.030						
176	177	0.237	0.020	232	233	0.329	0.040						
177	178	0.229	0.020	233	234	0.226	0.030						
178	179	0.203	0.020	234	235	0.235	0.030						
179	180	0.212	0.010	235	236	0.186	0.170						
180	181	0.293	0.030	236	237	0.165	0.160						
181	182	0.263	0.040	237	238	0.144	0.030						
182	183	0.336	0.030	238	239	0.271	0.030						
183	184	0.233	0.040	239	240	0.261	0.020						
184	185	0.125	0.020	240	241	0.212	0.050						
185	186	0.221	0.020	241	242	0.327	0.060						
186	187	0.228	0.060	242	243	0.130	0.030						
187	188	0.172	0.010	243	244	0.162	0.010						
188	189	0.090	0.010										
189	190	0.379	0.010										
190	191	0.231	0.020										
191	192	0.222	0.030										
192	193	0.195	0.020										
193	194	0.213	0.020										
194	195	0.229	0.020										
195	196	0.159	0.010										
196	197	0.198	0.020										
197	198	0.342	0.050										
198	199	0.258	0.030										
199	200	0.318	0.030										
200	201	0.337	0.040										
201	202	0.193	0.030										
202	203	0.174	0.030										
203	204	0.200	0.030										
204	205	0.169	0.030										
205	206	0.141	0.030										
206	207	0.172	0.030										

**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)			
LLA-005	307823		6531869		1342	200	300	-58			
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	0.000	0.000	56	57	0.318	0.240	112	113	0.328	0.080
1	2	0.472	0.050	57	58	0.409	0.080	113	114	0.378	0.090
2	3	0.610	0.050	58	59	0.379	0.140	114	115	0.445	0.110
3	4	0.401	0.070	59	60	0.550	0.080	115	116	0.430	0.110
4	5	0.279	0.100	60	61	0.383	0.090	116	117	0.394	0.090
5	6	0.212	0.070	61	62	0.155	0.060	117	118	0.440	0.070
6	7	0.202	0.060	62	63	0.155	0.100	118	119	0.378	0.080
7	8	0.231	0.140	63	64	0.406	0.100	119	120	0.454	0.110
8	9	0.210	0.090	64	65	0.401	0.010	120	121	0.429	0.090
9	10	0.154	0.050	65	66	0.419	0.050	121	122	0.454	0.070
10	11	0.184	0.070	66	67	0.442	0.140	122	123	0.507	0.070
11	12	0.425	0.080	67	68	0.388	0.150	123	124	0.492	0.110
12	13	0.212	0.060	68	69	0.401	0.090	124	125	0.471	0.120
13	14	0.121	0.160	69	70	0.306	0.040	125	126	0.409	0.080
14	15	0.143	0.110	70	71	0.163	0.010	126	127	0.548	0.110
15	16	0.184	0.010	71	72	0.162	0.040	127	128	0.382	0.100
16	17	0.164	0.010	72	73	0.425	0.040	128	129	0.396	0.080
17	18	0.161	0.030	73	74	0.371	0.030	129	130	0.442	0.150
18	19	0.248	0.040	74	75	0.303	0.110	130	131	0.436	0.060
19	20	0.314	0.010	75	76	0.266	0.020	131	132	0.409	0.100
20	21	0.287	0.010	76	77	0.316	0.010	132	133	0.494	0.090
21	22	0.123	0.050	77	78	0.224	0.160	133	134	0.323	0.070
22	23	0.168	0.020	78	79	0.431	1.530	134	135	0.234	0.110
23	24	0.137	0.050	79	80	0.355	0.100	135	136	0.323	0.140
24	25	0.270	0.080	80	81	0.359	0.070	136	137	0.290	0.240
25	26	0.165	0.010	81	82	0.439	0.070	137	138	0.303	0.070
26	27	0.211	0.120	82	83	0.433	0.100	138	139	0.265	0.050
27	28	0.274	0.010	83	84	0.490	0.120	139	140	0.424	0.060
28	29	0.192	0.010	84	85	0.315	0.140	140	141	0.378	0.030
29	30	0.092	0.080	85	86	0.319	0.070	141	142	0.432	0.030
30	31	0.215	0.000	86	87	0.213	0.060	142	143	0.345	0.050
31	32	0.411	0.000	87	88	0.175	0.040	143	144	0.300	0.040
32	33	0.523	0.000	88	89	0.119	0.020	144	145	0.311	0.050
33	34	1.025	0.010	89	90	0.182	0.030	145	146	0.255	0.360
34	35	0.613	0.040	90	91	0.260	0.060	146	147	0.280	0.120
35	36	0.417	0.060	91	92	0.353	0.080	147	148	0.230	0.460
36	37	0.984	0.070	92	93	0.356	0.120	148	149	0.295	0.050
37	38	0.353	0.050	93	94	0.134	0.210	149	150	0.373	0.210
38	39	0.367	0.110	94	95	0.206	0.050	150	151	0.328	0.050
39	40	0.347	0.110	95	96	0.201	0.040	151	152	0.320	0.030
40	41	0.414	0.060	96	97	0.290	0.060	152	153	0.296	0.050
41	42	0.298	0.070	97	98	0.272	0.070	153	154	0.320	0.040
42	43	0.175	0.080	98	99	0.353	0.060	154	155	0.265	0.040
43	44	0.058	0.060	99	100	0.383	0.060	155	156	0.425	0.050
44	45	0.067	0.080	100	101	0.341	0.060	156	157	0.232	0.010
45	46	0.069	0.110	101	102	0.256	0.010	157	158	0.276	0.030
46	47	0.067	0.100	102	103	0.357	0.080	158	159	0.401	0.030
47	48	0.091	0.100	103	104	0.352	0.050	159	160	0.408	0.040
48	49	0.061	0.070	104	105	0.238	0.070	160	161	0.294	0.060
49	50	0.140	0.090	105	106	0.309	0.060	161	162	0.384	0.040
50	51	0.275	0.140	106	107	0.597	0.230	162	163	0.269	0.030
51	52	0.285	0.100	107	108	0.254	0.040	163	164	0.406	0.050
52	53	0.321	0.110	108	109	0.371	0.110	164	165	0.326	0.060
53	54	0.337	0.080	109	110	0.355	0.070	165	166	0.227	0.020
54	55	0.391	0.090	110	111	0.397	0.220	166	167	0.495	0.040
55	56	0.277	0.090	111	112	0.418	0.070	167	168	0.434	0.040



**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)			
LLA-006	307809		6531798		1341	243	300	-60			
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	0.000	0.000	56	57	0.345	0.010	112	113	0.156	0.030
1	2	0.514	0.030	57	58	0.264	0.010	113	114	0.069	0.020
2	3	0.572	0.060	58	59	0.237	0.020	114	115	0.120	0.010
3	4	0.700	0.100	59	60	0.413	0.070	115	116	0.092	0.030
4	5	0.655	0.220	60	61	0.169	0.020	116	117	0.077	0.020
5	6	0.610	0.140	61	62	0.217	0.020	117	118	0.064	0.010
6	7	0.478	0.180	62	63	0.184	0.020	118	119	0.070	0.020
7	8	0.502	0.240	63	64	0.140	0.010	119	120	0.120	0.040
8	9	0.519	0.370	64	65	0.157	<0.01	120	121	0.115	0.030
9	10	0.486	0.240	65	66	0.128	<0.01	121	122	0.220	0.110
10	11	0.705	0.180	66	67	0.134	<0.01	122	123	0.277	0.100
11	12	0.532	0.180	67	68	0.049	<0.01	123	124	0.207	0.040
12	13	0.406	0.220	68	69	0.096	0.020	124	125	0.202	0.040
13	14	0.563	0.370	69	70	0.162	0.050	125	126	0.118	<0.01
14	15	0.426	0.100	70	71	0.148	0.020	126	127	0.056	<0.01
15	16	0.352	0.140	71	72	0.099	0.020	127	128	0.064	<0.01
16	17	0.473	0.260	72	73	0.069	0.020	128	129	0.070	<0.01
17	18	0.274	0.320	73	74	0.090	0.020	129	130	0.114	<0.01
18	19	0.298	0.210	74	75	0.139	0.040	130	131	0.190	<0.01
19	20	0.390	0.090	75	76	0.101	0.080	131	132	0.078	<0.01
20	21	0.340	0.070	76	77	0.091	0.030	132	133	0.048	<0.01
21	22	0.281	0.020	77	78	0.381	0.150	133	134	0.080	<0.01
22	23	0.543	0.020	78	79	0.167	0.020	134	135	0.152	<0.01
23	24	0.255	0.000	79	80	0.076	0.010	135	136	0.263	0.040
24	25	0.294	0.020	80	81	0.099	<0.01	136	137	0.107	0.020
25	26	1.118	0.030	81	82	0.117	0.010	137	138	0.120	0.020
26	27	1.273	0.010	82	83	0.063	<0.01	138	139	0.145	0.040
27	28	0.583	0.000	83	84	0.089	0.010	139	140	0.225	0.030
28	29	0.246	0.050	84	85	0.114	<0.01	140	141	0.150	0.020
29	30	0.243	0.050	85	86	0.097	0.020	141	142	0.209	0.020
30	31	0.300	0.020	86	87	0.148	0.030	142	143	0.186	0.020
31	32	0.245	0.000	87	88	0.160	0.020	143	144	0.232	0.020
32	33	0.312	0.000	88	89	0.052	0.010	144	145	0.136	0.030
33	34	0.188	0.030	89	90	0.180	0.040	145	146	0.190	0.030
34	35	0.246	0.080	90	91	0.126	0.030	146	147	0.151	0.020
35	36	0.164	0.030	91	92	0.119	0.010	147	148	0.146	0.020
36	37	0.135	0.020	92	93	0.119	0.020	148	149	0.147	0.020
37	38	0.234	0.010	93	94	0.049	<0.01	149	150	0.118	0.020
38	39	0.240	0.030	94	95	0.071	0.020	150	151	0.183	0.020
39	40	0.344	0.060	95	96	0.117	<0.01	151	152	0.137	0.030
40	41	0.235	0.080	96	97	0.192	0.020	152	153	0.122	0.020
41	42	0.257	0.050	97	98	0.203	0.020	153	154	0.158	0.020
42	43	0.129	0.020	98	99	0.106	0.030	154	155	0.026	0.010
43	44	0.246	0.020	99	100	0.111	0.030	155	156	0.044	0.010
44	45	0.221	0.040	100	101	0.129	0.030	156	157	0.104	0.020
45	46	0.326	0.130	101	102	0.120	0.020	157	158	0.135	0.020
46	47	0.206	0.070	102	103	0.259	<0.01	158	159	0.136	0.030
47	48	0.221	0.060	103	104	0.272	0.030	159	160	0.080	0.030
48	49	0.241	0.050	104	105	0.335	0.020	160	161	0.205	0.070
49	50	0.250	0.090	105	106	0.199	0.010	161	162	0.343	0.030
50	51	0.321	0.080	106	107	0.046	<0.01	162	163	0.084	0.030
51	52	0.259	0.030	107	108	0.068	<0.01	163	164	0.092	0.020
52	53	0.158	0.000	108	109	0.043	<0.01	164	165	0.172	0.040
53	54	0.091	0.000	109	110	0.041	0.010	165	166	0.903	0.070
54	55	0.076	0.000	110	111	0.066	0.010	166	167	0.390	0.060
55	56	0.223	0.000	111	112	0.193	0.020	167	168	0.120	0.030

**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)			
LLA-006	307809		6531798		1341	243	300	-60			
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
168	169	0.277	0.040	224	225	0.338	0.220				
169	170	0.938	0.040	225	226	0.306	0.120				
170	171	0.078	0.040	226	227	0.317	0.070				
171	172	0.160	0.380	227	228	0.343	0.230				
172	173	0.174	0.120	228	229	0.363	0.200				
173	174	0.212	0.180	229	230	0.259	0.170				
174	175	0.220	0.130	230	231	0.625	0.220				
175	176	0.156	0.140	231	232	0.486	0.320				
176	177	0.195	0.120	232	233	0.602	0.420				
177	178	0.220	0.150	233	234	0.535	0.330				
178	179	0.235	0.130	234	235	0.252	0.130				
179	180	0.180	0.080	235	236	0.222	0.160				
180	181	0.083	0.030	236	237	0.351	0.230				
181	182	0.127	0.050	237	238	0.555	0.460				
182	183	0.199	0.060	238	239	0.331	0.150				
183	184	0.123	0.060	239	240	0.517	0.340				
184	185	0.115	0.040	240	241	0.506	0.340				
185	186	0.098	0.370	241	242	0.563	0.370				
186	187	0.100	0.030	242	243	0.475	0.280				
187	188	0.185	0.140								
188	189	0.281	0.060								
189	190	0.288	0.110								
190	191	0.142	0.050								
191	192	0.261	0.040								
192	193	0.132	0.060								
193	194	0.197	0.020								
194	195	0.092	0.020								
195	196	0.194	0.010								
196	197	0.285	0.000								
197	198	0.168	0.130								
198	199	0.307	0.220								
199	200	0.375	0.250								
200	201	0.379	0.230								
201	202	0.444	0.270								
202	203	0.537	0.340								
203	204	0.633	0.420								
204	205	0.483	0.540								
205	206	1.328	0.180								
206	207	0.841	0.200								
207	208	0.217	0.150								
208	209	0.323	0.240								
209	210	0.303	0.220								
210	211	0.540	0.380								
211	212	0.174	0.120								
212	213	0.138	0.090								
213	214	0.385	0.290								
214	215	0.899	0.190								
215	216	0.271	0.180								
216	217	0.379	0.300								
217	218	0.426	0.260								
218	219	0.237	0.140								
219	220	0.289	0.080								
220	221	0.214	0.120								
221	222	0.258	0.080								
222	223	0.737	0.150								
223	224	0.433	0.260								

**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)			
LLA-007	307792		6531969		1323	192	300	-60			
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	0.000	0.000	56	57	0.113	0.020	112	113	0.290	0.030
1	2	0.079	0.030	57	58	0.086	<0.01	113	114	0.250	0.020
2	3	0.082	0.020	58	59	0.141	0.020	114	115	0.178	0.020
3	4	0.123	0.030	59	60	0.161	0.010	115	116	0.240	0.030
4	5	0.269	0.350	60	61	0.191	0.010	116	117	0.187	0.020
5	6	0.129	0.030	61	62	0.178	0.020	117	118	0.216	0.030
6	7	0.101	0.020	62	63	0.210	<0.01	118	119	0.225	0.030
7	8	0.096	0.020	63	64	0.196	<0.01	119	120	0.118	0.010
8	9	0.110	0.030	64	65	0.164	<0.01	120	121	0.286	0.020
9	10	0.144	0.020	65	66	0.106	<0.01	121	122	0.178	0.020
10	11	0.208	0.030	66	67	0.036	<0.01	122	123	0.085	<0.01
11	12	0.128	0.030	67	68	0.045	<0.01	123	124	0.118	<0.01
12	13	0.267	0.100	68	69	0.044	0.010	124	125	0.095	<0.01
13	14	0.248	0.040	69	70	0.126	<0.01	125	126	0.117	0.020
14	15	0.233	0.060	70	71	0.107	0.010	126	127	0.134	0.010
15	16	0.212	0.030	71	72	0.104	<0.01	127	128	0.159	0.020
16	17	0.133	0.010	72	73	0.169	<0.01	128	129	0.132	0.020
17	18	0.086	0.010	73	74	0.131	<0.01	129	130	0.184	0.040
18	19	0.166	0.020	74	75	0.237	0.010	130	131	0.172	0.010
19	20	0.101	0.020	75	76	0.177	0.020	131	132	0.124	0.010
20	21	0.114	0.020	76	77	0.184	<0.01	132	133	0.136	0.010
21	22	0.136	0.020	77	78	0.179	<0.01	133	134	0.155	0.010
22	23	0.175	0.020	78	79	0.049	<0.01	134	135	0.123	0.070
23	24	0.211	0.010	79	80	0.036	0.010	135	136	0.357	0.040
24	25	0.504	0.010	80	81	0.096	<0.01	136	137	0.161	0.020
25	26	0.385	0.040	81	82	0.084	0.010	137	138	0.251	0.030
26	27	0.261	0.020	82	83	0.093	<0.01	138	139	0.147	0.040
27	28	0.224	<0.01	83	84	0.096	<0.01	139	140	0.135	0.040
28	29	0.211	0.020	84	85	0.150	0.020	140	141	0.234	0.030
29	30	0.282	0.030	85	86	0.273	0.020	141	142	0.479	0.080
30	31	0.209	0.020	86	87	0.080	<0.01	142	143	0.219	0.020
31	32	0.275	0.020	87	88	0.167	0.010	143	144	0.190	0.020
32	33	0.228	0.020	88	89	0.086	0.110	144	145	0.131	<0.01
33	34	0.161	0.010	89	90	0.232	0.020	145	146	0.061	<0.01
34	35	0.034	0.220	90	91	0.168	0.020	146	147	0.051	0.010
35	36	0.090	0.020	91	92	0.149	0.030	147	148	0.091	<0.01
36	37	0.160	<0.01	92	93	0.219	0.030	148	149	0.155	<0.01
37	38	0.110	<0.01	93	94	0.137	0.020	149	150	0.104	<0.01
38	39	0.144	0.010	94	95	0.216	0.020	150	151	0.077	<0.01
39	40	0.199	0.020	95	96	0.163	0.020	151	152	0.104	<0.01
40	41	0.288	<0.01	96	97	0.275	0.030	152	153	0.140	<0.01
41	42	0.305	<0.01	97	98	0.064	0.010	153	154	0.191	<0.01
42	43	0.299	<0.01	98	99	0.139	0.020	154	155	0.124	<0.01
43	44	0.173	<0.01	99	100	0.143	0.020	155	156	0.117	<0.01
44	45	0.139	<0.01	100	101	0.210	0.030	156	157	0.109	<0.01
45	46	0.084	<0.01	101	102	0.225	0.040	157	158	0.112	<0.01
46	47	0.023	<0.01	102	103	0.220	0.030	158	159	0.111	<0.01
47	48	0.020	<0.01	103	104	0.288	0.020	159	160	0.114	<0.01
48	49	0.224	0.030	104	105	0.321	0.040	160	161	0.130	0.010
49	50	0.129	0.010	105	106	0.459	0.070	161	162	0.178	0.010
50	51	0.067	<0.01	106	107	0.467	0.040	162	163	0.158	<0.01
51	52	0.059	0.010	107	108	0.319	0.030	163	164	0.147	<0.01
52	53	0.068	<0.01	108	109	0.080	0.030	164	165	0.092	<0.01
53	54	0.175	0.010	109	110	0.153	0.020	165	166	0.191	<0.01
54	55	0.125	0.020	110	111	0.166	0.020	166	167	0.100	<0.01
55	56	0.112	0.010	111	112	0.219	0.030	167	168	0.102	0.010



**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)		Dip (Deg)		
LLA-008	307352		6532693		1289	167	270		-60		
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	NA	0.010	55	56	NA	<0.01	111	112	NA	0.220
1	2	NA	0.010	56	57	NA	<0.01	112	113	NA	0.020
2	3	NA	<0.01	57	58	NA	<0.01	113	114	NA	<0.01
3	4	NA	<0.01	58	59	NA	<0.01	114	115	NA	<0.01
4	5	NA	<0.01	59	60	NA	<0.01	115	116	NA	<0.01
5	6	NA	<0.01	60	61	NA	0.020	116	117	NA	0.260
6	7	NA	<0.01	61	62	NA	1.080	117	118	NA	0.010
7	8	NA	<0.01	62	63	NA	0.030	118	119	NA	0.020
8	9	NA	<0.01	63	64	NA	0.080	119	120	NA	<0.01
9	10	NA	<0.01	64	65	NA	0.010	120	121	NA	<0.01
10	11	NA	<0.01	65	66	NA	0.210	121	122	NA	<0.01
11	12	NA	<0.01	66	67	NA	0.070	122	123	NA	0.030
12	13	NA	<0.01	67	68	NA	0.120	123	124	NA	0.030
13	14	NA	<0.01	68	69	NA	0.280	124	125	NA	<0.01
14	15	NA	<0.01	69	70	NA	0.610	125	126	NA	0.140
15	16	NA	0.050	70	71	NA	0.160	126	127	NA	0.020
16	17	NA	<0.01	71	72	NA	0.030	127	128	NA	<0.01
17	18	NA	<0.01	72	73	NA	0.180	128	129	NA	0.070
18	19	NA	0.020	73	74	NA	0.050	129	130	NA	0.050
19	20	NA	0.050	74	75	NA	0.050	130	131	NA	0.010
20	21	NA	0.020	75	76	NA	0.120	131	132	NA	0.060
21	22	NA	0.020	76	77	NA	0.120	132	133	NA	<0.01
22	23	NA	0.020	77	78	NA	0.040	133	134	NA	<0.01
23	24	NA	0.010	78	79	NA	<0.01	134	135	NA	0.030
24	25	NA	<0.01	79	80	NA	<0.01	135	136	NA	0.020
25	26	NA	<0.01	80	81	NA	0.030	136	137	NA	<0.01
26	27	NA	0.090	81	82	NA	0.080	137	138	NA	<0.01
27	28	NA	<0.01	82	83	NA	0.040	138	139	NA	<0.01
28	29	NA	<0.01	83	84	NA	0.070	139	140	NA	0.010
29	30	NA	<0.01	84	85	NA	0.010	140	141	NA	<0.01
30	31	NA	<0.01	85	86	NA	0.050	141	142	NA	0.140
31	32	NA	<0.01	86	87	NA	0.050	142	143	NA	<0.01
32	33	NA	0.240	87	88	NA	0.100	143	144	NA	0.020
33	34	NA	0.220	88	89	NA	0.030	144	145	NA	0.020
34	35	NA	0.050	89	90	NA	<0.01	145	146	NA	<0.01
35	36	NA	0.020	90	91	NA	<0.01	146	147	NA	0.380
36	37	NA	<0.01	91	92	NA	0.010	147	148	NA	0.650
37	38	NA	<0.01	92	93	NA	0.130	148	149	NA	0.010
38	39	NA	<0.01	93	94	NA	0.050	149	150	NA	<0.01
39	40	NA	<0.01	94	95	NA	<0.01	150	151	NA	<0.01
40	41	NA	<0.01	95	96	NA	<0.01	151	152	NA	0.050
41	42	NA	<0.01	96	97	NA	<0.01	152	153	NA	0.030
42	43	NA	<0.01	97	98	NA	<0.01	153	154	NA	0.090
43	44	NA	<0.01	98	99	NA	0.050	154	155	NA	<0.01
44	45	NA	<0.01	99	100	NA	0.020	155	156	NA	0.200
45	46	NA	<0.01	100	101	NA	<0.01	156	157	NA	0.030
46	47	NA	0.040	101	102	NA	0.030	157	158	NA	<0.01
47	48	NA	<0.01	102	103	NA	0.010	158	159	NA	<0.01
48	49	NA	<0.01	103	104	NA	0.010	159	160	NA	0.060
49	50	NA	<0.01	104	105	NA	0.060	160	161	NA	<0.01
50	51	NA	<0.01	105	106	NA	0.120	161	162	NA	0.060
51	52	NA	<0.01	106	107	NA	0.020	162	163	NA	<0.01
52	53	NA	<0.01	107	108	NA	<0.01	163	164	NA	<0.01
53	54	NA	<0.01	108	109	NA	0.010	164	165	NA	0.100
54	55	NA	<0.01	109	110	NA	0.010	165	166	NA	0.030
55	56	NA	<0.01	110	111	NA	0.560	166	167	NA	<0.01



**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting	Northing	Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)					
LLA-009	307368	6532605	1289	210	270	-60					
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	NA	0.010	56	57	NA	0.030	112	113	NA	<0.01
1	2	NA	NA	57	58	NA	NA	113	114	NA	NA
2	3	NA	0.070	58	59	NA	0.020	114	115	NA	0.020
3	4	NA	NA	59	60	NA	NA	115	116	NA	NA
4	5	NA	0.010	60	61	NA	<0.01	116	117	NA	<0.01
5	6	NA	NA	61	62	NA	NA	117	118	NA	NA
6	7	NA	<0.01	62	63	NA	0.090	118	119	NA	<0.01
7	8	NA	NA	63	64	NA	NA	119	120	NA	NA
8	9	NA	<0.01	64	65	NA	0.020	120	121	NA	0.010
9	10	NA	NA	65	66	NA	NA	121	122	NA	NA
10	11	NA	<0.01	66	67	NA	0.040	122	123	NA	<0.01
11	12	NA	NA	67	68	NA	NA	123	124	NA	NA
12	13	NA	<0.01	68	69	NA	<0.01	124	125	NA	<0.01
13	14	NA	NA	69	70	NA	NA	125	126	NA	NA
14	15	NA	<0.01	70	71	NA	0.020	126	127	NA	0.020
15	16	NA	NA	71	72	NA	NA	127	128	NA	NA
16	17	NA	<0.01	72	73	NA	0.050	128	129	NA	<0.01
17	18	NA	NA	73	74	NA	NA	129	130	NA	NA
18	19	NA	<0.01	74	75	NA	0.040	130	131	NA	0.010
19	20	NA	NA	75	76	NA	NA	131	132	NA	NA
20	21	NA	<0.01	76	77	NA	0.010	132	133	NA	0.010
21	22	NA	NA	77	78	NA	NA	133	134	NA	NA
22	23	NA	<0.01	78	79	NA	0.040	134	135	NA	0.030
23	24	NA	NA	79	80	NA	NA	135	136	NA	NA
24	25	NA	<0.01	80	81	NA	0.010	136	137	NA	0.020
25	26	NA	NA	81	82	NA	NA	137	138	NA	NA
26	27	NA	<0.01	82	83	NA	0.010	138	139	NA	0.210
27	28	NA	NA	83	84	NA	NA	139	140	NA	NA
28	29	NA	<0.01	84	85	NA	0.390	140	141	NA	0.030
29	30	NA	NA	85	86	NA	NA	141	142	NA	NA
30	31	NA	<0.01	86	87	NA	0.020	142	143	NA	0.020
31	32	NA	NA	87	88	NA	NA	143	144	NA	NA
32	33	NA	0.010	88	89	NA	0.030	144	145	NA	0.040
33	34	NA	NA	89	90	NA	NA	145	146	NA	NA
34	35	NA	<0.01	90	91	NA	0.030	146	147	NA	0.030
35	36	NA	NA	91	92	NA	NA	147	148	NA	NA
36	37	NA	<0.01	92	93	NA	0.130	148	149	NA	0.020
37	38	NA	NA	93	94	NA	NA	149	150	NA	NA
38	39	NA	<0.01	94	95	NA	0.010	150	151	NA	0.010
39	40	NA	NA	95	96	NA	NA	151	152	NA	NA
40	41	NA	<0.01	96	97	NA	0.020	152	153	NA	0.010
41	42	NA	NA	97	98	NA	NA	153	154	NA	NA
42	43	NA	<0.01	98	99	NA	0.010	154	155	NA	0.010
43	44	NA	NA	99	100	NA	NA	155	156	NA	NA
44	45	NA	0.020	100	101	NA	0.010	156	157	NA	0.010
45	46	NA	NA	101	102	NA	NA	157	158	NA	NA
46	47	NA	18.620	102	103	NA	<0.01	158	159	NA	0.020
47	48	NA	NA	103	104	NA	NA	159	160	NA	NA
48	49	NA	0.290	104	105	NA	<0.01	160	161	NA	0.020
49	50	NA	NA	105	106	NA	NA	161	162	NA	NA
50	51	NA	0.210	106	107	NA	<0.01	162	163	NA	0.010
51	52	NA	NA	107	108	NA	NA	163	164	NA	NA
52	53	NA	1.070	108	109	NA	<0.01	164	165	NA	<0.01
53	54	NA	NA	109	110	NA	NA	165	166	NA	NA
54	55	NA	<0.01	110	111	NA	<0.01	166	167	NA	<0.01
55	56	NA	NA	111	112	NA	NA	167	168	NA	NA



**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)		Dip (Deg)		
LLA-010	307913		6531801		1344	210	300		-60		
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	0.107	0.010	56	57	0.286	0.020	112	113	0.424	0.020
1	2	0.155	0.000	57	58	0.349	0.020	113	114	0.430	0.030
2	3	0.193	0.020	58	59	0.407	0.000	114	115	0.326	0.040
3	4	0.212	0.010	59	60	0.501	0.020	115	116	0.435	0.070
4	5	0.195	0.010	60	61	0.337	0.000	116	117	0.448	0.060
5	6	0.198	0.010	61	62	0.376	0.020	117	118	0.438	0.040
6	7	0.200	0.010	62	63	0.476	0.020	118	119	0.346	0.060
7	8	0.193	0.010	63	64	0.337	0.010	119	120	0.287	0.040
8	9	0.175	0.000	64	65	0.248	0.000	120	121	0.324	0.020
9	10	0.214	0.020	65	66	0.225	0.000	121	122	0.250	0.030
10	11	0.211	0.020	66	67	0.210	0.000	122	123	0.178	0.000
11	12	0.202	0.020	67	68	0.219	0.020	123	124	0.298	0.000
12	13	0.377	0.020	68	69	0.181	0.020	124	125	0.209	0.000
13	14	0.252	0.000	69	70	0.143	0.040	125	126	0.311	0.050
14	15	0.281	0.010	70	71	0.069	0.080	126	127	0.380	0.060
15	16	0.275	0.010	71	72	0.212	0.140	127	128	0.379	0.060
16	17	0.207	0.000	72	73	0.323	0.080	128	129	0.356	0.050
17	18	0.167	0.000	73	74	0.347	0.040	129	130	0.317	0.040
18	19	0.193	0.000	74	75	0.256	0.040	130	131	0.329	0.050
19	20	0.260	0.020	75	76	0.238	0.090	131	132	0.364	0.030
20	21	0.224	0.000	76	77	0.439	0.050	132	133	0.250	0.020
21	22	0.228	0.010	77	78	0.309	0.020	133	134	0.184	0.000
22	23	0.265	0.010	78	79	0.597	0.030	134	135	0.204	0.020
23	24	0.232	0.000	79	80	0.344	0.030	135	136	0.154	0.020
24	25	0.138	0.000	80	81	0.340	0.040	136	137	0.233	0.020
25	26	0.136	0.000	81	82	0.331	0.020	137	138	0.243	0.300
26	27	0.225	0.010	82	83	0.409	0.040	138	139	0.436	0.080
27	28	0.622	0.000	83	84	0.158	0.010	139	140	0.486	0.050
28	29	0.172	0.010	84	85	0.087	0.010	140	141	0.296	0.080
29	30	0.229	0.020	85	86	0.157	0.020	141	142	0.419	0.040
30	31	0.246	0.020	86	87	0.213	0.020	142	143	0.565	0.060
31	32	0.183	0.020	87	88	0.301	0.020	143	144	0.236	0.030
32	33	0.246	0.050	88	89	0.337	0.030	144	145	0.114	0.020
33	34	0.361	0.050	89	90	0.327	0.040	145	146	0.238	0.030
34	35	0.336	0.020	90	91	0.305	0.030	146	147	0.310	0.030
35	36	0.182	0.020	91	92	0.304	0.020	147	148	0.230	0.020
36	37	0.042	0.000	92	93	0.275	0.050	148	149	0.463	0.160
37	38	0.091	0.000	93	94	0.656	0.070	149	150	0.469	0.060
38	39	0.103	0.000	94	95	0.398	0.030	150	151	0.186	0.040
39	40	0.123	0.000	95	96	0.474	0.060	151	152	0.102	0.020
40	41	0.131	0.000	96	97	0.397	0.050	152	153	0.195	0.010
41	42	0.199	0.000	97	98	0.418	0.060	153	154	0.194	0.000
42	43	0.295	0.000	98	99	0.403	0.060	154	155	0.121	0.010
43	44	0.384	0.000	99	100	0.284	0.050	155	156	0.135	0.010
44	45	0.305	0.000	100	101	0.310	0.050	156	157	0.098	0.010
45	46	0.356	0.020	101	102	0.361	0.070	157	158	0.187	0.020
46	47	0.299	0.020	102	103	0.373	0.060	158	159	0.359	0.040
47	48	0.286	0.020	103	104	0.497	0.050	159	160	0.494	0.030
48	49	0.202	0.020	104	105	0.274	0.010	160	161	0.437	0.030
49	50	0.303	0.020	105	106	0.532	0.040	161	162	0.387	0.040
50	51	0.393	0.020	106	107	0.359	0.000	162	163	0.315	0.020
51	52	0.611	0.030	107	108	0.275	0.030	163	164	0.178	0.010
52	53	0.315	0.020	108	109	0.327	0.050	164	165	0.190	0.010
53	54	0.393	0.020	109	110	0.328	0.040	165	166	0.187	0.020
54	55	0.260	0.020	110	111	0.261	0.030	166	167	0.135	0.030
55	56	0.405	0.020	111	112	0.637	0.040	167	168	0.070	0.060



**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)		Dip (Deg)		
LLA-011	307776		6531865		1345	220	300		-60		
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	0.396	0.150	56	57	0.269	0.090	112	113	0.279	0.040
1	2	0.369	0.090	57	58	0.397	0.170	113	114	0.202	0.040
2	3	0.477	0.080	58	59	0.585	0.090	114	115	0.269	0.080
3	4	0.425	0.120	59	60	0.334	0.270	115	116	0.346	0.070
4	5	0.438	0.080	60	61	0.419	0.200	116	117	0.450	0.050
5	6	0.460	0.110	61	62	0.629	0.280	117	118	0.261	0.080
6	7	0.314	0.080	62	63	0.449	0.210	118	119	0.306	0.080
7	8	0.244	0.070	63	64	0.575	0.130	119	120	0.334	0.060
8	9	0.304	0.090	64	65	0.407	0.030	120	121	0.502	0.110
9	10	0.269	0.080	65	66	0.378	0.040	121	122	0.526	0.070
10	11	0.250	0.060	66	67	0.396	0.100	122	123	0.338	0.070
11	12	0.294	0.100	67	68	0.304	0.080	123	124	0.299	0.080
12	13	0.390	0.100	68	69	0.339	0.050	124	125	0.343	0.080
13	14	0.321	0.030	69	70	0.361	0.080	125	126	0.360	0.060
14	15	0.300	0.030	70	71	0.403	0.070	126	127	0.346	0.070
15	16	0.286	0.020	71	72	0.317	0.050	127	128	0.365	0.040
16	17	0.314	0.040	72	73	0.270	0.040	128	129	0.312	0.060
17	18	0.311	0.060	73	74	0.379	0.060	129	130	0.281	0.040
18	19	0.393	0.060	74	75	0.528	0.100	130	131	0.252	0.030
19	20	0.295	0.100	75	76	0.421	0.070	131	132	0.450	0.030
20	21	0.424	0.090	76	77	0.433	0.050	132	133	0.330	0.030
21	22	0.255	0.030	77	78	0.413	0.100	133	134	0.310	0.070
22	23	0.258	0.030	78	79	0.344	0.060	134	135	0.505	0.090
23	24	0.364	0.030	79	80	0.519	0.040	135	136	0.193	0.050
24	25	0.211	0.060	80	81	0.471	0.090	136	137	0.476	0.110
25	26	0.386	0.120	81	82	0.577	0.030	137	138	0.341	0.120
26	27	0.312	0.100	82	83	0.852	0.080	138	139	0.342	0.080
27	28	0.228	0.040	83	84	0.857	0.040	139	140	0.413	0.160
28	29	0.360	0.120	84	85	0.400	0.040	140	141	0.456	0.090
29	30	0.371	0.090	85	86	0.648	0.050	141	142	0.388	0.060
30	31	0.339	0.080	86	87	0.567	0.040	142	143	0.373	0.080
31	32	0.286	0.060	87	88	0.704	0.060	143	144	0.428	0.040
32	33	1.061	0.390	88	89	0.772	0.060	144	145	0.238	0.030
33	34	0.352	0.130	89	90	0.455	0.150	145	146	0.295	0.070
34	35	0.347	0.080	90	91	0.388	0.050	146	147	0.273	0.060
35	36	0.596	0.050	91	92	0.349	0.050	147	148	0.363	0.090
36	37	0.221	0.030	92	93	0.365	0.070	148	149	0.435	0.090
37	38	0.282	0.030	93	94	0.414	0.080	149	150	0.533	0.090
38	39	0.254	0.060	94	95	0.286	0.050	150	151	0.564	0.040
39	40	0.433	0.070	95	96	0.409	0.060	151	152	0.334	0.050
40	41	0.628	0.040	96	97	0.499	0.070	152	153	0.632	0.100
41	42	0.213	0.020	97	98	0.473	0.030	153	154	1.796	0.130
42	43	0.240	0.060	98	99	0.276	0.030	154	155	0.350	0.040
43	44	0.198	0.030	99	100	0.328	0.020	155	156	0.266	0.030
44	45	0.109	0.000	100	101	0.316	0.010	156	157	0.321	0.060
45	46	0.285	0.060	101	102	0.457	0.030	157	158	0.258	0.050
46	47	0.709	0.180	102	103	0.344	0.070	158	159	0.274	0.070
47	48	0.517	0.190	103	104	0.343	0.140	159	160	0.311	0.060
48	49	0.561	0.090	104	105	0.312	0.090	160	161	0.132	0.020
49	50	0.632	0.170	105	106	0.244	0.070	161	162	0.171	0.020
50	51	0.751	0.330	106	107	0.463	0.060	162	163	0.390	0.060
51	52	0.768	0.230	107	108	0.329	0.060	163	164	0.319	0.060
52	53	0.760	0.190	108	109	0.437	0.070	164	165	0.310	0.050
53	54	0.991	0.270	109	110	0.263	0.050	165	166	0.377	0.080
54	55	0.632	0.200	110	111	0.297	0.060	166	167	0.332	0.050
55	56	0.459	0.110	111	112	0.110	0.030	167	168	0.432	0.020



**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting		Northing		Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)			
LLA-012	307733		6531818		1340	208	300	-61			
From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
0	1	NA	NA	56	57	0.310	0.060	112	113	0.270	0.030
1	2	NA	NA	57	58	0.302	0.030	113	114	0.224	0.050
2	3	NA	NA	58	59	0.847	0.030	114	115	0.211	0.030
3	4	0.528	0.170	59	60	0.245	0.010	115	116	0.120	0.020
4	5	0.576	0.150	60	61	0.325	0.060	116	117	0.252	0.050
5	6	0.473	0.040	61	62	0.411	0.080	117	118	0.325	0.030
6	7	0.391	0.020	62	63	0.472	0.080	118	119	0.295	0.060
7	8	0.358	0.030	63	64	0.530	0.040	119	120	0.277	0.060
8	9	0.365	0.050	64	65	0.394	0.060	120	121	0.338	0.060
9	10	0.385	0.200	65	66	0.526	0.010	121	122	0.374	0.070
10	11	0.605	0.040	66	67	0.384	0.060	122	123	0.325	0.060
11	12	0.813	0.170	67	68	0.419	0.070	123	124	0.229	0.030
12	13	0.663	0.150	68	69	0.378	0.080	124	125	0.296	0.080
13	14	0.770	0.210	69	70	0.456	0.050	125	126	0.234	0.040
14	15	0.744	0.090	70	71	0.377	0.000	126	127	0.308	0.070
15	16	1.334	0.120	71	72	0.366	0.070	127	128	0.221	0.030
16	17	1.010	0.080	72	73	0.290	0.060	128	129	0.278	0.050
17	18	0.242	0.080	73	74	0.429	0.070	129	130	0.221	0.030
18	19	0.226	0.070	74	75	0.422	0.110	130	131	0.255	0.020
19	20	0.261	0.090	75	76	0.563	0.140	131	132	0.293	0.040
20	21	0.435	0.100	76	77	0.463	0.100	132	133	0.347	0.180
21	22	0.409	0.110	77	78	0.556	0.030	133	134	0.176	0.020
22	23	0.544	0.120	78	79	0.373	0.100	134	135	0.217	0.010
23	24	0.538	0.110	79	80	0.324	0.110	135	136	0.214	0.060
24	25	0.574	0.040	80	81	0.305	0.010	136	137	0.319	0.020
25	26	0.801	0.010	81	82	0.305	0.030	137	138	0.233	0.020
26	27	0.763	0.010	82	83	0.433	0.030	138	139	0.253	0.030
27	28	0.791	0.050	83	84	0.332	0.140	139	140	0.331	0.030
28	29	0.999	0.080	84	85	0.441	0.120	140	141	0.366	0.090
29	30	1.058	0.070	85	86	0.369	0.220	141	142	0.312	0.030
30	31	0.899	0.160	86	87	0.444	0.110	142	143	0.275	0.040
31	32	0.662	0.130	87	88	0.373	0.120	143	144	0.343	0.080
32	33	0.737	0.150	88	89	0.367	0.080	144	145	0.393	0.100
33	34	0.838	0.040	89	90	0.338	0.020	145	146	0.336	0.070
34	35	0.780	0.090	90	91	0.341	0.050	146	147	0.206	0.040
35	36	0.598	0.110	91	92	0.279	0.060	147	148	0.258	0.050
36	37	0.558	0.120	92	93	0.367	0.070	148	149	0.161	0.030
37	38	0.604	0.110	93	94	0.256	0.020	149	150	0.163	0.030
38	39	0.739	0.110	94	95	0.060	0.010	150	151	0.225	0.050
39	40	0.558	0.140	95	96	0.043	0.020	151	152	0.297	0.060
40	41	0.422	0.130	96	97	0.078	0.020	152	153	0.255	0.040
41	42	0.118	0.020	97	98	0.019	0.030	153	154	0.292	0.040
42	43	0.272	0.010	98	99	0.287	0.090	154	155	0.272	0.030
43	44	0.478	0.020	99	100	0.286	0.080	155	156	0.313	0.060
44	45	0.510	0.030	100	101	0.130	0.020	156	157	0.243	0.070
45	46	0.420	0.020	101	102	0.125	0.020	157	158	0.259	0.070
46	47	0.553	0.040	102	103	0.223	0.020	158	159	0.338	0.070
47	48	0.776	0.020	103	104	0.265	0.020	159	160	0.219	0.060
48	49	1.466	0.030	104	105	0.275	0.040	160	161	0.163	0.030
49	50	0.873	0.040	105	106	0.241	0.050	161	162	0.140	0.010
50	51	0.399	0.100	106	107	0.291	0.060	162	163	0.259	0.030
51	52	0.489	0.020	107	108	0.292	0.060	163	164	0.251	0.010
52	53	0.373	0.020	108	109	0.273	0.060	164	165	0.153	0.000
53	54	0.196	0.010	109	110	0.226	0.040	165	166	0.106	0.000
54	55	0.206	0.000	110	111	0.234	0.060	166	167	0.250	0.010
55	56	0.388	0.020	111	112	0.237	0.030	167	168	0.342	0.180

**Attachment: RC Drill Results for Llahuin Project (Amapolo)**

Hole ID	Easting	Northing	Collar RL (m)	Total Depth (m)	Azimuth (Deg)	Dip (Deg)
LLA-012	307733	6531818	1340	208	300	-61

From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t	From (m)	To (m)	Cu %	Au g/t
168	169	0.364	0.040								
169	170	0.214	0.010								
170	171	0.180	0.020								
171	172	0.122	0.000								
172	173	0.090	0.030								
173	174	0.197	0.030								
174	175	0.311	0.080								
175	176	0.323	0.060								
176	177	0.313	0.060								
177	178	0.274	0.090								
178	179	0.200	0.040								
179	180	0.197	0.070								
180	181	0.258	0.070								
181	182	0.278	0.080								
182	183	0.235	0.050								
183	184	0.208	0.070								
184	185	0.222	0.080								
185	186	0.243	0.070								
186	187	0.299	0.050								
187	188	0.189	0.010								
188	189	0.207	0.030								
189	190	0.164	0.030								
190	191	0.090	0.020								
191	192	0.157	0.040								
192	193	0.103	0.010								
193	194	0.142	0.020								
194	195	0.262	0.040								
195	196	0.093	0.020								
196	197	0.050	0.000								
197	198	0.131	0.040								
198	199	0.253	0.030								
199	200	0.363	0.090								
200	201	0.444	0.080								
201	202	0.194	0.010								
202	203	0.273	0.020								
203	204	0.165	0.020								
204	205	0.274	0.040								
205	206	0.223	0.020								
206	207	0.027	0.020								
207	208	0.125	0.000								

Note - NA: No Analysis conducted